



This is a digital copy of a book that was preserved for generations on library shelves before it was carefully scanned by Google as part of a project to make the world's books discoverable online.

It has survived long enough for the copyright to expire and the book to enter the public domain. A public domain book is one that was never subject to copyright or whose legal copyright term has expired. Whether a book is in the public domain may vary country to country. Public domain books are our gateways to the past, representing a wealth of history, culture and knowledge that's often difficult to discover.

Marks, notations and other marginalia present in the original volume will appear in this file - a reminder of this book's long journey from the publisher to a library and finally to you.

### Usage guidelines

Google is proud to partner with libraries to digitize public domain materials and make them widely accessible. Public domain books belong to the public and we are merely their custodians. Nevertheless, this work is expensive, so in order to keep providing this resource, we have taken steps to prevent abuse by commercial parties, including placing technical restrictions on automated querying.

We also ask that you:

- + *Make non-commercial use of the files* We designed Google Book Search for use by individuals, and we request that you use these files for personal, non-commercial purposes.
- + *Refrain from automated querying* Do not send automated queries of any sort to Google's system: If you are conducting research on machine translation, optical character recognition or other areas where access to a large amount of text is helpful, please contact us. We encourage the use of public domain materials for these purposes and may be able to help.
- + *Maintain attribution* The Google "watermark" you see on each file is essential for informing people about this project and helping them find additional materials through Google Book Search. Please do not remove it.
- + *Keep it legal* Whatever your use, remember that you are responsible for ensuring that what you are doing is legal. Do not assume that just because we believe a book is in the public domain for users in the United States, that the work is also in the public domain for users in other countries. Whether a book is still in copyright varies from country to country, and we can't offer guidance on whether any specific use of any specific book is allowed. Please do not assume that a book's appearance in Google Book Search means it can be used in any manner anywhere in the world. Copyright infringement liability can be quite severe.

### About Google Book Search


Google's mission is to organize the world's information and to make it universally accessible and useful. Google Book Search helps readers discover the world's books while helping authors and publishers reach new audiences. You can search through the full text of this book on the web at <http://books.google.com/>



SEVENTH ANNUAL REPORT  
ON  
BIRTHS, MARRIAGES, DIVORCES,  
AND DEATHS,  
IN THE  
STATE OF MAINE.  
—  
1898.

**LITTAUER LIBRARY, SSP  
HARVARD UNIVERSITY**











**SEVENTH ANNUAL REPORT**

**UPON THE**

**BIRTHS, MARRIAGES, DIVORCES,  
AND DEATHS**

**IN THE**

**STATE OF MAINE**

**FOR THE**

**YEAR ENDING DECEMBER 31, 1898.**

---

**AUGUSTA**  
**KENNEBEC JOURNAL PRINT**  
**1900**





DEPARTMENT OF VITAL STATISTICS.

---

OFFICE OF THE REGISTRAR,  
AUGUSTA, ME., March 20, 1900.

*To His Excellency, Llewellyn Powers, Governor, and the  
Honorable Executive Council:*

GENTLEMEN—In accordance with the provisions of the law, I have the honor of submitting to you the Seventh Annual Report relating to the births, marriages, divorces, and deaths which were registered in Maine in the year 1898.

Very respectfully,

A. G. YOUNG, M. D.,  
*Registrar of Vital Statistics.*



## REGISTRATION REPORT, 1898.

---

This report gives the results obtained in the registration and tabulation of the births, marriages, divorces, and deaths which occurred in the State of Maine during the year 1898. In justification of the late date at which the report is given to the public, it may be said that under the present conditions it was wholly impracticable to make an earlier presentation of the results which should, at the same time, be accurate and of value. A few changes which it may be well to make in the law relating to the subject probably would eventually enable this department to issue its reports some months earlier.

The number of births registered in the year 1898 is 21 smaller than in the preceding year. The number of births recorded in each of the registration years, 1892-98, is 14,028, 14,604, 14,607, 15,430, 15,429, 15,142, and 15,121, respectively.

The number of marriages (number of couples married) in 1898 was 5,144, a number 187 smaller than in the preceding year. The number of marriages registered in the State in each of the years, 1892-98, is, respectively, 5,726, 5,795, 5,594, 5,729, 5,579, 5,331, and 5,144.

The number of deaths recorded in the State for the same year was 10,956, a number 280 smaller than that of the deaths registered in the preceding year. The number of deaths in each year thus far recorded is: in 1892, 12,147; in 1893, 11,134; in 1894, 11,012; in 1895, 10,464; in 1896, 10,626; in 1897, 11,236; and in 1898, 10,956.

Compared with 1897, among the chief causes of death, there were in 1898, 19 more deaths from measles, 5 more from scarlet fever, 7 more from cerebro-spinal meningitis, 65 more from typhoid fever, 141 more from infantile diarrhea, or 188 from the diarrheal diseases collectively, 68 more from cancer, and 70 more from diseases of the heart. On the other hand, there was a smaller number of deaths from the following causes: from influenza, 149 fewer; from whooping-cough, 2; from diphtheria and croup, 36; from pulmonary tuberculosis, 107; from diseases of the nervous system, 54; from pneumonia, 167; and from bronchitis, 27 fewer deaths than in 1897.

A noteworthy and uninterrupted diminution of the number of deaths from pulmonary tuberculosis, or consumption, has been going on in this State ever since the registration of vital statistics was begun. The number of deaths from consumption for each of the registration years, 1892-98, has been 1,352, 1,299, 1,262, 1,195, 1,172, 1,128, and 1,021, respectively. The lessening of the number of deaths from each succeeding year since 1892 has been 53, 37, 67, 23, 44, and 107. The death-rate from consump-

tion per 10,000 of population, according to the census enumeration in 1890, has been reduced from 20.45 in 1892 to 15.44 in 1898. If the rate were based upon the actual but unknown population, the showing would be still more favorable.

The reasons for this falling off in the death-rate from consumption are probably more than one, but the principal reason is, undoubtedly, that our people are understanding more and more clearly the significance of the fact that pulmonary tuberculosis is a preventable disease and that it should be prevented. In 1889, the State Board of Health issued the first edition of its circular on the prevention of consumption. It has repeatedly been issued in large editions and has been distributed in every town by boards of health, clergymen, and other persons. The bulletin of the board has also actively carried on the same propaganda. This work, together with the help of the daily and weekly press, has been the prime factor in this saving. It has simply been a campaign of education.

Table No. 1 gives a cursory view of the relative mortality in 1897 and 1898 from some of the leading causes of death.

**TABLE No. 1.**  
**Deaths from Some of the Leading Causes.**

Diseases.	1897.	1898.	More in 1897.	More in 1898.
Measles .....	22	41	-	19
Scarlet fever .....	38	43	-	5
Influenza .....	284	145	149	-
Whooping-cough .....	46	44	2	-
Diphtheria .....	200	185	15	-
Croup .....	76	55	21	-
Cerebro-spinal meningitis.....	36	43	-	7
Tetanus .....	2	4	-	2
Typhoid fever.....	151	216	-	65
Tuberculosis .....	1,338	1,239	99	-
Diarrheal diseases .....	666	854	-	188
Rheumatism .....	42	57	-	15
Cancer .....	463	531	-	68
Diabetes .....	95	88	7	-
Diseases of nervous system .....	1,661	1,607	54	-
Diseases of heart .....	1,062	1,132	-	70
Pneumonia .....	936	769	167	-
Bronchitis .....	237	210	27	-
Peritonitis.....	117	102	15	-
Nephritis and Bright's disease .....	368	395	-	27

*Population.*—The population of the State of Maine in 1890 was, as given by the eleventh census, 661,086. In 1880, the population of the State was 648,936. There was, therefore, a gain of 12,150 in the decade between the last two census enumerations. The following table exhibits the population of the several counties in 1880 and in 1890, and the gain or loss in each :

**TABLE No. 2.**  
**Population in 1890 and 1880.**

Counties.	1880.	1890.	Difference.
Androscoggin .....	48,968	45,042	3,926 gain
Aroostook .....	49,589	41,700	7,889 gain
Cumberland .....	90,949	86,359	4,590 gain
Franklin .....	17,063	18,180	1,127 loss
Hancock .....	87,312	88,129	817 loss
Kennebec .....	57,012	53,058	3,954 gain
Knox .....	31,473	32,863	1,390 loss
Lincoln .....	21,996	24,821	2,825 loss
Oxford .....	30,586	32,627	2,041 loss
Penobscot .....	72,865	70,476	2,389 gain
Piscataquis .....	16,134	14,872	1,262 gain
Sagadahoc .....	19,462	19,272	190 gain
Somerset .....	32,627	32,333	294 gain
Waldo .....	27,759	32,463	4,704 loss
Washington .....	44,482	44,484	2 loss
York .....	62,829	62,257	572 gain

**TABLE No. 3.**  
**Births, Marriages, and Deaths, 1892-98.**

State.	1892.	1893.	1894.	1895.	1896.	1897.	1898.
Number of births .....	14,028	14,604	14,607	15,430	15,429	14,430	14,473
Number of marriages .....	5,726	5,795	5,594	5,729	5,579	5,331	5,144
Number of deaths .....	12,147	11,134	11,012	10,464	10,626	11,236	10,956
Birth-rate .....	21.21	21.04	21.09	22.33	22.23	21.83	21.89
Marriage-rate .....	8.56	8.76	8.46	8.67	8.44	8.07	7.78
Death-rate .....	18.37	16.84	16.66	15.88	16.07	16.99	16.57

*Birth, Marriage, and Death-Rates.*—In this report the birth-rates, marriage-rates, and death-rates from all causes, are stated as so many among each 1,000 of the population as shown by the census of 1890.

Death-rates from individual causes, or from groups of diseases are expressed as per 10,000.

TABLE No. 4.

**Population of 1890, Births, Marriages, and Deaths, with rate of each to 1,000 of Population for the Year Ending December 31, 1893.**

Counties.	Population in 1890.	Births.	Birth-rate per 1,000.	Marriages.	Marriage-rate per 1,000 per- sons married.	Deaths.	Death-rate per 1,000.
Androscoggin .....	45,968	1,151	23.51	378	7.68	957	19.54
Aroostook .....	49,589	1,802	37.05	487	9.82	765	15.43
Cumberland .....	90,949	1,993	21.81	657	7.22	1,705	18.75
Franklin .....	17,053	398	23.65	158	9.26	276	16.18
Hancock .....	37,312	741	20.04	264	7.08	550	14.74
Kennebec .....	57,012	1,135	19.91	469	8.23	989	17.35
Knox .....	31,473	513	16.31	247	7.85	497	15.70
Lincoln .....	21,996	348	15.89	148	6.73	322	14.64
Oxford .....	30,586	650	21.36	236	7.72	488	15.96
Penobscot .....	72,865	1,521	21.08	602	8.28	1,185	16.26
Piscataquis .....	16,134	336	21.32	145	8.99	232	14.38
Sagadahoc .....	19,452	380	19.54	156	8.02	307	15.78
Somerset .....	32,627	624	19.28	275	8.43	503	15.42
Waldo .....	27,759	402	14.48	200	6.13	432	15.56
Washington .....	44,482	1,146	26.32	341	7.67	625	14.06
York .....	62,829	1,333	21.22	383	6.10	1,123	17.87
State .....	661,086	14,473	21.89	5,144	7.78	10,966	16.57

The following is a general summary of the births, marriages, and deaths in 1898:

**BIRTHS.**

Sex.		Parentage.	
Males.....	7,438	American .....	9,097
Females.....	7,016	Foreign .....	2,847
Not stated .....	19	One parent foreign.....	2,399
	14,473	Not stated .....	130
			14,473
Whole number of births .....			14,473
Birth-rate per 1,000.....			*21.89

\* Birth-rates, marriage-rates, and death-rates based on the population for 1890.

**MARRIAGES.**

Groom and bride both American .....	3,773
Groom and bride both foreign .....	529
Groom American, bride foreign .....	372
Groom foreign, bride American .....	424
Not stated.....	46
Whole number of marriages .....	5,144
Marriage-rate per 1,000.....	7.78

**DEATHS.**

Sex.		Parentage.	
Males.....	5,506	American .....	9,408
Females.....	5,447	Foreign .....	1,810
Not stated.....	3	Not stated.....	238
	10,956		10,956
Whole number of deaths .....			10,956
Death-rate per 1,000 .....			16.57



*Relation of Births to Deaths.*—As the total number of births registered in Maine in the year 1898 was 15,121 and the number of deaths was 10,956, the natural increase of births over deaths was 4,165.

The following table shows the number of births and deaths in each county, and the preponderance of births over deaths. In none of the preceding registration years until 1895 was the number of births greater than the number of deaths in every county in the State.

TABLE No. 5.

Counties.	Population in 1880.	Births.	Deaths.	Difference.
Androscoggin.....	48,968	1,151	957	194 gain
Aroostook .....	49,589	1,802	765	1,037 gain
Cumberland .....	90,949	1,993	1,705	288 gain
Franklin .....	17,063	396	276	122 gain
Hancock .....	37,312	741	550	191 gain
Kennebec .....	57,012	1,135	969	166 gain
Knox .....	31,473	513	497	16 gain
Lincoln .....	21,996	348	322	26 gain
Oxford.....	30,586	650	488	162 gain
Penobscot .....	72,865	1,521	1,185	336 gain
Piscataquis.....	16,134	336	232	104 gain
Sagadahoc .....	19,452	380	307	73 gain
Somerset .....	32,627	624	503	121 gain
Waldo .....	27,759	402	432	30 loss
Washington .....	44,482	1,146	625	521 gain
York .....	62,829	1,333	1,123	210 gain
State .....	661,086	14,473	10,956	3,517 gain

In the cities the relation of the number of births to that of the deaths is conveniently shown in the following :

TABLE No. 6.

Cities.	Population in 1890.	Births.	Deaths.	Difference.
Auburn .....	11,250	225	213	12 gain
*Augusta .....	10,527	250	249	1 gain
Bangor .....	19,108	388	388	-
Bath .....	8,723	194	154	40 gain
Belfast .....	5,294	52	100	48 loss
Biddeford .....	14,443	471	302	169 gain
Brewer .....	4,193	137	67	70 gain
Calais .....	7,290	221	109	112 gain
Deering .....	5,353	142	93	49 gain
Eastport .....	4,908	140	83	57 gain
Ellsworth .....	4,804	52	55	3 loss
Gardiner .....	5,491	125	70	55 gain
Hallowell .....	3,181	56	41	15 gain
Lewiston .....	21,701	553	500	53 gain
Old Town .....	5,312	155	102	53 gain
Portland .....	36,425	871	832	39 gain
Rockland .....	8,174	127	140	13 loss
Saco .....	6,075	106	113	7 loss
Waterville .....	7,107	269	137	132 gain
Westbrook .....	6,632	163	120	43 gain
Total .....	185,986	4,697	3,868	829 gain

\*Including 56 deaths in the Insane Hospital.

**TABLE**  
**Births, Marriages, and Deaths**

**ANDROSCOGGIN**

TOWNS.	Population in 1890.	BIRTHS.									
		Sex.					Parentage.				
		Male.	Female.	Not stated.	Total.	Rate per 1,000.	Both American.	Both foreign.	American mother and foreign father.	American father and foreign mother.	Not stated.
Auburn .....	11,250	115	110	-	225	20.00	94	95	13	21	2
Durham .....	1,111	12	14	-	26	23.40	19	5	1	1	-
East Livermore .....	1,506	23	20	-	43	28.55	20	16	4	3	-
Greene .....	885	12	6	-	18	20.34	15	1	1	1	-
Leeds . . . . .	999	13	12	-	25	25.02	22	1	2	-	-
Lewiston .....	21,701	264	288	1	553	25.48	110	355	40	42	6
Lisbon ....	3,120	52	50	-	102	32.69	52	34	7	9	-
Livermore ..	1,151	8	2	-	10	8.69	9	1	-	-	-
*Mechanic Falls .....	-	18	20	-	38	-	31	3	2	2	-
Minot .....	1,355	8	10	-	18	13.28	13	1	-	3	1
Poland .....	2,472	12	13	-	25	10.11	19	-	-	6	-
Turner .....	2,016	20	10	-	30	14.88	26	-	1	3	-
Wales .....	451	3	6	-	9	19.96	8	-	1	-	-
Webster .....	851	16	13	-	29	30.49	17	3	5	3	1
Total .....	48,968	576	574	1	1,151	23.51	455	515	77	94	10

\* Incorporated in 1893.

No. 7.

for the Year 1893.

COUNTY.

MARRIAGES.						DEATHS.								Death-rate per 1,000.
						Sex.				Nativity.				
Both American.	Both foreign.	Husband American.	Wife American.	Not stated.	Total.	Male.	Female.	Not stated.	Total.	American.	Foreign.	Not stated.		
58	5	8	2	1	74	111	102	-	213	176	32	5	18.83	
3	-	-	-	-	3	3	8	-	11	11	-	-	9.90	
13	-	-	-	1	14	22	15	-	37	35	2	-	24.57	
1	-	-	-	-	1	3	3	-	6	5	-	1	6.77	
3	-	-	-	-	3	10	5	-	15	13	2	-	15.02	
72	77	27	21	4	201	263	236	1	500	350	138	12	23.04	
17	9	3	6	-	35	31	25	-	56	50	5	1	17.95	
8	-	-	-	-	8	7	7	-	14	13	1	-	12.16	
6	-	-	-	-	6	11	13	-	24	23	1	-	-	
1	-	-	-	-	1	6	5	-	11	8	1	2	8.12	
10	-	-	-	-	10	16	15	-	31	30	1	-	12.54	
15	-	-	1	-	16	16	10	-	26	26	-	-	12.90	
-	-	-	-	-	-	3	3	-	6	6	-	-	13.30	
2	1	1	-	-	4	5	2	-	7	5	1	1	7.36	
208	92	39	30	6	376	507	449	1	957	751	184	22	19.54	

**TABLE**  
**Births, Marriages, and Deaths**

ARROOSTOOK

TOWNS.	Population in 1890.	BIRTHS.									
		Sex.					Parentage.				
		Male.	Female.	Not stated.	Total.	Rate per 1,000.	Both American.	Both foreign.	American mother and foreign father.	American father and foreign.	Not stated.
Amity . . . . .	420	4	5	-	9	21.43	4	-	2	3	-
Ashland . . . . .	568	16	9	-	25	44.01	19	3	3	-	-
Bancroft . . . . .	264	7	5	-	12	45.45	4	5	3	-	-
Benedicta . . . . .	317	3	2	-	5	15.77	5	-	-	-	-
Blaine . . . . .	784	10	13	-	23	29.34	12	3	3	5	-
Bridgewater . . . . .	946	22	21	-	43	45.45	12	17	6	8	-
Caribou . . . . .	4,087	86	94	-	180	44.05	65	43	45	27	-
Dyer Brook . . . . .	221	4	1	-	5	22.62	4	-	1	-	-
Easton . . . . .	978	8	9	-	17	17.38	8	5	2	2	-
Fort Fairfield . . . . .	3,526	64	41	-	105	29.78	41	27	11	24	2
Fort Kent . . . . .	1,826	75	66	-	141	77.22	92	14	17	18	-
Frenchville . . . . .	2,560	46	39	-	85	33.20	81	1	-	3	-
Grand Isle . . . . .	964	23	21	-	44	45.64	28	2	7	7	-
Haynesville . . . . .	280	4	5	-	9	32.14	3	2	3	1	-
Hersey . . . . .	151	4	3	-	7	46.36	5	-	1	1	-
Hodgdon . . . . .	1,113	13	14	-	27	24.26	18	1	5	3	-
Houlton . . . . .	4,015	60	40	-	100	24.91	34	27	19	20	-
Island Falls . . . . .	223	14	19	-	33	147.98	12	8	8	5	-
Limestone . . . . .	932	20	12	-	32	34.30	13	9	3	7	-
Linneus . . . . .	965	10	3	-	13	13.47	5	-	4	3	1
Littleton . . . . .	924	6	4	-	10	10.82	4	2	1	3	-
Ludlow . . . . .	375	4	4	-	8	21.33	1	3	3	1	-
Madawaska . . . . .	1,451	28	31	-	59	40.66	48	-	2	7	3
Mapleton . . . . .	832	12	9	-	21	25.24	12	2	5	2	-
Mars Hill . . . . .	837	27	16	-	43	51.56	9	12	5	17	-
Masardis . . . . .	250	7	7	-	14	56.00	11	2	-	1	-

**No. 7—Continued.**  
**for the Year 1893.**  
**COUNTY.**

MARRIAGES.						DEATHS.							Death-rate per 1,000.
						Sex.			Nativity.				
Both American.	Both foreign.	Husband American.	Wife American.	Not stated.	Total.	Male.	Female.	Not stated.	Total.	American.	Foreign.	Not stated.	
-	-	-	-	-	-	3	5	-	8	6	2	-	19.05
9	1	1	3	-	14	2	4	-	6	6	-	-	10.56
3	1	-	-	-	4	4	3	-	7	6	1	-	26.51
5	-	-	3	-	8	1	-	-	1	-	1	-	3.15
3	4	7	-	-	14	8	6	-	14	10	4	-	17.86
2	4	-	3	-	9	5	8	-	13	10	3	-	13.74
20	8	7	14	1	50	32	29	-	61	50	10	1	14.86
3	1	-	-	-	4	5	4	-	9	7	2	-	40.72
5	1	2	1	-	9	3	4	-	7	4	2	1	7.16
20	8	6	9	1	44	6	14	-	20	13	5	2	5.67
15	1	-	2	-	18	16	19	-	35	30	5	-	19.16
11	1	-	1	-	13	30	40	-	70	68	2	-	27.34
7	-	-	3	-	10	15	15	-	30	24	6	-	31.12
1	-	-	-	-	1	6	1	-	7	4	3	-	25.00
-	-	-	-	-	-	3	2	-	5	4	1	-	31.10
8	1	2	4	-	15	1	6	-	7	6	1	-	6.29
21	11	12	17	2	63	22	16	-	38	22	15	1	9.46
7	2	1	3	-	13	8	10	-	18	18	-	-	80.73
2	2	-	-	-	4	4	4	-	8	7	-	1	8.57
5	-	1	1	-	7	9	6	-	15	9	4	2	15.54
2	1	2	-	-	5	3	4	-	7	7	-	-	7.58
2	1	-	1	-	4	2	2	-	4	2	2	-	10.66
6	-	-	-	-	6	13	17	-	30	24	6	-	20.68
4	2	-	2	-	8	1	4	-	5	3	2	-	6.01
6	3	3	1	-	13	6	8	-	14	6	8	-	16.73
1	-	-	-	-	1	1	6	-	7	7	-	-	28.00

**TABLE**  
**Births, Marriages, and Deaths**

ARROOSTOOK

TOWNS.	Population in 1890.	BIRTHS.									
		Sex.					Parentage.				
		Male.	Female.	Not stated.	Total.	Rate per 1,000.	Both American.	Both foreign.	American mother and foreign father.	American father and foreign mother.	Not stated.
Monticello ..	1,132	18	17	4	39	34.45	9	14	9	7	-
New Limerick.....	567	4	3	-	7	12.35	2	3	2	-	-
New Sweden.....	707	11	9	-	20	28.29	-	18	1	1	-
Oakfield....	720	12	17	-	29	40.28	20	2	4	3	-
Orient .	244	4	2	-	6	24.59	1	1	-	4	-
Perham .....	438	4	10	-	14	31.96	7	5	1	1	-
Presque Isle.....	3,046	35	46	-	81	26.59	36	19	13	11	2
Sherman .....	909	7	17	-	24	26.40	19	2	1	2	-
Smyrna .....	303	6	1	-	7	23.10	2	2	2	1	-
St. Agatha .....	-	36	31	-	67	-	62	1	2	2	-
Van Buren.....	1,168	21	25	-	46	39.38	20	9	9	7	1
Washburn .....	1,097	22	20	-	42	38.29	28	8	2	4	-
Weston.....	404	2	4	-	6	14.85	3	-	2	1	-
Woodland.....	885	20	8	-	28	31.64	12	5	6	5	-
Cary Pl .....	390	7	3	-	10	25.64	6	3	-	1	-
Castle Hill Pl.....	537	7	5	-	12	22.35	9	2	-	1	-
Caswell Pl .....	212	7	5	-	12	56.60	4	1	5	2	-
Chapman Pl.....	231	7	3	-	10	43.29	7	-	2	1	-
Connor Pl.....	526	13	13	-	26	49.43	4	7	11	4	-
Crystal Pl.....	297	1	4	-	5	16.84	2	-	2	1	-
Cyr Pl.....	429	18	15	-	33	76.92	23	1	6	2	1
Garfield Pl.....	86	1	2	-	3	34.88	2	-	1	-	-
Glenwood Pl.....	183	-	1	-	1	5.46	1	-	-	-	-
Hamlin Pl .....	484	21	17	-	38	78.51	24	1	13	-	-
Hammond Pl. ....	109	-	2	-	2	18.35	2	-	-	-	-

## No. 7—Continued.

for the Year 1893.

COUNTY—CONTINUED.

MARRIAGES.						DEATHS.							Death-rate per 1,000.
						Sex.				Nativity.			
Both American.	Both foreign.	Husband American.	Wife American.	Not stated.	Total.	Male.	Female.	Not stated.	Total.	American.	Foreign.	Not stated.	
2	2	1	4	-	9	7	5	-	12	5	6	1	10.60
2	-	-	2	-	4	1	3	-	4	2	2	-	7.05
2	-	-	-	-	2	3	3	-	6	2	4	-	8.49
4	-	-	-	-	4	7	6	-	13	10	3	-	18.06
-	4	1	-	-	5	1	1	-	2	2	-	-	8.19
1	-	1	-	-	2	7	3	-	10	10	-	-	22.83
14	1	7	8	1	31	13	28	-	41	27	14	-	13.46
5	-	1	2	-	8	3	-	-	3	3	-	-	3.30
4	1	-	1	-	6	2	-	-	2	1	1	-	6.60
8	-	2	-	-	10	37	36	-	73	69	4	-	-
8	1	3	4	-	16	7	15	-	22	19	2	1	18.84
5	1	1	4	-	11	7	5	-	12	10	2	-	10.94
1	-	-	-	-	1	2	1	-	3	2	1	-	7.42
4	3	2	3	-	12	4	8	-	12	7	5	-	13.56
-	-	-	1	-	1	-	-	-	-	-	-	-	-
3	-	-	-	-	3	4	5	-	9	5	3	1	15.27
1	-	-	1	-	2	7	3	-	10	8	2	-	47.15
-	-	-	-	-	-	-	2	-	2	1	1	-	8.65
-	-	-	-	-	-	4	6	-	10	9	1	-	19.01
-	-	-	-	-	-	1	-	-	1	1	-	-	3.36
-	-	-	-	-	-	1	2	-	3	3	-	-	6.99
-	-	-	-	-	-	-	1	-	1	-	1	-	11.62
3	-	-	-	-	3	2	-	-	2	2	-	-	10.92
-	-	-	-	-	-	8	9	-	17	16	1	-	35.12
-	-	-	-	-	-	-	-	-	-	-	-	-	-



**TABLE**  
**Births, Marriages, and Deaths**

**A ROOSTOOK**

TOWNS.	Population in 1890.	BIRTHS.									
		Sex.					Parentage.				
		Male.	Female.	Not stated.	Total.	Rate per 1,000.	Both American.	Both foreign.	American mother and foreign father.	American father and foreign mother.	Not stated.
Macwahoc Pl .....	216	1	3	-	4	18.52	2	-	-	-	2
Merrill Pl .....	244	6	4	-	10	40.98	7	1	1	1	-
Molunkus Pl .....	77	-	1	-	1	12.99	-	-	-	1	-
Moro Pl .....	199	-	5	-	5	25.13	3	1	-	1	-
New Canada Pl .....	301	10	8	-	18	59.80	6	4	4	4	-
Oxbow Pl. ....	94	2	5	-	7	74.47	5	-	-	2	-
Portage Lake Pl .....	140	8	3	-	6	42.86	6	-	-	-	-
Reed Pl .....	208	8	5	-	13	64.07	10	1	-	2	-
Sheridan Pl .....	221	8	4	-	7	31.67	2	3	2	-	-
Silver Ridge Pl .....	185	1	-	-	1	5.13	1	-	-	-	-
St. Francis Pl .....	461	7	11	-	18	39.05	11	1	-	6	-
St. John Pl .....	226	7	7	-	14	61.95	5	2	3	4	-
Stockholm Pl .....	105	2	1	-	3	28.57	3	-	-	-	-
Wade Pl .....	158	6	6	-	12	75.95	4	3	3	2	-
Wallagrass Pl ..	595	16	11	-	27	45.37	24	1	2	-	-
Westfield Pl .....	166	2	4	-	6	36.14	4	-	-	2	-
Westmanland Pl. ....	52	1	2	-	3	57.69	-	2	1	-	-
Winterville Pl... ..	72	7	1	-	8	111.11	6	-	-	2	-
Plantation E.....	-	-	1	-	1	-	1	-	-	-	-
<b>Total .....</b>	<b>48,639</b>	<b>943</b>	<b>855</b>	<b>4</b>	<b>1,802</b>	<b>37.05</b>	<b>955</b>	<b>311</b>	<b>269</b>	<b>256</b>	<b>11</b>

\* Population in unorganized plantations in 1890, 950.

**No. 7—Continued.**  
**for the Year 1893.**  
**COUNTY—CONCLUDED.**

MARRIAGES.						DEATHS.							Death-rate per 1,000.
						Sex.				Nativity.			
Both American.	Both foreign.	Husband American.	Wife American.	Not stated.	Total.	Male.	Female.	Not stated.	Total.	American.	Foreign.	Not stated.	
-	-	-	-	-	-	-	2	-	2	2	-	-	9.26
1	-	-	-	-	1	-	1	-	1	1	-	-	4.09
-	-	-	-	-	-	1	3	-	4	2	-	2	51.96
2	-	-	-	-	2	1	1	-	2	1	-	1	10.05
-	-	-	-	-	-	2	2	-	4	4	-	-	13.29
3	-	-	-	-	3	1	2	-	3	2	1	-	31.91
-	-	-	-	-	-	-	-	-	-	-	-	-	-
2	-	-	-	-	2	5	1	-	6	4	2	-	29.55
-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	2	-	-	2	2	-	-	10.26
3	1	-	1	-	5	3	3	-	6	5	1	-	13.01
-	-	-	-	-	-	1	1	-	2	2	-	-	8.85
-	-	-	-	-	-	1	-	-	1	1	-	-	9.52
-	-	-	-	-	-	2	1	-	3	2	1	-	18.98
6	-	-	1	-	7	3	6	-	9	8	1	-	15.12
-	-	-	-	-	-	1	1	-	2	2	-	-	12.04
-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	2	-	2	2	-	-	27.77
-	-	-	-	-	-	-	-	-	-	-	-	-	-
252	67	63	100	5	487	360	405	-	765	607	144	14	15.43

**TABLE**  
**Births, Marriages, and Deaths**  
**CUMBERLAND**

TOWNS.	Population in 1880.	BIRTHS.									
		SEX.					Parentage.				
		Males.	Females.	Not stated.	Total.	Rate per 1,000.	Both American.	Both foreign.	American mother and foreign father.	American father and foreign mother.	Not stated.
Baldwin .....	932	7	6	-	13	13.86	12	-	-	-	1
Bridgton .....	2,605	18	30	-	48	18.43	43	-	4	1	-
Brunswick .....	6,012	80	76	-	156	25.85	58	74	12	11	1
Cape Elizabeth .....	5,459	7	6	-	13	2.38	10	1	2	-	-
Casco .....	844	6	8	-	14	16.59	14	-	-	-	-
Cumberland .....	1,487	7	16	-	23	15.47	20	1	1	1	-
Deering .....	5,353	68	74	-	142	26.53	91	26	8	11	6
Falmouth .....	1,580	7	8	-	15	9.49	8	6	1	-	-
Freeport .....	2,482	25	17	-	42	16.92	32	1	2	2	5
Gorham .....	2,888	16	19	-	35	12.12	27	4	2	2	-
Gray .....	1,517	21	16	-	37	24.39	32	-	2	2	1
Harpwell .....	1,766	13	14	-	27	15.29	23	-	1	3	-
Harrison .....	1,071	9	10	-	19	17.74	18	-	-	1	-
Naples .....	846	9	10	-	19	22.46	19	-	-	-	-
New Gloucester .....	1,234	11	15	-	26	21.07	22	1	-	2	1
North Yarmouth .....	709	4	4	-	8	11.28	7	-	-	1	-
Otisfield .....	838	4	4	-	8	9.55	7	-	1	-	-
Portland .....	36,425	442	427	2	871	23.91	364	302	77	117	11
Pownal .....	712	8	6	-	14	19.66	11	1	1	1	-
Raymond .....	927	13	8	-	21	22.65	20	-	-	1	-
Scarboro .....	1,794	13	25	-	38	21.18	28	5	1	5	1
Sebago .....	681	4	7	-	11	16.15	11	-	-	-	-
South Portland .....	-	74	61	-	135	-	87	16	15	17	-
Standish .....	1,841	13	5	-	18	9.78	17	-	-	1	-
Westbrook .....	6,632	74	89	-	163	24.56	43	90	11	18	1
Windham .....	2,216	25	11	-	36	16.25	30	1	4	1	-
Yarmouth .....	2,098	23	18	-	41	19.54	28	9	1	2	1
Total .....	90,949	1,001	960	2	1,993	21.91	1,060	538	146	200	29

## No. 7—Continued.

for the Year 1898.

COUNTY.

MARRIAGES.						DEATHS.							Death-rate per 1,000.
						Sex.				Nativity.			
Both American.	Both foreign.	Husband American.	Wife American.	Not stated.	Total.	Male.	Female.	Not stated.	Total.	American.	Foreign.	Not stated.	
7	-	-	-	-	7	9	7	-	16	15	1	-	17.17
33	-	-	-	-	33	23	24	-	46	44	2	-	17.66
30	12	2	6	-	50	46	51	-	97	83	13	1	16.13
8	-	-	1	-	9	5	4	-	9	9	-	-	16.49
4	-	-	-	-	4	4	7	-	11	11	-	-	13.03
13	-	-	1	-	14	9	6	-	15	14	1	-	10.09
29	-	2	2	3	36	49	44	-	93	77	8	8	17.37
3	-	1	-	-	4	7	10	-	17	16	1	-	10.76
14	-	-	-	1	15	14	17	-	31	31	-	-	12.49
14	-	-	-	-	14	29	22	-	42	40	2	-	14.54
2	-	-	1	3	6	14	17	-	31	30	1	-	20.44
11	-	1	-	-	12	9	14	-	23	23	-	-	13.02
5	-	-	-	-	5	7	8	-	15	15	-	-	14.01
8	-	-	-	-	8	11	9	-	20	18	1	1	23.64
2	-	1	-	-	3	14	7	-	21	21	-	-	17.02
1	-	-	-	-	1	4	4	-	8	8	-	-	11.26
2	-	1	-	-	3	2	4	-	6	6	-	-	7.16
183	74	38	29	1	325	416	416	-	832	608	191	33	22.84
-	-	-	-	-	-	7	5	-	12	12	-	-	16.85
5	-	-	-	-	5	4	4	-	8	8	-	-	8.63
2	-	-	2	-	4	20	7	-	27	26	1	-	15.05
4	-	-	-	-	4	6	8	-	14	14	-	-	20.56
16	2	6	2	-	26	49	46	-	95	72	22	1	-
12	-	-	-	-	12	14	11	-	25	25	-	-	13.58
19	9	6	2	-	26	38	52	-	120	89	31	-	18.09
10	-	-	1	-	11	20	16	-	36	34	2	-	16.25
4	2	-	4	-	10	12	23	-	35	25	10	-	16.68
441	99	58	51	8	657	862	843	-	1,705	1,374	287	44	18.75

**TABLE**  
**Births, Marriages, and Deaths**  
**FRANKLIN**

TOWNS.	Population in 1890.	BIRTHS.									
		Sex.					Parentage.				
		Male.	Female.	Not stated.	Total.	Rate per 1,000.	Both American.	Both foreign.	American mother and foreign father.	American father and foreign mother.	Not stated.
Avon .....	439	2	4	-	6	13.67	6	-	-	-	-
Carthage .....	350	5	4	-	9	23.08	8	-	-	1	-
Chesterville .....	770	7	11	-	18	23.38	17	-	1	-	-
Eustis .....	321	5	10	-	15	46.73	9	1	3	2	-
Farmington .....	3,207	27	39	-	56	17.46	48	2	1	5	-
Freeman .....	464	4	8	-	7	15.09	7	-	-	-	-
Industry .....	545	2	7	-	9	16.51	9	-	-	-	-
Jay .....	1,541	50	49	-	99	64.24	31	52	10	6	-
Kingfield .....	601	11	4	-	15	24.96	14	-	1	-	-
Madrid .....	441	4	8	-	7	15.87	7	-	-	-	-
New Sharon .....	1,064	13	7	-	20	18.90	20	-	-	-	-
New Vineyard .....	660	2	10	-	12	18.18	11	-	1	-	-
Phillips .....	1,394	10	9	-	19	13.68	18	-	-	1	-
Rangeley .....	616	8	9	-	17	27.60	15	-	1	-	1
Salem .....	218	1	3	-	4	18.35	3	-	-	1	-
Strong .....	627	7	9	-	16	25.52	15	-	-	-	1
Temple .....	470	2	7	-	9	19.15	7	-	1	1	-
Weld .....	885	-	6	-	15	16.95	14	-	-	1	-
Wilton .....	1,622	15	19	-	34	20.96	30	-	-	3	1
Coplin Pl .....	71	-	-	-	-	-	-	-	-	-	-
Dallas Pl .....	184	5	2	-	7	38.04	7	-	-	-	-
Greenvale Pl .....	52	1	-	-	1	19.23	1	-	-	-	-
Lang Pl .....	51	-	-	-	-	-	-	-	-	-	-
Perkins Pl .....	94	-	1	-	1	10.64	1	-	-	-	-
Rangeley Pl .....	58	2	-	-	2	34.48	2	-	-	-	-
Jerusalem Pl .....	18	-	-	-	-	-	-	-	-	-	-
Bedington Pl .....	28	-	-	-	-	-	-	-	-	-	-
Total .....	* 16,831	192	206	-	398	23.65	300	55	19	21	3

\* Population in unorganized plantations in 1890, 223.

**No. 7—Continued.**  
**for the Year 1893.**  
**COUNTY.**

MARRIAGES.						DEATHS.						
						Sex.				Nativity.		
Both American.	Both foreign.	Husband American.	Wife American.	Not stated.	Total.	Male.	Female.	Not stated.	Total.	American.	Foreign.	Not stated.
												Death-rate per 1,000.
2	-	-	-	-	2	1	2	-	3	3	-	6.83
1	-	-	-	-	1	2	5	-	7	7	-	17.95
8	-	-	-	-	8	6	4	-	10	10	-	12.99
3	-	2	1	-	6	2	2	-	4	4	-	12.46
35	-	-	1	-	36	26	35	-	61	58	3	19.02
-	-	-	-	-	-	7	4	-	11	11	-	23.71
8	-	-	-	-	8	4	5	-	9	9	-	16.51
13	12	-	-	-	25	14	14	-	28	23	5	18.17
5	-	-	1	-	6	5	10	-	15	15	-	24.96
1	-	-	-	-	1	2	4	-	6	6	-	13.61
10	-	-	-	-	10	12	8	-	20	20	-	18.80
2	-	-	-	-	2	-	7	-	7	7	-	10.61
16	-	-	1	-	17	11	10	-	21	21	-	15.07
6	-	-	-	-	6	4	4	-	8	8	-	12.83
-	-	-	-	-	-	2	2	-	4	3	1	18.35
8	-	-	1	-	9	5	7	-	12	12	-	19.14
5	-	-	-	-	5	5	2	-	7	7	-	14.89
5	-	-	1	-	6	7	5	-	12	12	-	13.56
16	-	1	2	-	19	13	12	-	25	24	1	15.41
-	-	-	-	-	-	-	1	-	1	1	-	14.06
-	-	-	-	-	-	1	-	-	1	1	-	5.43
-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	1	-	1	-	1	19.62
-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	1	1	-	2	1	1	34.46
-	-	-	-	-	-	1	-	-	1	1	-	55.56
1	-	-	-	-	1	-	-	-	-	-	-	-
185	12	3	8	-	158	131	145	-	276	264	12	16.18

**TABLE**  
**Births, Marriages, and Deaths**

**HANCOCK**

TOWNS.	Population in 1890.	BIRTHS.									
		Sex.					Parentage.				
		Male.	Female.	Not stated.	Total.	Rate per 1,000.	Both American.	Both foreign.	American mother and foreign father.	American father and foreign mother.	Not stated.
Amherst .....	375	1	5	-	6	16.00	5	-	1	-	-
Aurora .....	175	1	1	-	2	11.43	2	-	-	-	-
Bluehill .....	1,980	26	18	-	44	22.22	37	2	4	-	1
Brooklin .....	1,046	8	11	-	19	18.16	18	-	-	1	-
Brooksville .....	1,310	13	18	-	31	23.66	30	-	-	1	-
Bucksport .....	2,921	18	22	-	40	13.69	36	-	3	-	1
Castine .....	987	7	3	-	10	10.13	9	-	1	-	-
Cranberry Isles .....	330	1	1	-	2	6.06	1	-	1	-	-
Dedham .....	366	2	2	-	4	10.93	4	-	-	-	-
Deer Isle .....	3,422	27	29	-	56	16.36	54	-	-	2	-
Eastbrook .....	246	7	2	-	9	36.59	9	-	-	-	-
Eden .....	1,946	40	40	-	80	41.11	63	4	7	6	-
Ellsworth .....	4,804	31	21	-	52	10.82	45	1	3	3	-
Franklin .....	1,264	13	18	-	31	24.53	30	-	-	1	-
Gouldsboro .....	1,709	17	10	-	27	15.80	23	-	3	1	-
Hancock .....	1,180	8	10	-	18	15.13	14	-	2	2	-
Isle au Haut .....	206	1	2	-	3	14.56	3	-	-	-	-
Lamoine .....	726	4	7	-	11	15.15	10	-	-	1	-
Mariaville .....	271	3	5	-	8	29.52	8	-	-	-	-
Mount Desert .....	1,355	16	19	-	35	25.83	34	1	-	-	-
Orland .....	1,380	13	12	-	25	17.99	25	-	-	-	-
Otis .....	239	1	1	-	2	8.37	2	-	-	-	-
Penobscot .....	1,313	15	10	-	25	19.04	24	-	1	-	-
Sedgwick .....	1,012	9	9	-	18	17.79	17	-	1	-	-

**No. 7—Continued.**  
**for the Year 1893.**  
**COUNTY.**

MARRIAGES.						DEATHS.							Death-rate per 1,000.
						Sex.				Nativity.			
Both American.	Both foreign.	Husband American.	Wife American.	Not stated.	Total.	Male.	Female.	Not stated.	Total.	American.	Foreign.	Not stated.	
4	-	-	1	-	5	2	2	-	4	3	-	1	10.67
1	-	-	1	-	2	2	2	-	4	4	-	-	22.86
11	-	1	-	-	12	16	21	-	37	37	-	-	18.69
5	-	-	-	-	5	14	10	-	24	23	1	-	22.94
6	-	1	-	-	7	10	10	-	20	20	-	-	15.27
15	2	1	-	-	18	19	26	-	45	40	5	-	15.41
4	-	1	-	-	5	6	6	-	12	12	-	-	12.16
-	-	-	-	-	-	2	5	-	7	5	2	-	21.21
-	-	-	-	-	-	3	1	-	4	4	-	-	10.96
10	-	-	1	-	11	16	23	-	39	38	1	-	11.40
-	-	-	-	-	-	4	4	-	8	8	-	-	32.52
31	-	-	3	-	34	26	20	-	46	38	5	3	23.64
27	1	1	1	-	30	33	22	-	55	48	4	3	11.45
11	-	1	-	-	12	4	9	-	13	13	-	-	10.28
10	-	1	-	-	11	10	7	-	17	15	2	-	9.94
3	-	1	-	-	4	6	5	-	11	10	1	-	9.24
-	-	-	-	-	-	3	3	-	6	5	1	-	29.12
7	-	-	1	-	8	4	1	-	5	5	-	-	6.89
1	-	1	-	-	2	3	1	-	4	3	1	-	14.76
6	-	-	-	-	6	8	6	-	14	12	2	-	10.33
11	-	-	-	-	11	7	9	-	16	16	-	-	11.51
1	-	-	-	-	1	-	2	-	2	2	-	-	8.37
7	-	-	-	-	7	9	17	-	26	25	-	1	19.80
5	-	-	-	-	5	9	7	-	16	16	-	-	15.81



**TABLE**  
**Births, Marriages, and Deaths**

HANCOCK

TOWNS.	Population in 1890.	BIRTHS.									
		Sex.					Parentage.				
		Male.	Female.	Not stated.	Total.	Rate per 1,000.	Both American.	Both foreign.	American mother and foreign father.	American father and foreign mother.	Not stated.
*Sorrento. ....	-	2	-	-	2	-	2	-	-	-	-
†Stonington. ....	-	27	13	-	40	-	35	4	1	-	-
Sullivan. ....	1,379	14	9	-	23	16.68	22	1	-	-	-
Surry. ....	986	8	16	-	24	24.34	23	-	1	-	-
Swan's Island. ....	682	11	8	-	19	30.06	15	2	2	-	-
Tremont. ....	2,086	14	14	-	28	13.75	22	-	4	2	-
Trenton. ....	528	5	2	-	7	13.26	7	-	-	-	-
Verona. ....	323	6	5	-	11	34.06	11	-	-	-	-
Waltham. ....	242	1	3	-	4	16.53	4	-	-	-	-
‡Winter Harbor. ....	-	12	3	-	15	-	13	-	2	-	-
Long Island Pl. ....	132	4	4	-	8	60.61	6	1	1	-	-
No. 33 Pl. ....	112	2	-	-	2	17.86	2	-	-	-	-
Total. ....	36,953	388	353	-	741	20.04	665	16	38	20	2

\* Incorporated in 1896.

† Incorporated in 1897.

‡ Incorporated in 1896.

§ Population in unorganized plantations in 1890, 359.

## No. 7—Continued.

for the Year 1898.

COUNTY—CONCLUDED.

MARRIAGES.						DEATHS.							Death-rate per 1,000.
						Sex.				Nativity.			
Both American.	Both foreign.	Husband American.	Wife American.	Not stated.	Total.	Male.	Female.	Not stated.	Total.	American.	Foreign.	Not stated.	
1	-	-	-	-	1	2	1	-	8	3	-	-	-
9	1	1	2	-	13	20	9	-	29	23	1	-	-
13	-	-	1	-	14	13	7	-	20	19	1	-	13.78
8	-	1	-	-	9	8	6	-	14	14	-	-	14.20
6	-	-	-	-	6	3	2	-	5	4	1	-	7.91
11	-	-	2	-	13	6	11	-	17	17	-	-	8.85
-	-	-	-	-	-	2	4	-	6	6	-	-	11.36
-	-	-	-	-	-	4	4	-	8	8	-	-	24.77
2	-	-	-	-	2	1	1	-	2	2	-	-	8.26
8	-	1	-	-	9	3	3	-	6	5	-	1	-
-	-	-	-	-	-	2	2	-	4	4	-	-	30.30
1	-	-	-	-	1	1	-	-	1	1	-	-	8.93
235	4	12	13	-	264	281	269	-	550	513	28	9	14.74

**TABLE**  
**Births, Marriages, and Deaths**

**KENNEBEC**

TOWNS.	Population in 1890.	BIRTHS.									
		Sex.					Parentage.				
		Male.	Female.	Not stated.	Total.	Rate per 1,000.	Both American.	Both foreign.	American mother and foreign father.	American father and foreign mother.	Not stated.
Albion.....	1,042	5	8	-	13	12.46	12	1	-	-	-
Augusta.....	10,527	131	116	3	250	23.75	112	87	12	34	5
Belgrade.....	1,090	9	10	-	19	17.43	18	-	-	1	-
Benton.....	1,136	11	4	-	15	13.20	12	-	2	1	-
Chelsea.....	2,356	3	12	-	15	6.37	13	1	-	1	-
China.....	1,423	10	9	-	19	13.35	18	-	-	1	-
Clinton.....	1,518	9	5	-	14	9.22	14	-	-	-	-
Farmingdale.....	821	1	4	-	5	6.09	3	1	1	-	-
Fayette.....	649	5	7	-	12	18.49	11	-	1	-	-
Gardiner.....	5,491	61	64	-	125	22.76	89	18	4	12	2
Hallowell.....	3,181	34	22	-	56	17.60	30	13	5	7	1
Litchfield.....	1,126	5	7	-	12	10.66	10	-	1	-	1
Manchester.....	612	7	2	-	9	14.71	9	-	-	-	-
Monmouth.....	1,362	12	10	-	22	16.15	18	2	-	2	-
Mount Vernon.....	940	12	6	-	18	19.15	16	-	-	1	1
Oakland.....	2,044	20	11	-	31	15.17	28	2	-	1	-
Pittston.....	1,281	5	4	-	9	7.80	9	-	-	-	-
Randolph.....	1,281	8	8	-	16	12.49	10	-	3	3	-
Readfield.....	1,176	10	6	-	16	13.60	15	1	-	-	-
Rome.....	500	-	6	-	6	12.00	6	-	-	-	-
Sidney.....	1,334	5	12	-	17	12.74	15	-	1	1	-
Vassalboro.....	2,052	24	16	-	40	19.49	28	3	3	5	1

**No. 7—Continued.**  
**for the Year 1893.**  
**COUNTY.**

MARRIAGES.						DEATHS.								Death-rate per 1,000.
						Sex.				Nativity.				
Both American.	Both foreign.	Husband American.	Wife American.	Not stated.	Total.	Male.	Female.	Not stated.	Total.	American.	Foreign.	Not stated.		
7	-	-	1	-	8	7	7	-	14	14	-	-	13.44	
64	16	7	10	4	101	129	120	-	249	195	32	22	23.65	
3	-	-	1	1	5	8	4	-	12	12	-	-	11.01	
7	-	-	-	-	7	13	9	-	22	22	-	-	19.37	
1	-	-	-	-	1	18	9	-	27	21	6	-	11.46	
12	-	-	1	-	13	15	21	-	36	35	1	-	25.30	
14	-	-	-	-	14	14	10	-	24	24	-	-	15.81	
7	-	1	-	-	8	8	10	-	18	18	-	-	21.92	
2	-	-	-	-	2	7	5	-	12	12	-	-	18.49	
50	3	4	5	-	62	35	35	-	70	61	8	1	12.75	
24	1	1	5	-	31	19	20	2	41	30	8	3	12.89	
5	-	-	-	-	5	8	11	-	19	18	-	1	16.87	
3	1	-	-	-	4	6	4	-	10	9	1	-	16.34	
11	-	1	1	-	13	19	11	-	30	29	-	1	22.03	
5	-	-	-	-	5	11	11	-	22	18	-	4	23.40	
29	-	2	-	-	31	13	19	-	32	29	2	1	15.66	
8	-	-	-	-	8	10	13	-	23	21	-	2	17.95	
4	1	1	-	-	6	5	5	-	10	8	2	-	7.81	
4	-	-	-	-	4	10	4	-	14	14	-	-	11.90	
3	-	-	-	-	3	3	4	-	7	7	-	-	14.00	
3	-	-	-	-	3	7	9	-	16	12	2	2	11.99	
14	2	2	-	1	19	17	7	-	24	18	2	4	11.70	

**TABLE**  
**Births, Marriages, and Deaths**

**KENNEBEC**

TOWNS.	Population in 1890.	BIRTHS.									
		Sex.					Parentage.				
		Male.	Female.	Not stated.	Total.	Rate per 1,000.	Both American.	Both foreign.	American mother and foreign father.	American father and foreign.	Not stated.
Vienna .....	496	4	5	-	9	18.13	9	-	-	-	-
Waterville .....	7,107	186	182	1	269	37.85	84	97	41	45	2
Wayne .....	775	8	5	-	13	16.77	13	-	-	-	-
West Gardiner .....	853	6	5	-	11	12.90	8	-	2	1	-
Windsor .....	863	9	5	-	14	16.41	11	-	-	3	-
Winslow .....	1,814	23	23	-	46	25.36	15	22	4	5	-
Winthrop .....	2,111	19	13	-	32	15.16	19	13	-	-	-
Unity Pl. ....	62	2	-	-	2	32.25	2	-	-	-	-
Total .....	57,012	504	537	4	1,135	19.91	657	261	80	134	13

**No. 7—Continued.**  
**for the Year 1893.**

**COUNTY—CONCLUDED.**

MARRIAGES.						DEATHS.							Death-rate per 1,000.
						Sex.			Nativity.				
Both American.	Both foreign.	Husband American.	Wife American.	Not stated.	Total.	Male.	Female.	Not stated.	Total.	American.	Foreign.	Not stated.	
3	-	-	-	-	3	2	4	-	6	6	-	-	13.12
55	16	9	11	1	92	67	70	-	137	108	23	6	19.28
4	-	-	-	-	4	7	5	-	12	12	-	-	15.48
3	-	-	-	-	3	7	2	-	9	9	-	-	10.55
-	-	-	-	-	-	9	8	-	17	16	1	-	19.93
5	-	-	1	-	6	15	21	-	36	30	6	-	19.25
6	1	-	-	1	8	16	24	-	40	37	2	1	18.95
-	-	-	-	-	-	-	-	-	-	-	-	-	-
356	41	28	36	8	469	505	482	2	989	845	96	48	17.35

**TABLE**  
**Births, Marriages, and Deaths**

KNOX

Towns.	Population in 1890.	BIRTHS.									
		Sex.					Parentage.				
		Male.	Female.	Not stated.	Total.	Rate per 1,000.	Both American.	Both foreign.	American mother and foreign father.	American father and foreign mother.	Not stated.
Appleton.....	1,080	8	5	-	13	12.04	12	-	-	1	-
Camden .....	2,471	18	23	-	41	16.59	28	2	3	6	2
Cushing .....	688	3	3	-	6	8.72	5	-	-	-	1
Friendship.....	877	6	8	-	14	15.96	14	-	-	-	-
Hope .....	641	4	3	-	7	10.92	7	-	-	-	-
Hurricane Isle.....	286	4	6	-	10	37.59	5	4	1	-	-
North Haven.....	552	6	4	-	10	18.12	10	-	-	-	-
Rockland .....	8,174	58	69	-	127	15.54	98	12	10	7	-
Rockport .....	2,150	18	24	-	42	19.53	41	-	-	1	-
South Thomaston .....	1,534	15	14	-	29	18.90	23	1	2	3	-
St. George .....	2,491	30	24	-	54	21.68	37	11	4	2	-
Thomaston .....	3,009	21	21	-	42	13.96	40	-	-	1	1
Union .....	1,436	12	6	-	18	12.53	18	-	-	-	-
Vinalhaven .....	2,617	26	29	-	55	21.02	40	6	3	5	1
Warren.....	2,037	20	13	-	33	16.20	24	4	2	2	1
Washington .....	1,230	6	6	-	12	9.76	12	-	-	-	-
Matineus Isle Pl .....	186	-	-	-	-	-	-	-	-	-	-
Total .....	* 31,449	255	258	-	513	16.31	414	40	25	28	6

\* Population in unorganized plantations in 1890, 24.

**No. 7—Continued.**  
**for the Year 1893.**  
**COUNTY.**

MARRIAGES.						DEATHS.							Death-rate per 1,000.
						Sex.				Nativity.			
Both American.	Both foreign.	Husband American.	Wife American.	Not stated.	Total.	Male.	Female.	Not stated.	Total.	American.	Foreign.	Not stated.	
5	-	-	-	-	5	5	6	-	11	11	-	-	10.19
34	-	1	-	-	35	25	22	-	47	45	2	-	19.02
2	-	-	-	-	2	6	6	-	12	12	-	-	17.44
7	-	-	-	-	7	4	7	-	11	11	-	-	12.54
1	-	-	-	-	1	4	4	-	8	8	-	-	12.48
-	-	-	-	-	-	3	-	-	3	2	1	-	11.28
3	-	-	-	-	3	4	3	-	7	6	-	1	12.68
78	4	6	5	-	93	69	71	-	140	129	11	-	17.13
20	-	-	-	-	20	21	10	-	31	31	-	-	14.42
7	-	-	-	-	7	13	12	-	25	21	3	1	16.30
6	2	1	-	-	9	23	24	-	47	43	4	-	18.86
18	3	1	-	-	22	23	29	-	52	42	10	-	17.28
12	-	-	-	-	12	6	13	-	19	14	-	-	13.23
12	2	-	2	-	16	12	14	-	26	25	1	-	9.94
7	-	-	-	-	7	17	16	-	33	32	1	-	16.20
7	-	-	-	-	7	18	10	-	28	28	-	-	18.70
-	-	-	1	-	1	1	1	-	2	2	-	-	10.20
219	11	9	8	-	247	249	248	-	497	461	33	3	15.79



**TABLE**  
**Births, Marriages, and Deaths**

LINCOLN

TOWNS.	Population in 1890.	BIRTHS.									
		Sex.					Parentage.				
		Male.	Female.	Not stated.	Total.	Rate per 1,000.	Both American.	Both foreign.	American mother and foreign father.	American father and foreign mother.	Not stated.
Alna .....	512	2	3	-	5	9.77	5	-	-	-	-
Boothbay .....	1,718	27	21	-	48	27.82	44	-	1	3	-
Boothbay Harbor .....	1,699	23	27	-	50	29.43	40	2	4	3	1
Bremen .....	842	3	8	-	11	13.06	10	-	-	1	-
Bristol .....	2,821	31	18	-	49	17.37	47	-	2	-	-
Damariscotta .....	1,012	5	5	-	10	9.88	8	-	1	1	-
Dresden .....	1,043	6	8	-	14	13.42	12	-	2	-	-
Edgecomb .....	749	1	5	-	6	8.01	6	-	-	-	-
Jefferson .....	1,391	8	9	-	17	12.22	15	-	-	-	2
Newcastle .....	1,282	9	8	-	17	13.26	16	-	1	-	-
Nobleboro .....	947	8	3	-	11	11.62	11	-	-	-	-
Somerville .....	453	5	3	-	8	17.66	8	-	-	-	-
Southport .....	533	6	4	-	10	18.76	9	-	-	1	-
Waldoboro .....	3,505	16	24	-	40	11.41	37	-	1	2	-
Westport .....	451	3	3	-	6	13.30	6	-	-	-	-
Whitefield .....	1,215	15	12	-	27	22.22	24	2	1	-	-
Wiscasset .....	1,733	10	9	-	19	10.96	15	1	2	1	-
Total .....	* 21,906	178	170	-	348	15.89	313	5	15	12	3

\* Population in unorganized plantations in 1890, 90.

## No. 7—Continued.

for the Year 1893.

COUNTY.

MARRIAGES.						DEATHS.							
						Sex.				Nativity.			
Both American.	Both foreign.	Husband American.	Wife American.	Not stated.	Total.	Male.	Female.	Not stated.	Total.	American.	Foreign.	Not stated.	
3	-	-	1	-	4	2	4	-	6	6	-	-	11.72
28	-	1	-	-	29	7	14	-	21	21	-	-	12.22
14	-	-	-	-	14	16	10	-	26	22	3	1	15.30
5	-	-	-	-	5	4	-	-	4	4	-	-	4.76
16	-	-	-	-	16	20	17	-	37	34	2	1	13.12
4	-	-	1	-	5	12	9	-	21	20	1	-	20.75
3	-	-	-	-	3	5	6	-	11	11	-	-	10.55
6	-	-	-	-	6	2	9	-	11	10	1	-	14.69
6	-	-	-	-	6	11	15	-	26	23	2	1	18.69
9	-	-	-	-	9	8	10	-	18	17	1	-	14.04
2	-	-	-	-	2	9	6	-	15	15	-	-	15.84
3	-	-	-	-	3	3	4	-	7	7	-	-	15.45
7	-	1	-	-	8	5	4	-	9	8	-	1	16.88
21	-	-	-	-	21	32	29	-	61	58	1	2	17.40
-	-	-	-	-	-	4	1	-	5	5	-	-	11.09
6	-	-	-	-	6	13	11	-	24	21	-	3	19.75
11	-	-	-	-	11	7	13	-	20	20	-	-	11.54
144	-	2	2	-	148	160	162	-	322	302	11	9	14.64

**TABLE**  
**Births, Marriages, and Deaths**

**OXFORD**

TOWNS.	Population in 1890.	BIRTHS.									
		Sex.					Parentage.				
		Male.	Female.	Not stated.	Total.	Rate per 1,000.	Both American.	Both foreign.	American mother and foreign father.	American father and foreign mother.	Not stated.
Albany .....	645	4	8	-	12	18.61	11	-	-	1	-
Andover .....	740	6	7	-	13	17.57	12	1	-	-	-
Bethel .....	2,209	16	17	-	33	14.94	26	4	1	2	-
Brownfield .....	1,134	16	7	-	23	20.28	22	1	-	-	-
Buckfield .....	1,200	6	10	-	16	13.33	13	-	2	1	-
Byron .....	180	5	4	-	9	50.00	4	4	-	1	-
Canton .....	1,303	16	14	-	30	23.02	20	7	1	2	-
Denmark .....	755	6	4	-	10	13.25	8	-	2	-	-
Dixfield .....	988	17	13	-	30	30.36	23	3	1	2	1
Fryeburg .....	1,418	14	19	-	33	23.27	28	1	1	1	3
Gilead .....	336	2	2	-	4	11.90	2	-	2	-	-
Grafton .....	98	-	1	-	1	10.20	-	-	1	-	-
Greenwood .....	727	7	7	-	14	19.26	12	1	-	1	-
Hanover .....	212	4	-	-	4	18.87	2	-	1	-	1
Hartford .....	689	2	8	-	10	14.51	8	-	-	2	-
Hebron ..	600	-	4	-	4	6.67	4	-	-	-	-
Hiram .....	1,663	9	10	-	19	17.87	17	-	1	1	-
Lovell .....	853	3	5	-	8	9.38	7	-	1	-	-
Mason .....	80	-	1	-	1	12.50	1	-	-	-	-
Mexico .....	355	13	15	-	28	78.87	18	5	5	-	-
Newry .....	343	6	2	-	8	23.32	5	-	2	1	-
Norway .....	2,645	15	32	-	47	17.64	39	2	1	4	1

**No. 7—Continued.**  
**for the Year 1893.**  
**COUNTY.**

MARRIAGES.						DEATHS.								Death-rate per 1,000.
						Sex.				Nativity.				
Both American.	Both foreign.	Husband American.	Wife American.	Not stated.	Total.	Male.	Female.	Not stated.	Total.	American.	Foreign.	Not stated.		
-	-	-	-	-	-	1	4	-	5	5	-	-	7.75	
6	-	-	-	-	6	4	6	-	10	10	-	-	13.51	
20	1	-	4	-	25	10	7	-	17	16	1	-	7.69	
5	-	-	-	-	5	8	9	-	17	17	-	-	14.99	
6	-	-	-	-	6	6	11	-	17	17	-	-	14.17	
-	-	-	-	-	-	-	1	-	1	1	-	-	5.56	
4	3	-	1	1	9	9	7	-	16	15	1	-	12.28	
6	-	-	-	-	6	6	7	-	13	13	-	-	17.22	
3	-	-	-	-	3	5	5	-	10	10	-	-	10.13	
16	-	1	-	-	17	10	12	-	22	21	-	1	15.51	
1	-	-	-	-	1	1	7	-	8	7	1	-	23.81	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	
3	-	-	-	-	3	4	5	-	9	9	-	-	12.38	
-	-	-	-	-	-	1	2	-	3	3	-	-	14.15	
1	-	-	-	-	1	3	3	-	6	6	-	-	8.71	
6	-	-	-	-	6	4	6	-	10	10	-	-	16.67	
4	-	-	-	-	4	10	12	-	22	22	-	-	20.70	
2	-	1	-	-	3	6	5	-	11	11	-	-	12.90	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	
3	-	-	2	-	5	8	7	-	15	14	1	-	42.25	
-	-	-	-	-	-	8	-	-	8	8	-	-	23.32	
33	-	2	2	-	37	15	35	-	50	46	-	4	18.76	

**TABLE**  
**Births, Marriages, and Deaths**

**OXFORD**

TOWNS.	Population in 1880.	BIRTHS.									
		Sex.					Parentage.				
		Male.	Female.	Not stated.	Total.	Rate per 1,000.	Both American.	Both foreign.	American mother and foreign father.	American father and foreign mother.	Not stated.
Oxford .....	1,455	6	13	-	19	13.06	14	3	2	-	-
Paris .....	3,156	33	27	-	60	19.01	54	2	1	1	2
Peru .....	692	9	9	-	18	26.01	18	-	-	-	-
Porter .....	1,015	13	6	-	19	18.72	19	-	-	-	-
Roxbury .....	222	4	4	-	8	36.04	7	1	-	-	-
Rumford ..	898	37	45	-	82	91.31	37	26	12	7	-
Stoneham .....	322	4	3	-	7	21.74	7	-	-	-	-
Stow .....	291	1	1	-	2	6.87	2	-	-	-	-
Sumner .....	901	7	8	-	15	16.65	15	-	-	-	-
Sweden .....	338	7	6	-	13	38.46	11	-	-	2	-
Upton .....	232	2	3	-	5	21.55	4	-	-	1	-
Waterford .....	1,001	6	9	-	15	14.99	15	-	-	-	-
Woodstock .....	859	12	8	-	20	23.28	18	-	2	-	-
Franklin Pl. ....	112	-	-	-	-	-	-	-	-	-	-
Lincoln Pl .....	59	1	1	-	2	33.90	2	-	-	-	-
Milton Pl .....	211	3	2	-	5	23.70	4	-	-	1	-
Riley Pl .....	43	-	1	-	1	23.26	1	-	-	-	-
Batchelder's Grant ....	26	1	1	-	2	76.92	1	1	-	-	-
Total .....	* 30,426	313	337	-	650	21.36	511	62	39	31	7

\* Population in unorganized plantations in 1890, 180.

## No. 7—Continued.

for the Year 1893.

COUNTY—CONCLUDED.

MARRIAGES.						DEATHS.							
						Sex.				Nativity.			Death-rate per 1,000.
Both American.	Both foreign.	Husband American.	Wife American.	Not stated.	Total.	Male.	Female.	Not stated.	Total.	American.	Foreign.	Not stated.	
13	-	-	-	-	12	16	17	-	33	32	1	-	22.68
22	1	1	-	-	24	36	21	-	57	53	-	4	18.06
5	-	-	1	-	6	2	4	-	6	6	-	-	8.67
4	-	-	-	-	4	6	8	-	14	14	-	-	13.79
1	-	-	-	-	1	3	5	-	8	8	-	-	36.04
18	3	3	8	-	32	16	19	-	35	28	7	-	33.98
2	-	-	-	-	2	1	1	-	2	2	-	-	6.21
-	-	-	-	-	-	2	2	-	4	4	-	-	13.75
4	-	-	1	-	5	9	10	-	19	19	-	-	21.09
-	-	-	-	-	-	6	2	-	8	8	-	-	23.67
1	-	-	-	-	1	-	1	-	1	1	-	-	4.31
7	-	-	-	-	7	6	7	-	13	12	1	-	12.99
3	-	-	-	-	3	5	4	-	9	9	-	-	10.48
1	-	-	-	-	1	-	-	-	-	-	-	-	-
-	-	-	-	-	-	1	-	-	1	1	-	-	16.95
1	-	-	-	-	1	1	-	-	1	1	-	-	4.74
-	-	-	-	-	-	1	-	-	1	1	-	-	23.26
-	-	-	-	-	-	4	2	-	6	6	-	-	230.76
200	8	8	19	1	236	234	254	-	488	466	13	9	15.96

**TABLE**  
**Births, Marriages, and Deaths**

PENOBSCOT

TOWNS.	Population in 1880.	BIRTHS.									
		Sex.					Parentage.				
		Male.	Female.	Not stated.	Total.	Rate per 1,000.	Both American.	Both foreign.	American mother and foreign father.	American father and foreign mother.	Not stated.
Alton .....	348	3	3	-	6	17.24	4	-	2	-	-
Argyle .....	263	2	1	-	3	11.41	1	-	1	-	1
Bangor .....	19,108	203	183	2	388	20.31	220	90	30	44	4
Bradford .....	1,215	13	18	-	31	25.51	27	-	1	3	-
Bradley .....	823	7	4	-	11	13.37	10	-	-	1	-
Brewer .....	4,183	66	71	-	137	32.67	80	35	14	8	-
Burlington .....	460	4	3	-	7	15.23	7	-	-	-	-
Carmel .....	1,066	6	5	-	11	10.32	11	-	-	-	-
Carroll .....	546	8	3	-	11	20.15	10	-	-	1	-
Charleston .....	971	3	10	-	13	13.39	13	-	-	-	-
Chester .....	368	4	8	-	12	32.61	9	1	-	1	1
Clifton .....	284	2	3	-	5	17.61	5	-	-	-	-
Corinna .....	1,207	13	8	-	21	17.40	20	-	-	1	-
Corinth .....	1,154	3	11	-	14	12.14	14	-	-	-	-
Dexter .....	2,732	33	18	-	51	18.67	30	9	6	5	1
Dixmont .....	919	8	8	-	16	17.41	16	-	-	-	-
Eddington .....	729	2	7	-	9	12.35	9	-	-	-	-
Edinburg .....	54	1	1	-	2	37.04	2	-	-	-	-
Enfield .....	769	13	16	-	29	37.71	13	9	4	3	-
Etna .....	646	7	6	-	13	20.12	10	-	-	2	1
Exeter .....	939	8	10	-	18	19.17	18	-	-	-	-
Garland .....	973	3	9	-	12	12.33	12	-	-	-	-
Glenburn .....	583	2	4	-	6	10.29	6	-	-	-	-
Greenbush .....	659	5	6	-	11	16.69	8	-	2	-	1

## No. 7—Continued.

for the Year 1893.

COUNTY.

MARRIAGES.						DEATHS.							Death-rate per 1,000.
						Sex.				Nativity.			
Both American.	Both foreign.	Husband American.	Wife American.	Not stated.	Total.	Male.	Female.	Not stated.	Total.	American.	Foreign.	Not stated.	
3	-	2	-	-	5	1	-	-	1	1	-	-	2.87
-	-	1	-	-	1	-	-	-	-	-	-	-	-
124	28	21	14	2	184	177	211	-	388	283	79	16	20.31
5	-	1	-	-	6	14	17	-	31	31	-	-	25.51
-	-	-	-	-	-	5	6	-	11	11	-	-	13.37
20	6	3	6	1	36	37	30	-	67	53	13	1	15.98
2	-	-	-	-	2	2	3	-	5	5	-	-	10.87
7	-	-	-	-	7	9	8	-	17	15	2	-	15.95
2	-	-	-	-	2	2	4	-	6	6	-	-	10.98
2	-	-	-	-	2	6	6	-	12	11	-	1	12.36
1	-	-	-	-	1	-	1	-	1	1	-	-	2.72
-	-	-	-	-	-	1	3	-	4	4	-	-	14.08
7	-	-	-	-	7	12	9	-	21	21	-	-	17.40
8	-	-	-	-	8	6	6	-	14	14	-	-	12.14
25	3	-	2	-	30	17	20	-	37	32	5	-	13.54
8	-	-	-	-	8	5	8	-	13	13	-	-	14.15
4	-	-	-	-	4	2	5	-	7	7	-	-	9.60
1	-	-	-	-	1	-	-	-	-	-	-	-	-
9	1	-	1	1	12	6	6	-	12	10	2	-	15.60
4	-	-	1	-	5	6	3	-	9	8	1	-	13.33
8	-	-	-	-	8	8	8	-	16	15	1	-	17.04
11	-	-	-	-	11	8	11	-	19	19	-	-	19.53
2	-	-	-	-	2	7	1	-	8	7	1	-	13.72
4	-	-	-	-	4	3	10	-	13	13	-	-	19.73



**TABLE**  
**Births, Marriages, and Deaths**  
**PENOBSCOT**

TOWNS.	Population in 1890.	BIRTHS.									
		SEX.					Parentage.				
		Male.	Female.	Not stated.	Total.	Rate per 1,000.	Both American.	Both foreign.	American mother and foreign father.	American father and foreign mother.	Not stated.
Hampden .....	2,484	25	22	-	47	18.52	42	1	2	2	-
Hermon .....	1,282	10	8	-	18	14.04	17	-	-	-	1
Holden .....	609	1	2	-	3	4.92	2	-	1	-	-
Howland ..	171	6	9	-	15	87.66	10	2	2	1	-
Hudson.....	510	1	3	-	4	7.85	4	-	-	-	-
Kenduskeag .....	536	4	4	-	8	14.93	8	-	-	-	-
Kingman .....	671	21	16	-	37	55.14	13	8	11	3	2
Lagrange .....	721	9	3	-	12	16.64	9	-	2	1	-
Lee .....	929	5	10	-	15	16.14	13	-	-	2	-
Levant .....	880	5	2	-	7	7.95	6	-	-	1	-
Lincoln .....	1,756	17	11	-	28	15.95	18	2	4	-	4
Lowell .....	439	4	-	-	4	9.11	4	-	-	-	-
Mattawamkeag .....	683	5	11	-	16	25.27	12	-	3	1	-
Maxfield .....	134	1	1	-	2	14.93	2	-	-	-	-
Medway.....	653	1	2	-	3	4.59	2	-	1	-	-
Milford .....	835	7	8	-	15	17.96	6	6	-	3	-
Mount Chase .....	284	7	3	-	10	35.21	7	1	-	2	-
Newburgh .....	867	1	10	-	11	12.69	11	-	-	-	-
Newport .....	1,188	12	12	-	24	20.20	20	2	1	-	1
Old Town .....	5,312	78	77	-	155	29.18	57	51	30	17	-
Orono .....	2,790	54	39	-	93	33.33	41	30	6	15	1
Orrington .....	1,406	12	9	-	21	15.00	20	1	-	-	-
Passadumkeag .....	343	2	5	-	7	20.41	6	-	1	-	-
Patten.....	836	13	9	-	22	28.50	11	8	5	3	-
Plymouth .....	689	5	3	-	8	11.61	8	-	-	-	-

**No. 7—Continued.**  
**for the Year 1893.**

**COUNTY—CONTINUED.**

MARRIAGES.						DEATHS.							Death-rate per 1,000.
						Sex.				Nativity.			
Both American.	Both foreign.	Husband American.	Wife American.	Not stated.	Total.	Male.	Female.	Not stated.	Total.	American.	Foreign.	Not stated.	
19	-	-	-	-	19	21	22	-	43	41	2	-	17.31
6	-	1	1	-	8	7	11	-	18	18	-	-	14.04
3	-	2	-	-	5	9	6	-	15	9	3	3	24.60
4	-	2	2	-	8	1	4	-	5	4	1	-	29.22
-	-	-	-	-	-	3	4	-	7	7	-	-	13.73
6	-	1	-	-	7	3	2	-	5	5	-	-	9.33
3	-	-	2	-	5	10	10	-	20	14	6	-	29.81
8	-	-	-	-	8	5	6	-	11	11	-	-	15.26
4	-	-	1	-	5	7	3	-	10	10	-	-	10.76
5	-	-	2	-	7	8	5	-	16	16	-	-	18.18
10	-	1	1	-	12	15	8	-	23	18	2	3	13.10
-	-	-	-	-	-	3	2	-	5	5	-	-	11.89
7	-	-	-	-	7	3	1	-	4	4	-	-	6.31
1	-	-	-	-	1	-	-	-	-	-	-	-	-
-	-	-	-	-	-	2	-	-	2	2	-	-	3.06
3	-	-	-	-	3	8	6	-	14	11	3	-	16.77
-	-	-	-	-	-	2	-	-	2	2	-	-	7.04
6	-	-	-	-	6	3	4	-	7	7	-	-	8.07
16	-	2	-	-	18	12	12	-	24	22	2	-	20.20
37	3	4	6	1	51	61	41	-	102	86	16	-	19.20
11	7	-	1	-	19	24	29	-	53	33	14	6	19.00
13	-	-	1	-	14	13	10	-	23	23	-	-	16.36
-	-	-	-	-	-	3	3	-	6	5	1	-	17.49
12	-	3	2	-	17	3	4	-	7	6	1	-	7.48
5	-	-	-	-	5	3	3	-	6	6	-	-	8.71

**TABLE**  
**Births, Marriages, and Deaths**

PENOBSCOT

TOWNS.	Population in 1890.	BIRTHS.									
		Sex.					Parentage.				
		Male.	Female.	Not stated.	Total.	Rate per 1,000.	Both American.	Both foreign.	American mother and foreign father.	American father and foreign mother.	Not stated.
Prentiss .....	401	13	11	-	24	59.85	19	-	-	5	-
Springfield.....	677	8	4	-	12	17.73	11	-	1	-	-
Stetson .....	618	3	3	-	6	9.71	6	-	-	-	-
Veazie .....	650	3	6	-	9	13.85	8	-	1	-	-
Winn .....	936	13	8	-	21	22.44	12	3	2	4	-
Drew Pl .....	110	2	1	-	3	27.27	3	-	-	-	-
Lakeville Pl .....	144	1	3	-	4	27.78	2	-	2	-	-
Grand Falls Pl .....	68	-	1	-	1	14.71	1	-	-	-	-
Seboels Pl .....	98	2	1	-	3	30.61	2	-	1	-	-
Stacyville Pl .....	250	4	5	-	9	36.00	4	2	2	-	1
Webster Pl.....	135	3	3	-	6	44.44	4	-	2	-	-
Norcross .....	-	-	1	-	1	-	1	-	-	-	-
Total .....	* 72,149	777	742	2	1,521	21.08	977	256	140	129	19

\* Population in unorganized plantations in 1890, 716.

No. 7—Continued.

for the Year 1893.

COUNTY—CONCLUDED.

MARRIAGES.						DEATHS.							Death-rate per 1,000.
						Sex.			Nativity.				
Both American.	Both foreign.	Husband American.	Wife American.	Not stated.	Total.	Male.	Female.	Not stated.	Total.	American.	Foreign.	Not stated.	
6	-	1	-	-	7	2	1	-	3	3	-	-	7.48
5	-	-	1	-	6	4	4	-	8	6	2	-	11.82
5	-	-	-	-	5	4	4	-	8	8	-	-	12.94
4	1	1	-	-	6	6	-	-	6	5	1	-	9.23
3	-	-	-	-	3	5	6	-	11	8	3	-	11.75
-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	1	1	-	2	2	-	-	13.89
-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	1	-	-	1	1	-	-	10.30
1	-	-	-	-	1	3	2	-	5	2	3	-	20.00
1	-	-	1	-	2	1	-	-	1	1	-	-	7.40
1	-	-	-	-	1	-	-	-	-	-	-	-	-
462	44	46	45	5	602	590	596	-	1,185	991	164	30	16.26

**TABLE**  
**Births, Marriages, and Deaths**  
**PISCATAQUIS**

TOWNS.	Population in 1890.	BIRTHS.									
		Sex.					Parentage.				
		Male.	Female.	Not stated.	Total.	Rate per 1,000.	Both American.	Both foreign.	American mother and foreign father.	American father and foreign mother.	Not stated.
Abbot .....	692	6	13	-	19	30.55	18	-	-	1	-
Atkinson .....	605	7	5	-	12	19.83	11	-	-	1	-
Blanchard .....	213	4	4	-	8	37.56	8	-	-	-	-
Brownville .....	1,074	21	13	-	34	31.66	17	6	3	7	1
Dover .....	1,942	8	5	1	14	7.21	11	2	-	1	-
Foxcroft .....	1,726	18	9	-	27	15.64	21	4	1	1	-
Greenville .....	781	15	16	-	31	39.69	17	2	7	5	-
Guliford .....	1,023	18	9	-	27	26.39	24	1	-	1	1
Medford .....	306	2	1	-	3	9.80	3	-	-	-	-
Milo .....	1,029	11	18	-	29	28.18	25	1	2	1	-
Monson .....	1,237	13	14	-	27	21.83	16	7	2	2	-
Orneville .....	492	3	6	-	9	18.29	8	-	-	1	-
Parkman .....	813	9	5	-	14	17.22	14	-	-	-	-
Sangerville .....	1,236	16	8	-	24	19.42	19	2	3	-	-
Sebec .....	725	7	7	-	14	19.31	12	-	1	1	-
Shirley .....	291	4	4	-	8	27.49	7	-	1	-	-
Wellington .....	584	3	7	-	10	17.12	10	-	-	-	-
Williamsburg .....	162	1	3	-	4	24.69	4	-	-	-	-
Willimantic .....	446	6	4	-	10	22.42	8	1	-	1	-
Barnard Pl. ....	100	2	1	-	3	30.00	3	-	-	-	-
Bowerbank Pl. ....	87	1	1	-	2	22.99	2	-	-	-	-
Elliottsville Pl. ....	53	-	-	-	-	-	-	-	-	-	-
Kingsbury Pl. ....	205	1	4	-	5	24.39	5	-	-	-	-
Lake View Pl. ....	-	2	-	-	2	-	-	2	-	-	-
Kineo .....	-	-	-	-	-	-	-	-	-	-	-
Total .....	* 15,762	178	157	1	336	21.32	263	28	20	23	2

\* Population in unorganized plantations in 1890, 372.

**No. 7—Continued.**  
**for the Year 1893.**  
**COUNTY.**

MARRIAGES.						DEATHS.							Death-rate per 1,000.
						Sex.				Nativity.			
Both American.	Both foreign.	Husband American.	Wife American.	Not stated.	Total.	Male.	Female.	Not stated.	Total.	American.	Foreign.	Not stated.	
5	-	-	1	-	6	4	1	-	5	5	-	-	8.04
4	-	-	1	-	5	6	6	-	12	12	-	-	19.83
3	-	-	-	-	3	4	2	-	6	5	1	-	28.17
14	4	2	4	-	24	8	7	-	15	13	2	-	13.97
15	-	1	1	-	17	14	15	-	29	27	2	-	14.83
15	-	-	1	-	16	13	13	-	26	25	1	-	15.06
6	3	1	2	-	12	14	8	-	22	16	6	-	28.17
13	-	1	1	-	15	10	13	-	23	23	-	-	22.48
2	-	-	-	-	2	2	-	-	2	2	-	-	6.53
9	-	2	2	-	13	6	13	-	19	18	1	-	18.46
6	-	2	-	-	8	5	7	-	12	12	-	-	9.70
3	-	-	1	-	4	4	3	-	7	4	1	2	14.23
3	-	1	-	-	4	6	5	-	11	11	-	-	13.53
5	-	-	-	-	5	6	3	-	9	8	1	-	7.28
4	-	-	-	-	4	2	8	-	10	9	1	-	13.79
1	-	-	-	-	1	1	1	-	2	2	-	-	6.87
3	-	-	-	-	3	4	5	-	9	9	-	-	15.41
-	-	-	-	-	-	3	1	-	4	4	-	-	24.69
-	-	-	-	-	-	1	2	-	3	3	-	-	6.73
-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	1	-	-	1	1	-	-	18.87
-	-	-	-	-	-	1	1	-	2	2	-	-	9.76
-	1	-	-	-	1	3	-	-	3	2	1	-	-
1	-	-	1	-	2	-	-	-	-	-	-	-	-
112	8	10	15	-	145	118	114	-	232	213	17	2	14.38

**TABLE**  
**Births, Marriages, and Deaths**

SAGADAHOC

TOWNS.	Population in 1890.	BIRTHS.									
		Sex.					Parentage.				
		Male.	Female.	Not stated.	Total.	Rate per 1,000.	Both American.	Both foreign.	American mother and foreign father.	American father and foreign.	Not stated.
Arrowsic .....	177	1	1	-	2	11.30	2	-	-	-	-
Bath .....	8,723	103	91	-	194	22.24	115	30	24	28	-
Bowdoin .....	940	14	6	-	20	21.28	19	-	-	1	-
Bowdoinham .....	1,508	11	7	-	18	11.94	17	1	-	-	-
Georgetown .....	849	8	8	-	11	12.96	9	-	-	2	-
Perkins .....	69	2	1	-	3	43.47	3	-	-	-	-
Phippsburg .....	1,396	20	7	-	27	19.34	21	-	1	4	1
Richmond .....	3,082	27	19	-	46	14.89	36	2	-	6	2
Topsham .....	1,394	25	22	-	47	33.72	15	23	5	4	-
West Bath .....	307	-	2	-	2	6.51	-	-	1	1	-
Woolwich .....	1,007	7	8	-	10	9.94	9	-	-	1	-
Total .....	19,452	213	167	-	380	19.54	246	56	28	47	3

**No. 7—Continued.**  
**for the Year 1893.**  
**COUNTY.**

MARRIAGES.						DEATHS.								Death-rate per 1,000.
						Sex.				Nativity.				
Both American.	Both foreign.	Husband American.	Wife American.	Not stated.	Total.	Male.	Female.	Not stated.	Total.	American.	Foreign.	Not stated.		
-	-	-	-	-	-	1	1	-	2	2	-	-	11.30	
57	10	7	6	-	80	71	83	-	154	140	14	-	17.65	
8	-	-	-	-	8	7	7	-	14	13	1	-	14.89	
3	-	-	-	-	3	7	13	-	20	20	-	-	13.36	
8	-	-	-	-	8	7	5	-	12	11	-	1	14.13	
-	-	-	-	-	-	1	-	-	1	1	-	-	14.49	
9	-	1	-	-	10	14	12	-	26	25	1	-	18.62	
19	-	5	3	-	27	21	16	-	37	32	3	2	12.01	
10	-	1	-	-	11	18	13	-	31	27	3	1	22.24	
1	-	-	-	-	1	1	-	-	1	1	-	-	3.26	
7	-	1	-	-	8	4	5	-	9	9	-	-	8.94	
122	10	15	9	-	156	152	155	-	307	281	22	4	15.78	



**TABLE**  
**Births, Marriages, and Deaths**

**SOMERSET**

TOWNS.	Population in 1890.	BIRTHS.									
		Sex.					Parentage.				
		Male.	Female.	Not stated.	Total.	Rate per 1,000.	Both American.	Both foreign.	American mother and foreign father.	American father and foreign mother.	Not stated.
Anson .....	1,444	18	17	-	35	24.24	29	3	-	3	-
Athens .....	1,072	9	8	-	17	15.86	17	-	-	-	-
Bingham .....	757	10	11	-	21	27.74	17	2	2	-	-
Cambridge .....	425	1	4	-	5	11.76	4	-	1	-	-
Canaan .....	1,130	6	10	-	16	14.16	16	-	-	-	-
Concord .....	345	3	4	-	7	20.29	7	-	-	-	-
Cornville .....	785	5	5	-	10	12.74	9	-	-	1	-
Detroit ..	590	4	1	-	5	8.47	5	-	-	-	-
Embsden .....	579	3	14	-	17	29.36	17	-	-	-	-
Fairfield .....	3,510	33	32	-	65	18.52	36	12	12	5	-
Harmony .....	704	5	5	-	10	14.20	10	-	-	-	-
Hartland .....	974	13	4	-	17	17.45	12	1	3	1	-
Madison .....	1,815	25	27	-	52	28.65	34	7	5	5	1
Mercer .....	584	8	5	-	13	22.26	10	-	3	-	-
Moscow .....	422	1	6	-	7	16.59	6	1	-	-	-
New Portland .....	1,084	6	5	-	11	10.64	10	-	-	1	-
Norridgewock .....	1,656	15	9	-	24	14.49	19	2	2	1	-
Palmyra .....	1,004	9	6	-	15	14.94	13	-	1	1	-
Pittsfield .....	2,503	31	23	-	54	21.57	43	3	5	3	-
Ripley .....	478	4	2	-	6	12.55	5	-	1	-	-
St. Albans .....	1,206	4	11	-	15	12.44	15	-	-	-	-
Skowhegan .....	5,068	51	51	-	102	20.13	56	21	13	12	-
Smithfield .....	479	1	4	-	5	10.43	5	-	-	-	-
Solon .....	977	13	14	-	27	27.64	24	1	1	1	-

## No. 7—Continued.

for the Year 1898.

COUNTY.

MARRIAGES.						DEATHS.							Death-rate per 1,000.
						Sex.				Nativity.			
Both American.	Both foreign.	Husband American.	Wife American.	Not stated.	Total.	Male.	Female.	Not stated.	Total.	American.	Foreign.	Not stated.	
12	-	1	-	-	13	18	9	-	27	27	-	-	18.70
10	-	-	-	-	10	13	6	-	19	19	-	-	17.71
10	-	-	2	-	12	5	7	-	12	10	2	-	15.85
5	-	-	-	-	5	4	8	-	12	12	-	-	28.24
2	-	-	-	-	2	7	5	-	12	11	1	-	10.62
-	-	-	-	-	-	4	4	-	8	8	-	-	23.19
3	-	-	-	-	3	6	6	-	12	12	-	-	15.29
3	-	-	-	-	3	7	2	-	9	9	-	-	15.25
2	-	-	-	-	2	8	5	-	13	13	-	-	22.45
20	5	2	2	-	29	24	22	-	46	43	3	-	13.11
2	-	-	-	-	2	4	6	-	10	10	-	-	14.20
1	-	1	-	-	2	11	4	-	15	14	1	-	15.40
30	4	2	7	-	43	16	18	-	34	27	5	2	18.73
2	-	-	-	-	2	6	4	-	10	8	-	2	17.12
1	-	-	-	-	1	3	1	-	4	4	-	-	9.48
10	-	-	1	1	12	6	3	-	9	9	-	-	8.70
9	-	-	1	-	10	14	12	-	26	23	3	-	15.70
5	-	-	-	-	5	3	4	-	7	6	1	-	6.97
21	1	1	-	-	23	25	24	-	49	48	1	-	19.58
5	-	-	-	-	5	1	4	-	5	5	-	-	10.46
6	-	-	1	-	7	6	6	-	12	12	-	-	9.96
38	5	2	2	-	47	29	44	-	73	62	11	-	14.40
3	-	-	-	-	3	3	3	-	6	6	-	-	12.53
7	-	1	-	-	8	11	7	-	18	17	1	-	18.42

**TABLE**  
**Births, Marriages, and Deaths**  
**SOMERSET**

TOWNS.	Population in 1890.	BIRTHS.									
		Sex.					Parentage.				
		Male.	Female.	Not stated.	Total.	Rate per 1,000.	Both American.	Both foreign.	American mother and foreign father.	American father and foreign mother.	Not stated.
Starks .....	766	8	2	-	10	13.05	10	-	-	-	-
Bigelow Pl.....	62	1	-	-	1	16.13	1	-	-	-	-
Brighton Pl.....	434	3	1	-	4	9.22	4	-	-	-	-
Caratunk Pl .....	192	1	4	-	5	26.05	4	-	1	-	-
Carrying Place Pl.....	31	-	-	-	-	-	-	-	-	-	-
Dead River Pl.....	104	1	2	-	3	28.85	3	-	-	-	-
Dennistown Pl.....	66	2	2	-	4	60.06	1	1	-	2	-
Flagstaff Pl.....	87	-	1	-	1	11.49	1	-	-	-	-
Highland Pl.....	76	1	1	-	2	26.32	2	-	-	-	-
Jackman Pl.....	217	3	6	-	9	41.47	1	3	3	2	-
Lexington Pl.....	199	-	6	-	6	30.15	5	-	1	-	-
Mayfield Pl.....	74	2	1	-	3	40.54	3	-	-	-	-
Moose River Pl.....	170	7	1	-	8	47.06	3	2	-	3	-
Pleasant Ridge Pl.....	01	-	2	1	3	-	2	-	-	-	1
The Forks Pl.....	195	-	2	-	2	10.26	-	-	1	1	-
West Forks Pl.....	146	3	4	-	7	47.94	2	2	1	2	-
Total .....	32,360	312	312	-	624	19.28	461	61	56	44	2
* Population in unorganized plantations in 1890, 267.											
-	1	2	0	-	2	-	-	-	-	-	-
-	1	2	0	-	2	-	-	-	-	-	-
-	1	5	5	-	10	-	-	-	-	-	-
-	21	21	-	-	42	-	-	-	-	-	-
-	11	29	37	-	66	-	-	-	-	-	-
-	3	3	-	-	6	-	-	-	-	-	-
-	1	71	31	-	102	-	-	-	-	-	-

## No. 7—Continued.

for the Year 1893.

COUNTY—CONCLUDED.

MARRIAGES.						DEATHS.							Death-rate per 1,000.
						Sex.			Nativity.				
Both American.	Both foreign.	Husband American.	Wife American.	Not stated.	Total.	Male.	Female.	Not stated.	Total.	American.	Foreign.	Not stated.	
2	-	-	1	-	3	3	8	-	11	11	-	-	14.36
-	-	-	-	-	-	-	1	-	1	1	-	-	16.13
6	-	-	-	-	6	3	2	-	5	5	-	-	11.52
1	-	-	-	-	1	4	-	-	4	4	-	-	20.88
-	-	-	-	-	-	1	-	-	1	1	-	-	32.25
-	-	-	-	-	-	1	-	-	1	1	-	-	9.61
-	-	-	-	-	-	-	1	-	1	-	1	-	15.01
1	-	-	-	-	1	1	-	-	1	1	-	-	11.49
-	-	-	-	-	-	2	-	-	2	2	-	-	26.32
1	3	2	-	-	6	5	9	-	14	11	3	-	64.52
-	-	-	-	-	-	1	4	-	5	5	-	-	25.13
-	-	-	-	-	-	-	1	-	1	1	-	-	13.51
1	-	2	-	-	3	4	1	-	5	4	1	-	29.41
1	-	-	1	-	2	2	-	-	2	1	-	1	-
1	-	-	1	-	2	-	-	-	-	-	-	-	-
-	1	1	-	-	2	1	-	-	1	1	-	-	6.85
221	19	15	19	1	275	262	241	-	503	464	34	5	15.42

**TABLE**  
**Births, Marriages, and Deaths**

WALDO

TOWNS.	Population in 1890.	BIRTHS.									
		Sex.					Parentage.				
		Male.	Female.	Not stated.	Total.	Rate per 1,000.	Both American.	Both foreign.	American mother and foreign father.	American father and foreign mother.	Not stated.
Belfast .....	5,294	29	23	-	52	9.82	47	-	1	3	1
Belmont .....	475	5	8	-	13	27.37	13	-	-	-	-
Brooks .....	730	12	8	-	20	27.40	20	-	-	-	-
Burnham .....	846	5	9	-	14	16.55	14	-	-	-	-
Frankfort .....	1,099	20	6	-	26	23.66	22	1	1	2	-
Freedom .....	510	6	5	-	11	21.57	11	-	-	-	-
Islesboro.....	1,006	10	3	-	13	12.92	13	-	-	-	-
Jackson .....	522	4	3	-	7	13.41	7	-	-	-	-
Knox .....	657	7	3	-	10	15.22	10	-	-	-	-
Liberty .....	835	7	6	-	13	15.57	12	-	1	-	-
Lincolntonville.....	1,361	7	5	-	12	8.82	12	-	-	-	-
Monroe.....	1,079	11	13	-	24	22.24	20	1	2	1	-
Montville .....	1,049	13	5	-	18	17.16	18	-	-	-	-
Morrill .....	460	1	4	-	5	10.87	5	-	-	-	-
Northport .....	691	7	6	-	13	18.81	13	-	-	-	-
Palermo.....	887	3	5	-	8	9.02	8	-	-	-	-
Prospect .....	697	6	4	-	10	14.35	8	1	1	-	-
Searsmont.....	1,144	8	10	-	18	15.73	17	-	-	1	-
Searsport .....	1,683	8	7	-	15	8.86	15	-	-	-	-
Stockton Springs.....	1,149	10	6	-	16	13.93	16	-	-	-	-
Swanville .....	689	4	2	-	6	8.71	6	-	-	-	-
Thorndike .....	589	5	1	-	6	10.19	4	-	1	1	-
Troy .....	863	6	6	-	12	13.82	11	-	-	1	-
Unify .....	922	12	6	-	18	19.52	18	-	-	-	-
Waldo .....	581	6	8	-	14	24.10	14	-	-	-	-
Winterport .....	1,926	9	19	-	28	14.54	24	-	-	4	-
Total .....	27,759	221	181	-	402	14.48	378	3	7	13	1

## No. 7—Continued.

for the Year 1893.

COUNTY.

MARRIAGES.						DEATHS.							Death-rate per 1,000.
Both American.	Both foreign.	Husband American.	Wife American.	Not stated.	Total.	Sex.			Nativity.				
						Male.	Female.	Not stated.	Total.	American.	Foreign.	Not stated.	
39	1	1	3	-	44	53	47	-	100	94	6	-	18.89
-	-	-	-	-	-	9	3	-	12	12	-	-	25.26
7	-	-	-	-	7	7	5	-	12	12	-	-	16.44
4	-	-	-	-	4	7	5	-	12	12	-	-	14.18
1	-	-	-	-	1	5	11	-	16	15	1	-	14.56
2	-	-	-	-	2	5	2	-	7	6	-	1	13.73
2	-	-	-	-	2	1	-	-	1	1	-	-	0.99
10	-	-	-	-	10	4	4	-	8	8	-	-	15.33
3	-	-	-	-	3	6	7	-	13	13	-	-	19.79
3	-	-	-	-	3	6	11	-	17	17	-	-	20.36
5	-	-	-	-	5	8	7	-	15	14	1	-	11.02
8	-	-	-	-	8	7	6	-	13	13	-	-	12.05
8	-	-	-	-	8	9	10	-	19	19	-	-	18.11
5	-	1	-	-	6	4	3	-	7	6	1	-	15.22
4	-	-	-	-	4	11	4	-	15	15	-	-	21.71
-	-	-	-	-	-	4	3	-	7	7	-	-	7.89
2	-	-	-	-	2	7	4	-	11	9	2	-	15.78
10	-	-	-	-	10	5	9	-	14	14	-	-	12.94
19	-	-	-	-	19	11	18	-	29	27	2	-	17.13
6	-	-	-	-	6	8	10	-	18	16	1	1	15.67
4	-	-	-	-	4	4	4	-	8	8	-	-	11.61
-	-	-	-	-	-	5	3	-	8	7	1	-	13.58
12	-	-	-	-	12	3	9	-	12	12	-	-	13.82
10	-	-	-	-	10	9	7	-	16	14	1	1	17.35
8	-	-	1	-	9	4	4	-	8	8	-	-	13.77
21	-	-	-	-	21	19	15	-	34	33	1	-	17.65
198	1	2	4	-	200	221	211	-	432	412	17	3	15.56

**TABLE**  
**Births, Marriages, and Deaths**

**WASHINGTON**

TOWNS.	Population in 1900.	BIRTHS.									
		Sex.					Parentage.				
		Male.	Female.	Not stated.	Total.	Rate per 1,000.	Both American.	Both foreign.	American mother and foreign father.	American father and foreign mother.	Not stated.
Addison .....	1,022	17	5	-	22	21.53	22	-	-	-	-
Alexander .....	337	7	5	-	12	35.61	10	-	2	-	-
Baileyville .....	226	4	4	-	8	35.40	7	-	-	1	-
Baring .....	273	3	3	-	6	21.97	3	-	1	2	-
Beddington.....	184	-	4	-	4	21.74	4	-	-	-	-
Brookton .....	429	5	2	-	7	16.32	5	-	-	2	-
Calais.....	7,390	116	105	-	221	30.32	69	59	35	54	4
Centerville.....	114	2	4	-	6	52.63	6	-	-	-	-
Charlotte .....	381	2	2	-	4	10.50	3	-	-	1	-
Cherryfield .....	1,787	18	16	1	35	19.59	33	-	1	-	1
Columbia.....	587	8	5	-	13	22.14	12	-	1	-	-
Columbia Falls.....	686	4	2	-	6	8.60	6	-	-	-	-
Cooper .....	264	3	1	-	4	15.15	4	-	-	-	-
Crawford .....	140	-	1	-	1	7.14	1	-	-	-	-
Danforth ..	1,063	16	14	-	30	28.22	12	9	5	4	-
Deblois .....	76	1	2	-	3	39.47	3	-	-	-	-
Dennysville .....	452	10	9	-	19	42.04	19	-	-	-	-
East Machias .....	1,637	19	19	-	38	23.21	36	-	2	-	-
Eastport .....	4,908	80	60	-	140	28.52	50	38	30	22	-
Edmunds.....	386	13	7	-	20	50.63	18	-	-	2	-
Forest City .....	287	7	4	-	11	38.33	6	2	1	2	-
Harrington .....	1,150	13	11	-	24	20.87	24	-	-	-	-
Jonesboro .....	470	10	9	-	19	40.43	19	-	-	-	-
Jonesport .....	1,817	22	24	-	46	24.00	38	-	4	2	2
Lubec .....	2,069	34	54	3	91	43.98	49	13	10	18	1
Machias.....	2,035	25	35	-	60	29.48	58	-	-	1	1
Machiasport.....	1,437	7	12	-	19	13.22	17	1	1	-	-

**No. 7—Continued.**  
**for the Year 1893.**  
**COUNTY.**

MARRIAGES.						DEATHS.							Death-rate per 1,000.
						Sex.				Nativity.			
Both American.	Both foreign.	Husband American.	Wife American.	Not stated.	Total.	Male.	Female.	Not stated.	Total.	American.	Foreign.	Not stated.	
8	-	1	-	-	9	11	3	-	14	13	1	-	13.70
3	-	-	-	-	3	3	4	-	7	6	1	-	20.77
-	-	-	-	-	-	-	3	-	3	2	1	-	13.27
-	-	1	-	-	1	2	-	-	2	1	1	-	7.32
2	-	-	-	-	2	3	-	-	3	3	-	-	16.80
1	-	-	1	-	2	3	5	-	8	6	2	-	18.65
28	21	14	8	3	72	55	54	-	109	62	47	-	14.95
-	-	-	-	-	-	1	-	-	1	1	-	-	8.77
1	-	-	-	-	1	2	2	-	4	4	-	-	10.50
5	-	-	1	-	6	9	9	-	18	18	-	-	10.07
4	-	-	-	-	4	1	5	-	6	6	-	-	10.22
5	-	-	-	-	5	6	5	-	11	11	-	-	15.76
1	-	-	-	-	1	1	1	-	2	2	-	-	7.57
-	-	-	-	-	-	1	-	-	1	1	-	-	7.14
4	2	1	1	-	8	9	13	-	22	18	4	-	20.70
2	-	-	-	-	2	1	-	-	1	1	-	-	13.15
1	-	1	1	1	4	4	4	-	8	6	2	-	17.70
10	-	-	2	-	12	11	8	-	19	17	2	-	11.60
20	15	9	10	-	54	46	37	-	83	54	28	1	16.91
1	-	-	-	-	1	2	5	-	7	7	-	-	17.72
2	1	-	-	-	3	-	-	-	-	-	-	-	-
6	-	-	-	-	6	11	5	-	16	15	1	-	13.91
5	-	-	-	-	5	3	1	-	4	3	-	1	8.51
8	1	1	-	-	10	18	10	-	28	27	1	-	14.63
20	2	7	3	-	32	21	9	-	30	25	3	2	14.50
9	-	-	-	-	9	23	15	-	38	36	2	-	18.67
6	-	-	1	-	7	6	5	-	11	11	-	-	7.65



**TABLE**  
**Births, Marriages, and Deaths**

WASHINGTON

TOWNS.	Population in 1890.	BIRTHS.									
		Sex.					Parentage.				
		Male.	Female.	Not stated.	Total.	Rate per 1,000.	Both American.	Both foreign.	American mother and foreign father.	American father and foreign mother.	Not stated.
Marion .....	90	1	2	-	3	33.33	3	-	-	-	-
Marshfield .....	299	4	-	-	4	13.38	4	-	-	-	-
Meddybemps .....	156	2	-	-	2	12.82	2	-	-	-	-
Milbridge .....	1,968	19	23	-	42	21.40	40	-	-	2	-
Northfield .....	143	3	1	-	4	27.97	4	-	-	-	-
Pembroke .....	1,514	24	16	-	40	26.42	36	1	-	3	-
Perry .....	945	5	17	-	22	23.26	15	2	3	2	-
Princeton .....	1,027	18	22	-	40	38.95	31	3	5	1	-
Robbinston .....	787	9	11	-	20	25.41	11	2	1	6	-
Roque Bluffs .....	164	4	-	-	4	25.97	4	-	-	-	-
Steuben .....	982	5	7	-	12	12.22	12	-	-	-	-
Talmage .....	112	4	-	-	4	35.71	3	-	1	-	-
Topsfield .....	375	5	3	-	8	21.33	7	-	1	-	-
Trescott .....	485	4	-	-	4	8.25	3	-	-	1	-
Vanceboro .....	870	8	9	-	17	19.54	1	10	3	3	-
Waite .....	159	2	3	-	5	31.45	5	-	-	-	-
Wesley .....	227	3	1	-	4	17.62	4	-	-	-	-
Whiting .....	393	3	5	-	8	20.36	6	-	1	1	-
Whitneyville .....	413	2	5	-	7	16.95	6	-	1	-	-
Codyville Pl .....	72	-	-	-	-	-	-	-	-	-	-
Grand Lake Stream Pl.	404	10	1	-	11	27.23	6	-	5	-	-
Lambert Lake Pl. ....	152	4	6	-	10	65.79	-	7	1	2	-
No. 14 Pl. ....	112	1	2	-	3	26.79	3	-	-	-	-
No. 21 Pl. ....	81	2	1	-	3	37.04	3	-	-	-	-
<b>Total .....</b> *	<b>43,543</b>	<b>588</b>	<b>554</b>	<b>4</b>	<b>1,146</b>	<b>26.32</b>	<b>743</b>	<b>147</b>	<b>115</b>	<b>132</b>	<b>9</b>

\* Population in unorganized plantations in 1890, 839.

## No. 7—Continued.

for the Year 1898.

COUNTY—CONCLUDED.

MARRIAGES.						DEATHS.								Death-rate per 1,000.
						Sex.				Nativity.				
Both American.	Both foreign.	Husband American.	Wife American.	Not stated.	Total.	Male.	Female.	Not stated.	Total.	American.	Foreign.	Not stated.		
1	-	-	-	-	1	-	1	-	1	1	-	-	11.11	
1	-	-	-	-	1	1	1	-	2	2	-	-	6.69	
1	-	-	-	-	1	1	1	-	2	1	1	-	12.82	
16	-	1	-	-	17	8	13	-	21	21	-	-	10.70	
-	-	-	-	-	-	1	3	-	4	4	-	-	27.97	
11	1	1	2	-	15	17	13	-	30	25	5	-	19.82	
8	-	-	1	-	9	5	8	-	13	9	4	-	13.76	
5	-	2	-	-	7	3	12	-	15	11	4	-	14.61	
5	-	-	1	-	6	7	3	-	10	8	1	1	12.70	
-	-	-	-	-	-	-	1	-	1	1	-	-	6.49	
8	-	1	-	-	9	4	6	-	10	8	2	-	10.18	
-	-	-	-	-	-	1	1	-	2	2	-	-	17.85	
2	-	-	-	-	2	6	3	-	9	7	1	1	24.00	
-	-	-	-	-	-	2	8	-	10	8	2	-	20.61	
3	1	1	-	-	5	5	3	-	8	4	4	-	9.20	
-	-	-	-	-	-	2	1	-	3	-	3	-	18.87	
2	-	-	-	-	2	1	1	-	2	2	-	-	8.81	
1	-	1	-	-	2	2	3	-	5	5	-	-	12.72	
2	-	-	-	-	2	9	2	-	11	7	4	-	26.63	
2	-	-	-	-	2	-	-	-	-	-	-	-	-	
-	-	-	-	-	-	2	4	-	6	6	-	-	14.85	
1	-	-	-	-	1	2	1	-	3	3	-	-	19.74	
-	-	-	-	-	-	1	-	-	1	1	-	-	8.83	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	
219	44	42	32	4	341	333	292	-	625	492	127	6	14.05	

**TABLE**  
**Births, Marriages, and Deaths**

YORK

TOWNS.	Population in 1890.	BIRTHS.									
		Sex.					Parentage.				
		Male.	Female.	Not stated.	Total.	Rate per 1,000.	Both American.	Both foreign.	American mother and foreign father.	American father and foreign mother.	Not stated.
Acton .....	878	5	4	-	9	10.25	8	1	-	-	-
Alfred .....	1,080	8	6	-	14	13.59	12	-	1	1	-
Berwick .....	2,294	20	16	-	36	15.69	24	7	2	3	-
Biddeford.....	14,443	246	225	-	471	32.61	75	340	22	32	2
Buxton.....	2,086	20	15	-	35	17.19	33	-	1	-	1
Cornish .....	1,118	10	12	-	22	19.68	20	-	1	-	1
Dayton .....	500	2	3	-	5	10.00	5	-	-	-	-
Eliot.....	1,463	17	10	-	27	18.46	20	3	3	-	1
Hollis .....	1,378	10	13	-	23	18.00	21	-	1	1	-
Kennebunk .....	3,172	21	28	-	49	15.45	37	6	2	4	-
Kennebunkport .....	2,186	17	15	1	33	15.08	29	2	2	-	-
Kittery.....	2,864	24	14	-	38	13.27	32	3	2	1	-
Lebanon .....	1,263	16	10	-	26	20.59	23	1	-	2	-
Limerick .....	966	5	6	-	11	11.39	10	-	-	1	-
Limington .....	1,092	11	5	-	16	14.65	14	-	-	2	-
Lynan .....	854	4	5	-	9	10.54	9	-	-	-	-
Newfield .....	796	4	7	-	11	13.82	8	-	1	1	1
North Berwick .....	1,803	11	11	-	22	12.20	18	1	3	-	-
Old Orchard .....	877	2	6	-	8	9.12	8	-	-	-	-
Parsonsfeld .....	1,386	5	6	-	11	7.87	11	-	-	-	-
Saco .....	6,075	59	47	-	106	17.45	55	34	7	10	-
Sanford .....	4,201	98	76	-	174	41.42	76	71	11	15	1

**No. 7—Continued.**  
**for the Year 1898.**  
**COUNTY.**

MARRIAGES.						DEATHS.							Death-rate per 1,000.
						Sex.			Nativity.				
Both American.	Both foreign.	Husband American.	Wife American.	Not stated.	Total.	Male.	Female.	Not stated.	Total.	American.	Foreign.	Not stated.	
2	-	-	-	-	2	6	6	-	12	12	-	-	13.67
2	-	-	-	-	2	10	11	-	21	19	2	-	20.39
7	-	-	-	-	7	15	18	-	33	27	5	1	14.39
29	49	7	19	-	104	155	147	-	302	219	70	13	20.91
30	-	2	1	-	33	21	19	-	40	39	1	-	19.65
10	-	-	-	-	10	6	10	-	16	14	2	-	14.31
6	-	-	-	-	6	1	2	-	3	3	-	-	6.00
8	-	-	-	-	8	9	18	-	27	26	1	-	18.46
3	-	-	-	-	3	11	9	-	20	18	2	-	15.65
17	-	1	1	-	19	25	43	-	68	63	5	-	21.44
3	-	-	-	7	10	19	18	-	37	32	2	3	16.85
15	1	-	-	-	16	21	19	-	40	35	1	4	13.97
3	-	2	-	-	5	14	10	-	24	24	-	-	19.00
2	-	-	-	-	2	8	7	-	15	15	-	-	15.53
8	-	-	-	-	8	5	4	-	9	9	-	-	8.24
6	-	-	-	-	6	2	5	-	7	7	-	-	8.20
4	-	-	-	-	4	10	7	-	17	17	-	-	21.36
5	-	-	-	-	5	20	12	-	32	30	1	1	17.75
3	1	-	1	-	5	12	8	-	20	16	4	-	22.80
4	-	-	-	-	4	10	15	-	25	21	-	4	17.98
23	3	3	1	-	30	50	63	-	113	102	10	1	18.60
23	13	3	6	1	46	35	36	-	71	61	6	4	16.90

**TABLE**  
**Births, Marriages, and Deaths**  
**YORK**

TOWNS.	Population in 1890.	BIRTHS.									
		SEX.					Parentage.				
		Male.	Female.	Not stated.	Total.	Rate per 1,000.	Both American.	Both foreign.	American mother and foreign father.	American father and foreign mother.	Not stated.
Shapleigh .....	968	8	6	-	14	14.46	12	-	-	1	1
South Berwick .....	3,434	33	30	-	63	18.35	34	20	4	4	1
Waterboro .....	1,357	5	8	-	13	9.57	13	-	-	-	-
Wells.....	2,029	17	16	-	33	16.26	31	1	1	-	-
York .....	2,444	31	23	-	54	22.09	41	3	3	6	1
<b>Total .....</b>	<b>62,829</b>	<b>709</b>	<b>623</b>	<b>1</b>	<b>1,333</b>	<b>21.22</b>	<b>679</b>	<b>493</b>	<b>67</b>	<b>84</b>	<b>10</b>

**No. 7—Concluded.**  
**for the Year 1898.**  
**COUNTY—CONCLUDED.**

MARRIAGES.						DEATHS.								Death-rate per 1,000.
						Sex.				Nativity.				
Both American.	Both foreign.	Husband American.	Wife American.	Not stated.	Total.	Male.	Female.	Not stated.	Total.	American.	Foreign.	Not stated.		
5	-	-	-	-	5	6	8	-	14	13	1	-	14.46	
11	1	1	2	-	15	19	25	-	44	40	4	-	12.81	
4	-	-	-	-	4	7	17	-	24	22	2	-	17.69	
13	-	-	1	-	14	17	20	-	37	37	-	-	16.24	
7	1	1	1	-	10	27	25	-	52	50	2	-	21.28	
253	69	20	33	8	383	541	582	-	1,123	971	121	31	17.87	

**TABLE**  
**RECAPITULATION**

COUNTIES.	Population in 1880.	BIRTHS.									
		Sex.					Parentage.				
		Male.	Female.	Not stated.	Total.	Rate per 1,000.	Both American.	Both foreign.	American mother and foreign father.	American father and foreign mother.	Not stated.
Androscoggin ....	48,968	576	574	1	1,151	23.51	456	515	77	94	10
Aroostook .....	49,589	943	855	4	1,802	37.05	955	311	269	256	11
Cumberland .....	90,949	1,001	990	2	1,993	21.91	1,080	538	146	200	29
Franklin .....	17,653	192	206	-	398	23.65	300	55	19	21	3
Hancock .....	37,312	388	353	-	741	20.04	665	16	38	20	2
Kennebec .....	57,012	594	537	4	1,135	19.91	657	261	80	124	13
Knox .....	31,473	255	258	-	513	16.31	414	40	25	28	6
Lincoln .....	21,996	178	170	-	348	15.89	313	5	15	12	3
Oxford .....	30,586	313	337	-	650	21.36	511	62	39	31	7
Penobscot .....	72,865	777	742	2	1,521	21.08	977	256	140	129	19
Piscataquis .....	16,134	178	157	1	336	21.32	263	28	20	23	2
Sagadahoc .....	19,452	213	167	-	380	19.54	246	56	28	47	3
Somerset .....	32,627	312	312	-	624	19.28	461	61	56	44	2
Waldo .....	27,759	221	181	-	402	14.48	378	3	7	13	1
Washington .....	44,482	588	554	4	1,146	26.32	743	147	115	132	9
York .....	62,829	709	623	1	1,333	21.22	679	493	67	84	10
<b>Total .....</b>	<b>661,086</b>	<b>7,438</b>	<b>7,016</b>	<b>19</b>	<b>14,473</b>	<b>21.80</b>	<b>9,097</b>	<b>2,847</b>	<b>1,141</b>	<b>1,258</b>	<b>130</b>

## No. 3.

## BY COUNTIES.

MARRIAGES.						DEATHS.								Death-rate per 1,000.
						Sex.				Nativity.				
Both American.	Both foreign.	Husband American.	Wife American.	Not stated.	Total.	Male.	Female.	Not stated.	Total.	American.	Foreign.	Not stated.		
209	92	39	30	6	376	507	449	1	957	751	184	22	19.54	
252	67	63	100	5	487	360	405	-	765	607	144	14	15.43	
441	99	58	51	8	657	862	843	-	1,705	1,374	287	44	18.75	
135	12	3	8	-	158	131	145	-	276	264	12	-	16.18	
235	4	12	13	-	264	281	269	-	550	513	28	9	14.74	
356	41	28	36	8	469	505	482	2	989	845	96	48	17.35	
219	11	9	8	-	247	249	248	-	497	462	33	2	15.79	
144	-	2	2	-	148	160	162	-	322	302	11	9	14.64	
200	8	8	19	1	236	234	254	-	488	466	13	9	15.96	
462	44	46	45	5	602	590	595	-	1,185	991	164	30	16.26	
112	8	10	15	-	145	118	114	-	232	213	17	2	14.38	
122	10	15	9	-	156	152	155	-	307	281	22	4	15.78	
221	19	15	19	1	275	262	241	-	503	464	34	5	15.42	
193	1	2	4	-	200	221	211	-	432	412	17	3	15.56	
219	44	42	32	4	341	333	292	-	625	492	127	6	14.05	
253	69	20	33	8	383	541	582	-	1,123	971	121	31	17.87	
3,773	539	372	424	46	5,144	5,506	5,447	3	10,956	9,408	1,310	238	16.57	



TABLE No. 9.  
Births and Birth-Rates by Counties for the Years 1892-93.

	1892.		1893.		1894.		1895.		1896.		1897.		1898.	
	Births.	Rate.	Births.	Rate.	Births.	Rate.	Births.	Rate.	Births.	Rate.	Births.	Rate.	Births.	Rate.
State .....	14,028	31.21	13,906	31.04	13,940	31.09	14,762	32.33	14,688	32.23	14,430	31.83	14,473	31.89
Androscoggin .....	1,901	30.23	1,053	31.50	1,079	32.03	1,244	32.40	1,216	32.83	1,017	30.77	1,151	32.51
Aroostook .....	1,610	32.46	1,553	32.44	1,750	35.84	1,946	39.56	1,790	36.21	1,802	37.05	1,992	37.05
Barnstable .....	2,048	32.51	2,017	32.14	2,032	32.34	2,146	33.60	2,262	34.76	2,024	32.25	1,993	31.91
Bristol .....	845	30.23	814	29.60	828	29.43	782	29.03	867	33.56	878	32.51	1,088	33.65
Franklin .....	752	30.28	738	29.97	750	29.07	782	31.13	768	30.76	748	30.30	741	30.04
Hancock .....	1,094	31.46	1,149	30.15	987	27.49	1,075	29.38	1,103	29.33	1,015	31.31	1,135	30.31
Kennebec .....	1,773	31.14	1,682	30.73	1,600	29.08	1,629	29.78	1,696	29.91	1,598	28.68	1,613	28.31
Knox .....	402	28.27	348	25.58	363	26.50	376	27.09	351	25.96	368	26.73	318	23.32
Lincoln .....	524	27.13	468	25.36	584	28.47	598	29.35	585	28.61	577	27.73	650	31.36
Oxford .....	1,452	31.82	1,375	29.61	1,444	29.58	1,476	30.37	1,531	31.07	1,579	31.73	1,523	31.06
Penobscot .....	348	31.25	330	30.66	358	28.19	333	28.34	316	27.24	322	27.53	336	28.33
Piscataquis .....	375	19.27	391	20.00	367	18.87	382	18.90	348	18.92	340	17.76	380	18.64
Sagadahoc .....	634	19.57	642	19.80	553	17.14	622	19.33	612	18.96	657	19.70	624	18.23
Sumner .....	404	14.50	435	15.67	412	14.04	412	14.54	406	13.15	378	13.02	402	14.43
Waldo .....	1,051	24.30	1,003	22.64	1,060	23.02	914	20.72	971	22.28	1,088	24.85	1,146	26.32
Washington .....	1,451	23.77	1,402	22.31	1,360	21.17	1,474	23.46	1,472	23.43	1,306	21.61	1,353	21.32
York .....														

TABLE No. 10.

Births by Counties, Showing Proportion of Males to Females, 1895.

COUNTIES.	Males.	Females.	Sex not stated.	Total.	Excess of males.	Excess of females.	Males to each 100 females.
Androscoggin .....	576	574	1	1,151	2	-	100.3
Aroostook .....	943	855	4	1,802	88	-	110.3
Cumberland .....	1,001	990	2	1,993	11	-	101.1
Franklin .....	192	206	-	398	-	14	93.2
Hancock .....	388	353	-	741	35	-	109.9
Kennebec .....	594	537	4	1,135	57	-	110.6
Knox .....	255	258	-	513	-	3	98.8
Lincoln .....	178	170	-	348	8	-	104.7
Oxford .....	313	337	-	650	-	24	92.9
Penobscot .....	777	742	2	1,521	35	-	104.7
Piscataquis .....	178	157	1	336	21	-	113.4
Sagadahoc .....	213	167	-	380	46	-	127.5
Somerset .....	312	312	-	624	-	-	100.0
Waldo .....	221	181	-	402	40	-	122.1
Washington .....	588	554	4	1,146	34	-	106.1
York .....	709	623	1	1,333	86	-	113.8
Total .....	7,438	7,016	19	14,473	422	-	106.0

TABLE No. 11.  
Number of Births in each Month of 1892, 1893, 1894, 1895, 1896, 1897, and 1898, with Monthly Ratio  
Compared with a Standard of 100.

MONTHS.	1892.		1893.		1894.		1895.		1896.		1897.		1898.	
	Births.	Ratio.*	Births.	Ratio.	Births.	Ratio.	Births.	Ratio.	Births.	Ratio.	Births.	Ratio.	Births.	Ratio.
January . . . . .	1,016	85.3	1,151	97.5	962	81.3	1,182	94.3	1,149	92.1	1,125	91.9	1,148	93.4
February . . . . .	1,113	103.4	1,082	101.5	980	91.7	1,082	95.6	1,227	105.1	1,120	101.4	1,176	103.4
March . . . . .	1,345	112.9	1,162	98.4	1,335	116.6	1,329	106.1	1,330	106.6	1,390	113.6	1,323	107.6
April . . . . .	1,275	110.6	1,259	110.1	1,324	115.6	1,287	106.1	1,318	108.2	1,259	106.2	1,269	106.7
May . . . . .	1,323	111.1	1,273	107.7	1,255	106.1	1,308	104.4	1,379	110.5	1,287	105.1	1,322	107.6
June . . . . .	1,176	101.9	1,162	101.7	1,200	104.8	1,236	101.9	1,190	98.6	1,248	105.3	1,229	103.3
July . . . . .	1,222	102.6	1,176	96.6	1,286	108.7	1,260	103.0	1,207	96.7	1,272	103.9	1,226	99.8
August . . . . .	1,191	100.0	1,213	102.7	1,213	102.5	1,312	104.7	1,246	99.9	1,302	106.4	1,219	99.2
September . . . . .	1,144	99.2	1,115	97.6	1,168	102.0	1,233	101.6	1,257	104.1	1,205	101.8	1,182	99.4
October . . . . .	1,047	87.9	1,126	95.3	1,084	89.9	1,189	94.9	1,220	97.8	1,138	93.0	1,196	97.3
November . . . . .	1,002	86.9	1,032	90.3	980	85.6	1,115	91.9	1,091	90.4	982	82.9	1,028	86.5
December . . . . .	1,111	93.1	1,109	93.9	1,164	98.4	1,183	95.2	1,069	85.7	1,077	88.0	1,149	93.5
Unknown . . . . .	63	-	48	-	9	-	6	-	10	-	12	-	6	-

\* In this column the inaccuracies due to the unequal lengths of the months are eliminated.

TABLE No. 12.

## Births by Sex and Months, by Counties, 1898.

COUNTIES.	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.	Not stated.	Total.	Grand total.
Androscoggin, males	45	42	44	50	53	57	48	45	51	63	29	43	-	576	-
females...	46	54	48	40	56	62	57	43	49	35	41	43	-	574	-
not stated	-	-	-	-	1	-	-	-	-	-	-	-	-	1	1151
Aroostook, males....	73	76	114	91	97	65	86	72	60	70	64	75	-	943	-
females...	58	58	95	95	80	76	82	84	56	59	57	55	-	855	-
not stated	-	-	-	-	-	-	-	2	-	2	-	-	-	4	1802
Cumberland, males...	80	84	97	79	98	83	76	93	81	89	59	82	-	1001	-
females...	83	79	99	90	95	82	64	90	91	91	55	71	-	990	-
not stated	-	-	-	-	1	-	1	-	-	-	-	-	-	2	1993
Franklin, males .....	17	14	15	22	11	15	19	15	13	20	13	18	-	192	-
females...	17	19	19	13	21	18	22	16	15	10	22	14	-	206	-
not stated	-	-	-	-	-	-	-	-	-	-	-	-	-	-	398
Hancock, males .....	31	27	27	35	43	32	37	35	37	35	21	28	-	388	-
females...	27	27	31	28	35	32	31	30	28	22	27	35	-	353	-
not stated	-	-	-	-	-	-	-	-	-	-	-	-	-	-	741
Kennebec, males .....	56	37	48	54	57	36	56	48	55	46	47	54	-	594	-
females...	42	46	42	49	45	47	48	48	33	50	41	46	-	537	-
not stated	1	1	-	2	-	-	-	-	-	-	-	-	-	4	1135
Knox, males .....	21	21	23	21	17	23	22	17	26	23	26	15	-	255	-
females...	18	22	32	21	19	21	18	26	26	19	18	18	-	258	-
not stated	-	-	-	-	-	-	-	-	-	-	-	-	-	-	513
Lincoln, males .....	13	12	13	25	16	18	14	15	7	14	17	13	1	178	-
females...	17	11	17	13	19	9	18	11	13	10	17	15	-	170	-
not stated	-	-	-	-	-	-	-	-	-	-	-	-	-	-	348
Oxford, males .....	17	38	21	26	30	23	27	21	26	30	28	26	-	313	-
females...	16	30	33	26	27	32	30	39	24	35	22	23	-	337	-
not stated	-	-	-	-	-	-	-	-	-	-	-	-	-	-	650
Penobscot, males .....	61	73	79	74	65	58	68	53	76	55	54	60	1	777	-
females...	75	52	67	63	58	63	61	56	57	65	68	55	2	742	-
not stated	1	-	-	-	-	-	-	1	-	-	-	-	-	2	1521
Piscataquis, males...	16	16	15	13	21	10	10	13	21	12	10	20	1	178	-
females...	9	6	19	12	18	15	9	13	11	14	13	18	-	157	-
not stated	-	-	-	1	-	-	-	-	-	-	-	-	-	1	336
Sagadahoc, males ...	23	17	20	16	24	18	16	15	18	14	14	18	-	213	-
females...	5	12	15	13	13	16	17	12	18	15	13	18	-	167	-
not stated	-	-	-	-	-	-	-	-	-	-	-	-	-	-	380
Somerset, males.....	30	31	21	19	19	20	37	36	23	33	17	26	-	312	-
females...	25	21	28	28	34	28	27	23	22	25	23	28	-	312	-
not stated	-	-	-	-	-	-	-	-	-	-	-	-	-	-	624
Waldo, males .....	14	23	14	30	15	26	18	13	20	16	12	20	-	221	-
females...	14	17	15	25	13	19	11	13	14	20	8	12	-	181	-
not stated	-	-	-	-	-	-	-	-	-	-	-	-	-	-	402
Washington, males...	52	47	49	42	48	64	53	48	50	45	43	46	1	588	-
females...	36	45	50	42	54	48	33	56	44	47	51	48	-	554	-
not stated	-	-	1	1	2	-	-	-	-	-	-	-	-	4	1146
York, males .....	56	59	60	54	69	60	53	74	59	61	51	53	-	709	-
females...	53	53	52	56	47	53	57	45	56	51	47	53	-	623	-
not stated	-	-	-	-	1	-	-	-	-	-	-	-	-	1	1333
Total, males .....	605	623	660	651	683	608	640	613	623	626	505	597	4	7438	-
females...	541	552	662	614	634	621	585	605	557	568	523	552	2	7016	-
not stated	2	1	-	4	5	-	1	1	2	-	-	-	-	19	-
Grand total .....	1148	1176	1323	1269	1322	1229	1226	1219	1182	1196	1028	1149	6	14473	14473

TABLE No. 13.

Births in Cities for 1898, with Rate per 1,000 of Population.

CITIES.	Population in 1890.	Males born.	Females born.	Sex not stated.	Total.	Birth-rate per 1,000.	Males to each 100 females.
Auburn .....	11,250	115	110	-	225	20.00	104.5
Augusta .....	10,527	131	116	3	250	23.75	112.9
Bangor .....	19,103	203	183	2	388	20.31	110.9
Bath .....	8,723	103	91	-	194	22.24	113.2
Belfast .....	5,294	29	23	-	52	9.82	126.1
Biddeford .....	14,443	246	225	-	471	32.61	109.3
Brewer .....	4,193	66	71	-	137	32.67	93.0
Calais .....	7,290	116	105	-	221	30.32	110.5
Deering .....	5,353	68	74	-	142	26.53	91.9
Eastport .....	4,908	80	60	-	140	28.52	133.3
Ellsworth .....	4,804	31	21	-	52	10.82	147.6
Gardiner .....	5,491	61	64	-	125	22.76	95.3
Hallowell .....	3,181	34	22	-	56	17.60	154.5
Lewiston .....	21,701	264	285	1	553	25.48	91.7
Old Town .....	5,312	78	77	-	155	29.18	101.3
Portland .....	36,425	442	427	2	871	23.91	103.5
Rockland .....	8,174	58	69	-	127	15.54	84.1
Saco .....	6,075	59	47	-	106	17.45	125.5
Waterville .....	7,107	136	132	1	269	37.85	103.0
Westbrook .....	6,632	74	89	-	163	24.58	83.1
Total .....	195,986	2,394	2,294	9	4,697	23.97	104.4

TABLE No. 14.

## Percentage of American and Foreign Births by Counties, 1893.

COUNTIES.	PARENTS.			Births with percentage not stated.
	American-born.	Foreign-born.	One foreign-born.	
Androscoggin .....	33.52	44.74	14.87	0.87
Aroostook .....	53.00	17.26	29.13	0.61
Cumberland .....	54.19	27.00	17.36	1.45
Franklin .....	75.38	13.81	10.06	0.76
Hancock .....	89.75	2.16	7.82	0.27
Kennebec .....	57.89	23.00	17.97	1.14
Knox .....	80.70	7.80	10.33	1.17
Lincoln .....	89.34	1.44	7.76	0.86
Oxford .....	78.62	9.54	10.77	1.07
Penobscot .....	64.23	16.83	17.68	1.26
Piscataquis .....	76.27	8.33	12.79	0.61
Sagadahoc .....	64.74	14.73	19.74	0.79
Somerset .....	73.88	9.78	16.02	0.32
Waldo .....	34.02	0.75	4.98	0.25
Washington .....	64.83	12.82	21.56	0.79
York .....	50.33	36.99	11.33	0.75
State .....	62.79	19.73	16.58	0.90

TABLE No. 15.

## Percentage of American and Foreign Births, by Cities, 1898.

CITIES.	PARENTS.			Births with parentage not stated.
	American-born.	Foreign-born.	One foreign-born.	
Auburn.....	41.78	42.22	15.11	0.89
Augusta.....	44.80	34.80	18.40	2.00
Bangor.....	56.70	23.20	19.07	1.03
Bath.....	59.28	15.46	25.26	-
Belfast.....	90.38	-	7.69	1.93
Biddeford.....	15.92	72.19	11.46	0.43
Brewer.....	58.39	25.55	16.06	-
Calais.....	31.22	26.70	40.27	1.81
Deering.....	64.08	18.30	18.38	4.24
Eastport.....	35.71	27.14	37.15	-
Ellsworth.....	86.54	1.92	11.54	-
Gardiner.....	71.20	14.40	12.80	1.60
Hallowell.....	53.57	23.21	21.43	1.79
Lewiston.....	19.89	64.20	14.83	1.08
Old Town.....	36.77	32.90	30.33	-
Portland.....	41.79	34.67	22.27	1.27
Rockland.....	77.17	9.45	13.38	-
Saco.....	51.89	32.08	16.03	-
Waterville.....	31.23	36.06	31.57	0.74
Westbrook.....	26.38	55.21	17.79	0.62
Collectively.....	41.05	37.75	20.20	1.00

**TABLE No. 16.**  
**Twin Births by Months and Counties, 1893.**

COUNTIES.	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.	Not stated.	Total.
Androscoggin .....	-	-	-	1	2	3	1	-	-	2	-	3	-	12
Aroostook .....	3	4	4	4	3	1	1	2	1	2	1	1	-	27
Cumberland .....	2	3	1	1	2	1	1	1	3	3	-	2	-	20
Franklin .....	-	1	-	1	-	1	2	-	-	-	-	-	-	5
Hancock .....	1	-	-	-	-	1	2	1	2	-	-	5	-	12
Kennebec .....	1	1	-	1	1	3	-	1	1	3	1	2	-	15
Knox .....	-	1	-	-	-	1	-	2	-	-	1	-	-	5
Lincoln .....	-	-	1	-	-	-	-	-	-	-	1	1	-	3
Oxford .....	-	1	1	-	-	-	-	-	-	-	-	1	-	3
Penobscot .....	1	-	3	1	1	-	2	2	1	2	3	1	-	17
Piscataquis .....	-	-	-	-	-	-	-	-	1	1	-	-	-	2
Sagadahoc .....	1	1	1	-	-	-	2	-	-	1	-	-	-	6
Somerset .....	-	1	1	-	3	-	1	-	-	-	-	-	-	6
Waldo .....	-	-	-	1	-	-	-	1	-	-	1	2	-	5
Washington .....	-	1	3	2	3	1	1	1	1	2	1	-	-	16
York .....	2	1	1	1	3	-	-	1	1	1	-	1	-	12
Total .....	11	15	16	13	16	12	13	12	11	17	9	19	-	166



TABLE No. 17.

## Twin Births, by Sex and Parentage, by Counties, 1893.

COUNTIES.	SEX.				PARENTAGE.								
	Both male.	Both female.	One male and one female.	Not stated.	Both American.	Both foreign.	American mother and foreign father.	American father and foreign mother.	Not stated.	Total.	Living children.	Still-born children.	Total.
Androscoggin .....	4	3	5	-	2	6	-	3	1	12	22	2	24
Aroostook .....	9	8	10	-	13	5	4	5	-	27	46	8	54
Cumberland .....	9	6	5	-	10	7	1	2	-	20	38	2	40
Franklin .....	4	-	1	-	4	-	1	-	-	5	7	3	10
Hancock .....	4	4	4	-	11	-	-	1	-	12	21	3	24
Kennebec .....	6	6	3	-	8	2	2	3	-	15	29	1	30
Knox .....	-	3	2	-	4	1	-	-	-	5	10	-	10
Lincoln .....	-	3	-	-	3	-	-	-	-	3	6	-	6
Oxford .....	2	1	-	-	1	2	-	-	-	3	6	-	6
Penobscot .....	7	4	6	-	12	1	2	2	-	17	24	10	34
Piscataquis .....	1	1	-	-	1	-	-	1	-	2	4	-	4
Sagadahoc .....	3	1	2	-	5	-	1	-	-	6	11	1	12
Somerset .....	1	4	1	-	4	-	2	-	-	6	12	-	12
Waldo .....	2	1	2	-	5	-	-	-	-	5	9	1	10
Washington .....	5	5	5	1	13	1	-	2	-	16	30	2	32
York .....	4	3	4	1	6	6	-	-	-	12	16	8	24
Total .....	61	53	50	2	102	31	13	19	1	166	291	41	332

**TABLE No. 13.**  
**Still-births by Sex and Parentage, by Counties, 1893.**

COUNTIES.	Male.	Female.	Sex not stated.	Total.	Mother American.	Mother foreign.	Not stated.
Androscoggin .....	22	21	3	46	25	20	1
Aroostook .....	52	43	3	98	70	28	-
Cumberland .....	65	29	2	96	50	43	3
Franklin .....	7	7	-	14	13	1	-
Hancock .....	14	12	1	27	25	2	-
Kennebec .....	30	15	6	51	30	21	-
Knox .....	5	6	1	12	12	-	-
Lincoln .....	5	4	-	9	7	2	-
Oxford .....	13	13	-	26	19	4	3
Penobscot .....	39	24	2	65	54	11	-
Piscataquis .....	11	11	2	24	21	3	-
Sagadahoc .....	12	5	-	17	13	4	-
Somerset .....	24	17	3	44	39	5	-
Waldo .....	6	2	-	8	8	-	-
Washington .....	20	19	3	42	36	5	1
York .....	41	26	2	69	41	27	1
Total .....	366	254	28	648	463	176	9

**TABLE No. 19.**  
**Still-Births by Seasons, 1898.**

MONTHS.			
January .....	69		
February .....	58		
March .....	61	Total for first quarter.....	188
April .....	57		
May .....	47		
June .....	60	Total for second quarter . ....	164
July .....	53		
August .....	48		
September.....	49	Total for third quarter.....	150
October .....	47		
November .....	55		
December .....	44	Total for fourth quarter .....	146
Months not stated.....	-	Total not stated .....	-
Total.....	648		648

## NOTES ON BIRTHS.

In the year 1898, 15,121 births were registered in the State, including still-births (14,028 in 1892, 14,604 in 1893, 14,607 in 1894, 15,430 in 1895, 15,429 in 1896, and 15,142 in 1897).

The number of living children born was 14,473, and the number of still-births was 648.

Of the whole number of living children of which the sex was certified, 7,438 were males and 7,016 were females. In 19 births the sex was not stated. For each 100 girls born there were 106.0 boys (106.7 in 1892, 107.4 in 1893, 104.7 in 1894, 106.4 in 1895, 105.3 in 1896, and 102.3 in 1897).

*Birth-rate.*—The birth-rate of living children for the State was 21.89 for each 1,000 population, using the figures as given in the census returns for 1890 as the basis of calculation.

Table No. 13 shows the number of births in each city with the birth-rate of each. The average birth-rate in the cities per 1,000 population was 23.97 as compared with 21.02, the birth-rate of the rest of the State.

The birth-rate of the different counties varied widely. It was the highest in Aroostook, 37.05, and the lowest in Waldo, 14.48. In five counties, Androscoggin, Aroostook, Cumberland, Franklin, and Washington, the birth-rate was above that of the whole State. The birth-rate in each county is shown in Tables No. 4 and No. 8.

*Parentage.*—Of the total births in the State, 62.79 per cent. were of native parents; 19.73 per cent. were of foreign parentage; 16.58 per cent. were of parents, one of whom was foreign; while of 0.90 per cent. the nationality was not stated.

Waldo county had the largest percentage of native-born parents, to wit, 94.02 per cent., and only 0.75 per cent. in which both parents were foreign-born. Lincoln followed with 89.94 per cent. of native parentage, and only 1.44 per cent. in which both parents were foreign-born.

In Hancock county, in 89.75 per cent. of the births, the parents were native-born.

In Knox, the percentage was 80.70, and in Oxford, 78.62.

Low percentages of native-born parents were shown in Androscoggin county, where, in 39.52 per cent. of the births, the parents were native-born, and 44.74 per cent. were foreign-born; and in York county with 50.93 per cent., and in Aroostook with 53.00 per cent. of the parents native-born.

The percentages of parentage, whether American-born or foreign-born may be found for the other counties in Table No. 14.

Comparing the percentage of the births in our twenty cities with that of the rest of the State we find that, in the cities, 41.05 per cent. of the births were of American parentage, while in the rural parts of the State the percentage of American-born children was 72.30.

The largest percentage of foreign-born parents was in Biddeford, 72.19, and in Lewiston, 64.20.

The lowest percentage of foreign-born parents was in Belfast, 90.38 where no birth was reported in which both parents were foreign, and in Ellsworth only 1.92 per cent. of the births had both parents foreign-born. For further comparison see Table No. 15.

*Seasons and Births.*—The largest number of births in any one month in 1898 was 1,323 in March; the smallest was 1,028 in November; the largest quarterly total was 3,820 in the second quarter; the smallest, 3,373 in the last quarter.

The following is a tabular statement of the number of births in each quarter of each of the seven years 1892-98:

	1st Quarter.	2d Quarter.	3rd Quarter.	4th Quarter.
1892.....	3,474	3,774	3,557	3,160
1893.....	3,395	3,694	3,504	3,267
1894.....	3,277	3,779	3,667	3,208
1895.....	3,583	3,831	3,835	3,497
1896.....	3,706	3,887	3,710	3,380
1897.....	3,639	3,798	3,782	3,199
1898.....	3,647	3,820	3,627	3,373

The three months in which the largest number of births occurred were March, April, and May, 3,914.

*Twin-births.*—In 1898, 166 twin-births occurred; in 61 instances the twins were both boys; in 53, both girls; in 50, a boy and a girl. In 102 cases the parentage was American; in 31, foreign; and in 32 instances the parentage was mixed. Of the 332 children, 291 were born alive, and 41 were still-born.

In each of the towns, Strong, Vassalboro, Mars Hill, and Lewiston, a triple birth occurred. In one instance the children were all living; in another, two of the children were living; in the other two cases all were still-born. Other facts may be learned by consulting Tables No. 16 and No. 17.

*Still-births.*—Of the 648 still-born children, 366 were males, and 254 females. In 28 the sex was not stated. With the exception of 9 still-births, as to which the nativity of the mother was not stated, 463 were of American mothers, and 176 were of foreign mothers.

The largest number of still-births, 98, occurred in Aroostook county; while the minimum number, 8, was reported in Waldo county.

The largest number of still-births, 69, was returned in January; the smallest number was 44 in December. See Tables No. 18 and No. 19 for other details.

TABLE No. 20.  
Marriages and Marriage-Rates by Counties for the Years 1892-98.

1892.		1893.		1894.		1895.		1896.		1897.		1898.	
Marriages.	Rate.	1893.		1894.		1895.		1896.		1897.		1898.	
		Marriages.	Rate.	Marriages.	Rate.	Marriages.	Rate.	Marriages.	Rate.	Marriages.	Rate.	Marriages.	Rate.
State .....	4,726	795	8.76	531	8.46	572	8.67	5,579	8.44	5,331	8.07	5,144	7.78
Androscoggin .....	479	463	9.46	456	9.31	459	9.37	461	9.41	405	8.27	376	7.68
Aroostook .....	458	484	9.96	492	9.92	548	10.95	483	9.74	438	9.74	487	9.82
Cumberland .....	779	820	9.02	757	8.32	818	8.94	770	8.47	688	7.67	667	7.22
Franklin .....	145	150	8.50	166	9.73	158	9.27	156	9.15	188	9.85	158	9.26
Hancock .....	307	311	8.23	327	8.76	321	8.60	303	8.12	291	7.79	294	7.08
Kennebec .....	553	529	9.28	478	8.38	508	8.88	506	8.88	464	8.14	469	8.23
Knox .....	276	318	10.10	270	8.58	287	9.12	258	8.19	237	7.53	247	7.85
Lincoln .....	172	155	7.05	143	6.50	150	6.81	166	7.55	124	5.64	149	6.73
Oxford .....	224	223	7.29	217	7.10	249	8.14	252	8.24	241	7.88	236	7.72
Penobscot .....	697	694	9.52	631	8.66	644	9.39	682	9.36	647	8.88	602	8.28
Piscataquis .....	133	143	8.86	144	8.92	151	9.35	152	9.42	150	9.30	145	8.99
Sagadahoc .....	157	131	6.73	131	6.73	111	5.71	136	6.98	111	5.71	158	8.02
Somerset .....	297	298	9.13	295	8.74	307	9.41	291	8.00	317	9.72	275	8.45
Waldo .....	240	225	8.11	226	8.14	218	7.89	197	7.10	214	7.71	200	6.18
Washington .....	354	406	9.13	414	9.31	320	7.19	348	7.82	338	7.60	341	7.67
York .....	455	435	6.92	454	7.23	452	7.19	448	7.13	443	7.05	383	6.10

TABLE No. 21.

## Marriages by Counties and Nativity, 1898.

COUNTIES.	Both American.	Both foreign.	Husband American.	Wife American.	Not stated.	Total.
Androscoggin.....	209	92	39	30	6	376
Aroostook.....	252	67	63	100	5	487
Cumberland.....	441	99	58	51	8	657
Franklin.....	135	12	3	8	-	158
Hancock.....	235	4	12	13	-	264
Kennebec.....	356	41	28	36	8	469
Knox.....	219	11	9	8	-	247
Lincoln.....	144	-	2	2	-	148
Oxford.....	200	8	8	19	1	236
Penobscot.....	462	44	46	45	5	602
Piscataquis.....	112	8	10	15	-	145
Sagadahoc.....	122	10	15	9	-	156
Somerset.....	221	19	15	19	1	275
Waldo.....	193	1	2	4	-	200
Washington.....	219	44	42	32	4	341
York.....	253	69	20	33	8	383
Total.....	3,773	529	372	424	46	5,144

TABLE No. 22.

## Marriages by Months and Counties, 1898.

COUNTIES.	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.	Not stated.	Total.
Androscoggin.....	37	18	15	29	29	46	37	29	32	33	44	27	-	376
Aroostook.....	30	33	25	31	36	64	42	29	47	58	56	38	-	487
Cumberland.....	48	34	39	44	50	77	35	35	67	78	54	66	-	657
Franklin.....	14	10	9	12	16	17	9	8	10	23	12	16	-	158
Hancock.....	22	11	14	23	18	26	15	23	21	33	33	26	-	264
Kennebec.....	33	27	27	40	38	58	32	31	44	53	39	43	-	469
Knox.....	37	10	17	19	15	24	18	12	23	23	26	33	-	247
Lincoln.....	11	5	19	14	8	11	10	9	8	17	14	22	-	148
Oxford.....	23	19	11	25	21	24	13	13	21	15	23	37	-	236
Penobscot.....	52	34	35	55	56	71	38	47	42	50	61	92	-	602
Piscataquis.....	12	5	13	10	12	14	9	12	10	15	11	13	-	145
Sagadahoc.....	7	7	4	10	16	21	11	17	16	18	18	12	-	156
Somerset.....	30	12	18	20	19	29	23	22	20	20	26	36	-	275
Waldo.....	19	13	14	15	11	28	12	14	27	11	18	21	-	200
Washington.....	23	30	29	24	16	21	25	27	26	35	37	44	1	341
York.....	45	17	11	25	25	40	24	22	33	49	49	43	-	383
Total.....	438	273	300	396	386	571	356	350	447	528	551	547	1	5,144



TABLE No. 23.  
Number of Marriages in Each Month of 1892, 1893, 1894, 1895, 1896, 1897 and 1898, with Monthly Ratio Compared with a Standard of 100.

MONTHS.	1892.		1893.		1894.		1895.		1896.		1897.		1898.	
	Marriages.	Ratio.*	Marriages.	Ratio.	Marriages.	Ratio.	Marriages.	Ratio.	Marriages.	Ratio.	Marriages.	Ratio.	Marriages.	Ratio.
January .....	321	66.1	397	80.7	400	84.2	445	92.2	452	95.4	395	87.3	438	106.3
February .....	334	76.1	315	70.8	298	64.9	354	87.5	322	73.1	325	79.5	273	69.2
March .....	322	66.0	345	70.1	342	72.0	307	63.0	303	63.9	304	67.2	300	68.7
April .....	456	96.8	476	100.0	414	90.2	390	82.8	440	96.0	343	78.3	396	93.7
May .....	390	80.2	425	86.4	386	81.3	400	82.1	397	83.8	416	91.9	396	88.3
June .....	542	115.1	652	137.0	603	131.0	622	132.1	637	138.9	598	134.2	571	135.1
July .....	444	91.4	428	87.0	378	79.6	382	78.4	415	87.6	368	81.3	356	81.5
August .....	437	89.9	421	85.6	393	82.7	433	88.9	410	86.5	399	88.2	350	80.2
September .....	567	120.4	551	115.8	541	117.9	576	122.2	529	115.4	523	119.4	447	105.7
October .....	569	117.1	582	118.3	636	133.9	632	129.8	577	121.8	553	122.2	528	120.9
November .....	698	148.2	652	137.0	628	136.8	690	133.8	557	121.5	539	134.5	551	130.3
December .....	608	125.1	515	104.7	554	116.6	523	107.4	537	113.3	524	115.8	547	125.2
Unknown .....	38	-	36	-	18	-	1	-	3	-	4	-	1	-

\* In this column the inaccuracies due to the unequal lengths of the months are eliminated.

**TABLE NO. 24.**  
**Marriages by Ages and Counties, 1893.**

COUNTIES.	Under 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 70.	70 to 80.	80 and over.	Not stated.	Total.
Androscoggin.....males	-	13	146	98	43	29	15	10	7	2	11	2	-	-	376
females	-	71	144	83	31	20	11	4	6	2	4	-	-	-	376
Aroostook.....males	-	11	200	138	57	30	20	10	6	9	5	-	1	-	487
females	-	196	171	59	24	9	11	2	6	4	4	-	1	-	487
Cumberland.....males	-	13	219	209	73	61	42	18	6	9	5	1	-	1	657
females	-	127	258	144	60	28	18	13	2	4	1	-	2	-	657
Franklin.....males	-	5	54	51	22	13	5	3	-	1	2	2	-	-	158
females	-	55	57	24	8	5	2	2	2	1	1	1	-	-	158
Hancock.....males	-	9	83	89	36	24	5	4	4	5	4	-	1	-	264
females	-	85	93	49	16	4	5	2	7	1	2	-	-	-	264
Kennebec.....males	-	16	151	141	63	28	19	17	15	8	10	1	-	-	469
females	1	116	177	78	35	25	16	10	5	1	4	1	-	-	469
Knox.....males	-	11	90	72	24	11	12	9	7	3	7	-	1	-	247
females	-	68	95	37	13	15	10	5	1	2	-	-	-	1	247
Lincoln.....males	-	2	60	32	18	10	11	4	3	4	1	3	-	-	148
females	1	54	54	15	5	9	3	3	-	1	3	-	-	-	148
Oxford.....males	-	6	83	72	27	16	11	5	2	8	3	3	-	-	236
females	1	65	95	33	13	11	8	4	2	-	3	1	-	-	236
Penobscot.....males	-	14	212	170	75	52	21	20	20	6	10	2	-	-	602
females	-	162	249	93	33	23	9	13	9	3	7	1	-	-	602
Piscataquis.....males	-	2	55	46	16	11	5	3	1	4	1	1	-	-	145
females	-	38	56	29	6	7	4	2	2	1	-	-	-	-	145
Sagadahoc.....males	-	7	44	50	25	6	6	9	5	1	3	-	-	-	156
females	-	34	62	21	14	13	4	1	3	1	3	-	-	-	156
Somerset.....males	-	9	111	62	38	18	11	8	2	5	7	4	-	-	275
females	1	95	92	34	16	13	6	6	1	6	4	1	-	-	275
Waldo.....males	-	12	58	59	23	13	9	7	4	5	10	-	-	-	200
females	1	55	74	32	8	8	7	5	3	6	1	-	-	-	200
Washington.....males	-	15	136	95	28	26	12	8	9	2	4	-	4	-	341
females	-	108	123	56	14	15	9	3	7	2	-	-	-	4	341
York.....males	-	25	138	114	45	22	13	6	6	4	9	1	-	-	383
females	1	89	155	69	32	13	11	2	4	2	5	-	-	-	383
Total.....males	-	170	1,840	1,498	613	372	217	141	97	76	92	20	2	6	5,144
females	6	1,418	1,955	856	328	218	134	77	60	37	42	5	-	8	5,144
Grand total.....	6	1,588	3,795	2,354	941	590	351	218	157	113	134	25	2	14	10,288

**TABLE**  
**Interesting Facts in**

COUNTIES.	Instances in which the age of the bride exceeds that of the groom.		Widowers.		Widows.		Divorced.		First marriage.		Second marriage.		Third marriage.		Fourth marriage.	
					M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
Androscoggin .....	73	62	46	10	19	304	311	60	59	11	6	-	-	-	-	-
Aroostook .....	45	76	38	5	14	406	433	72	46	9	6	-	-	-	-	-
Cumberland.....	112	84	59	20	19	552	578	97	74	6	3	-	-	-	1	-
Franklin.....	26	19	13	12	16	127	128	25	25	5	4	-	-	-	-	-
Hancock.....	37	36	29	8	14	220	221	38	41	6	2	-	-	-	-	-
Kennebec .....	77	73	61	26	25	870	388	84	79	13	7	2	-	-	-	-
Knox.....	37	41	26	12	23	192	196	47	44	5	4	1	1	-	-	-
Lincoln .....	13	23	17	4	3	120	127	22	15	4	5	1	-	-	-	-
Oxford .....	36	24	30	15	19	197	187	34	43	4	5	1	1	-	-	-
Penobscot .....	71	72	54	31	42	496	504	89	89	13	6	-	-	-	1	-
Piscataquis .....	22	23	14	4	8	118	123	25	19	-	3	2	-	-	-	-
Sagadahoc.....	30	24	19	8	9	124	128	30	25	4	1	-	-	-	-	-
Somerset .....	28	49	38	14	11	210	224	59	47	4	2	-	-	-	-	-
Waldo.....	28	36	32	9	10	155	158	37	37	7	5	1	-	-	-	-
Washington .....	49	46	35	6	9	282	292	48	44	6	-	-	-	-	-	-
York .....	65	51	40	5	8	327	334	52	43	3	5	-	-	-	-	-
Total .....	749	741	551	189	249	4,202	4,327	819	730	100	64	8	4	-	-	-

## No. 25.

## Relation to Marriage.

Fifth marriage.		Sixth marriage.		Number of marriages not stated.		Total number of persons married.	Oldest.		Youngest.		Oldest couple.		Youngest couple.	
M.	F.	M.	F.	M.	F.		M.	F.	M.	F.	M.	F.	M.	F.
1	-	-	-	-	-	752	75	69	18	15	75	69	19	17
-	-	-	-	-	2	974	80	62	18	15	80	58	18	16
-	-	-	-	2	1	1,314	73	61	18	15	73	61	19	16
1	-	-	-	-	1	316	73	77	18	16	73	77	18	16
-	-	-	-	-	-	528	83	66	17	16	83	66	18	16
-	-	-	-	-	-	938	73	70	17	13	73	69	17	17
-	-	-	-	2	2	494	69	58	18	16	69	58	18	17
-	-	-	-	1	1	296	78	63	17	14	72	63	17	17
-	-	-	-	-	-	472	79	76	17	14	72	76	19	16
-	-	1	-	1	2	1,204	72	70	17	15	72	64	17	15
-	-	-	-	-	-	290	70	58	19	15	70	53	19	15
-	-	-	-	-	-	312	67	65	17	15	60	60	17	16
-	-	-	-	2	2	550	75	70	18	13	75	65	20	13
-	-	-	-	-	-	400	68	58	17	14	64	56	19	14
-	-	-	-	5	5	682	67	59	17	15	67	54	17	16
-	-	-	-	1	1	766	71	68	17	14	65	68	17	16
2	-	1	-	14	17	10,288								

## NOTES ON MARRIAGES.

The number of marriages registered in the State during the year 1898 was 5,144 (5,726 in 1892, 5,795 in 1893, 5,594 in 1894, 5,729 in 1895, 5,579 in 1896, and 5,331 in 1897). We have, therefore, for the year 1898, a marriage-rate of 15.56 (persons married) to every 1,000 of population, or at the rate of 7.78 marriages per 1,000 persons.

*Marriage-rates.*—The marriage-rate was higher in Aroostook county than elsewhere in the State, it being for that county 19.64 per 1,000. The lowest marriage-rate, that of 12.20 per 1,000, was in York county. See Table No. 4.

*Nativity.*—Of the 5,098 records of marriage in which there was a statement of birthplace, in 74 per cent. the groom and bride were both American; in 10 per cent. both were of foreign birth; in 7 per cent. the groom was American and the bride of foreign birth; while in 9 per cent. a foreign groom and American bride were united.

*Seasons.*—The largest number of marriages, 571, was solemnized in June, while the smallest number in any one month, 273, occurred in February. See Table No. 22.

*Ages of the Married.*—The largest number, both of grooms and brides, was between 20 and 25 years of age. While still under 15 years of age, 6 brides were married; in the age-period 15-20 years, there were 170 grooms, and 1,418 brides; in the period 20-25 years, 1,840 men and 1,955 women were married; from 25-30, 1,498 men and 856 women; from 30-35, 613 men and 328 women; from 35-40, 372 men and 218 women; from 40-45, 217 men and 134 women; from 45-50, 141 men and 77 women; from 50-55, 97 men and 60 women; from 55-60, 76 men and 37 women; from 60-70, 92 men and 42 women; from 70-80, 20 men and 5 women; over 80, 2 men. See Table No. 24.

In 4,395 marriages, the groom was older than the bride; while in 749, the bride was the elder; 741 widowers and 551 widows

were remarried; 189 men and 249 women were remarried after having been divorced from a former marriage.

Table No. 25 exhibits the fact that 4,202 men and 4,327 women were married the first time; that 819 men and 730 women were married the second time; that 100 men and 64 women were united in the third marriage; 8 men and 4 women contracted marriage a fourth time; 2 men contracted marriage a fifth time; while one man was married the sixth time. The oldest groom was 83 years of age, and the oldest bride was 77. In two marriages the bride was only 13, and in 4 only 14 years old. In one case where the bride was only 20 years of age, it was her third marriage.

**TABLE**

**Divorces Decreed by the Supreme Court of Maine for the**

COUNTIES.	Libellant wife.	Libellant husband.	Adultery.	Adultery and desertion.	Extreme cruelty.	Extreme cruelty and intoxication.
Androscoggin .....	42	14	4	-	-	-
Aroostook .....	35	6	2	-	-	-
Cumberland .....	55	28	15	-	-	2
Franklin .....	17	15	5	-	-	-
Hancock .....	27	11	5	-	2	-
Kennebec .....	71	34	15	-	1	-
Knox .....	35	11	2	-	-	-
Lincoln .....	9	5	-	-	-	-
Oxford .....	40	15	4	-	-	-
Penobscot .....	76	23	12	-	2	-
Piscataquis .....	14	7	3	-	-	-
Sagadahoc .....	15	2	-	-	-	-
Somerset .....	29	14	6	-	-	1
Waldo .....	20	4	3	-	-	-
Washington .....	18	14	9	1	-	-
York .....	34	24	6	-	-	-
Total ..	537	227	91	1	5	3

and 5 w  
in 4,395 marriag-  
in 749, the bride was

No. 26.

Year 1898, as Returned by Clerks of the Several Counties.

Desertion.	Desertion and Intoxication.	Desertion and cruel and abusive treatment.	Intoxication.	Intoxication and failure to support.	Cruel and abusive treatment.	Cruel and abusive treatment and adultery.	Cruel and abusive treatment and extreme cruelty.	Cruel and abusive treatment and failure to support.	Cruel and abusive treatment and intoxication.	Failure to support.	No cause reported.	Total.
19	-	-	13	2	11	-	-	1	1	5	-	56
9	-	-	2	1	16	-	1	3	3	4	-	41
25	-	-	9	-	26	-	-	5	-	1	-	83
7	-	-	2	-	13	-	-	1	1	3	-	32
16	-	-	1	-	13	-	-	-	-	1	-	38
20	-	-	18	5	35	1	-	3	5	1	1	105
15	-	1	7	-	17	-	-	1	2	1	-	46
4	-	-	3	-	7	-	-	-	-	-	-	14
10	-	-	6	-	25	-	-	1	-	9	-	55
28	-	1	15	-	36	-	1	1	3	-	-	99
3	-	-	2	-	10	-	-	1	2	-	-	21
3	-	-	1	-	7	-	-	-	2	4	-	17
8	1	-	1	2	15	-	2	2	3	2	-	43
4	-	-	3	-	14	-	-	-	-	-	-	24
7	-	-	2	-	10	-	-	-	1	1	1	32
26	-	-	7	-	13	1	-	-	-	5	-	58
204	1	2	92	10	268	2	4	19	23	37	2	764



TABLE No. 27.

**Divorces by Causes, the Sex of the Libellants, and the Number of Years Married, 1893.**

CAUSES.	LIBELLANTS.		NUMBER OF YEARS MARRIED.							
	Number.	Sex.	Under 6 months.	Under 1 year.	1 to 5.	5 to 10.	10 to 20.	20 to 30.	Over 30.	Unknown.
Adultery .....	91	Males ..... 56	1	-	11	27	13	4	-	-
		Females .. 35	1	1	8	12	10	4	-	-
Adultery and desertion .....	1	Males ..... 1	-	-	-	-	-	-	1	-
		Females .. -	-	-	-	-	-	-	-	-
Extreme cruelty .....	5	Males ..... 5	-	-	2	1	2	-	-	-
		Females .. -	-	-	-	-	-	-	-	-
Extreme cruelty and intoxication .....	3	Males ..... 3	-	-	-	1	2	-	-	-
		Females .. -	-	-	-	-	-	-	-	-
Desertion .....	204	Males ..... 97	-	-	11	38	27	13	8	-
		Females .. 107	1	23	36	27	15	5	-	-
Desertion and intoxication .....	1	Males ..... 1	-	-	-	1	-	-	-	-
		Females .. -	-	-	-	-	-	-	-	-
Desertion and cruel and abusive treatment .....	2	Males ..... 2	-	-	-	2	-	-	-	-
		Females .. -	-	-	-	-	-	-	-	-
Intoxication .....	92	Males ..... 7	-	-	4	2	1	-	-	-
		Females .. 85	1	21	27	27	8	-	-	-
Intoxication and failure to support .....	10	Males ..... 10	-	-	8	2	-	-	-	-
		Females .. 65	2	1	18	15	18	9	2	-
Cruel and abusive treatment .....	268	Males ..... 203	3	6	60	59	49	20	5	1
		Females .. 2	-	-	2	-	-	-	-	-
Cruel and abusive treatment and adultery .....	2	Males ..... 1	-	-	1	-	-	-	-	-
		Females .. 3	-	-	2	1	-	-	-	-
Cruel and abusive treatment and extreme cruelty .....	4	Males ..... 1	-	-	1	-	-	-	-	-
		Females .. 3	-	-	2	1	-	-	-	-
Cruel and abusive treatment and failure to support .....	19	Males ..... 19	-	-	-	-	-	-	-	-
		Females .. 19	3	6	5	3	2	-	-	-
Cruel and abusive treatment and intoxication .....	23	Males ..... 23	-	-	4	5	9	3	2	-
		Females .. 23	-	-	-	-	-	-	-	-
Failure to support .....	37	Males ..... 37	-	1	15	9	8	3	1	-
		Females .. -	-	-	-	-	-	-	-	-
No cause reported .....	2	Males ..... 2	-	-	-	1	1	-	-	-
		Females .. -	-	-	-	-	-	-	-	-
Total .....	764	Males ..... 227	3	1	45	82	58	27	11	-
		Females .. 537	3	17	152	166	132	54	11	2

## NOTES ON DIVORCES.

Seven hundred and sixty-four divorces were decreed in the year 1898 (552 in 1892, 627 in 1893, 674 in 1894, 681 in 1895, 668 in 1896, and 722 in 1897). In 1898, there was decreed in Maine one divorce for every 6.7 marriages solemnized.

Some of the causes for which divorces were granted are: Adultery, 91, or 11.9 per cent. of the whole number; extreme cruelty, 5, or 0.07 per cent.; desertion, 204, or 26.7 per cent.; intoxication, 92, or 12.00 per cent.; cruel and abusive treatment, 268, or 35.1 per cent.; failure to support, 37, or 4.8 per cent. The other divorces were granted for multiple or associated causes.

The wife was the libellant in 537 divorces, and the husband in 227.

In the divorces granted for adultery, the husband was the libellant 56 times, and the wife 35 times.

On account of extreme cruelty, the wife was the libellant in all 5 cases.

For desertion, the husband was the libellant 97 times, and the wife 107.

For intoxication, the husband was the libellant in 7 cases, and the wife in 85.

For cruel and abusive treatment, the husband was the libellant in 65 instances, and the wife in 203.

For failure to support, the wife was the libellant in the 37 divorces decreed for that cause.

Twenty-four divorces were granted before the marriage life had lasted one year; 197, after from 1 to 5 years marriage; 248, after 5 to 10 years; 190, after 10 to 20 years; 81, after 20 to 30 years; and 22, after more than 30 years of married life. Tables No. 26 and 27 may be consulted for more detailed statements.

TABLE No. 28.  
Deaths and Death-Rates by Counties, for the Years 1892-98.

	1892.		1893.		1894.		1895.		1896.		1897.		1898.	
	Deaths.	Rate.	Deaths.	Rate.	Deaths.	Rate.	Deaths.	Rate.	Deaths.	Rate.	Deaths.	Rate.	Deaths.	Rate.
State.....	12,147	18.37	11,134	16.84	11,012	16.66	10,464	15.83	10,626	16.07	11,236	16.99	10,956	16.57
Androscoggin .....	908	16.39	819	16.73	941	19.92	966	14.40	989	18.15	995	90.32	957	19.54
Aroostook .....	619	12.48	609	12.72	657	18.42	668	13.62	677	13.77	781	15.47	765	15.43
Cumberland .....	1,845	29.28	1,719	18.40	1,690	18.57	1,629	17.91	1,670	18.56	1,793	19.41	1,705	18.73
Franklin .....	837	19.78	919	18.86	976	16.84	972	16.30	921	17.88	982	18.71	970	18.18
Hancock .....	881	18.15	944	18.38	976	16.97	972	13.78	921	14.26	982	15.82	950	16.74
Kennebec .....	1,973	32.32	1,453	20.22	1,332	19.18	1,014	17.78	1,062	18.40	1,170	20.02	989	17.85
Knox .....	429	19.89	869	18.08	909	16.18	928	16.73	911	16.25	975	15.16	907	17.75
Lincoln .....	439	18.36	850	16.08	941	15.56	925	14.78	917	14.41	943	10.59	882	15.64
Oxford .....	1,061	18.30	966	16.62	970	13.42	1,150	13.51	1,166	16.08	1,184	16.97	1,188	16.86
Penobscot .....	1,208	16.67	1,122	15.43	1,192	16.40	1,180	13.51	1,169	12.49	1,230	16.94	1,188	14.38
Piscataquis .....	246	13.24	249	15.91	214	15.82	207	14.75	289	12.49	291	13.29	322	15.76
Sagadahoc .....	352	18.09	356	16.76	290	14.91	287	14.75	289	16.37	299	19.37	301	18.01
Somerset .....	648	16.79	611	15.84	620	16.12	621	14.67	492	13.99	518	15.82	493	15.42
Waldo .....	688	19.38	408	14.70	444	16.00	403	14.59	375	13.51	425	19.81	432	15.46
Washington .....	775	17.42	701	17.22	636	13.67	603	13.67	617	14.16	691	13.57	623	14.06
York .....	1,565	22.20	1,259	19.73	1,147	18.26	1,049	16.70	1,129	17.97	1,141	18.16	1,123	17.87

TABLE No. 29.  
Number of Deaths in Each Month of 1892, 1893, 1894, 1895, 1896, 1897, and 1898, with Monthly Ratio  
Compared with a Standard of 100.

MONTHS.	1892.		1893.		1894.		1895.		1896.		1897.		1898.	
	Deaths.	Ratio.*	Deaths.	Ratio.	Deaths.	Ratio.	Deaths.	Ratio.	Deaths.	Ratio.	Deaths.	Ratio.	Deaths.	Ratio.
January.....	1,577	154.5	849	90.0	1,266	136.6	906	101.9	863	95.5	916	96.0	887	95.3
February.....	1,292	136.7	845	100.0	980	116.6	821	102.2	921	109.1	851	98.7	817	97.1
March.....	1,095	106.0	859	103.3	920	103.4	1,053	118.4	944	104.6	1,259	131.9	863	92.7
April.....	1,048	106.0	1,037	100.0	994	110.0	854	99.3	942	97.6	1,020	110.4	915	101.6
May.....	1,045	106.0	969	100.0	851	93.3	843	94.8	961	106.5	892	93.5	935	100.0
June.....	833	94.6	819	90.0	816	90.0	715	83.1	814	93.2	769	83.3	791	87.8
July.....	866	84.6	823	90.0	865	93.3	803	90.3	845	93.6	840	88.0	814	87.5
August.....	938	89.2	1,060	106.6	953	100.0	938	105.5	1,079	119.5	1,019	106.8	1,003	107.7
September.....	976	93.9	975	106.6	956	106.6	1,023	118.9	912	104.4	997	108.0	1,147	127.3
October.....	844	81.8	917	100.0	821	86.6	902	101.5	833	92.3	999	104.7	1,094	111.1
November.....	790	78.8	796	86.6	761	83.3	743	86.4	667	76.4	835	90.4	837	92.9
December.....	798	76.5	1,037	100.0	819	86.6	868	96.5	839	93.0	837	87.7	911	97.9
Unknown.....	50	-	28	-	10	-	5	-	6	-	-	-	2	-

\* In this column the inaccuracies due to the unequal lengths of the months are eliminated.

**TABLE**

**Shows the Number of Deaths in the State, and in**

CAUSES OF DEATH.	State.	Androscoggin.	Aroostook.	Cumberland.
All causes .....	11,762	1,013	867	1,824
Specified causes .....	11,331	984	822	1,766
<b>CLASSES.</b>				
I.—Zymotic diseases .....	3,018	339	379	452
II.—Parasitic diseases .....	1	-	1	-
III.—Dietetic diseases .....	37	8	2	2
IV.—Constitutional diseases .....	730	59	28	105
V.—Developmental diseases .....	1,764	121	176	261
VI.—Local diseases .....	5,329	410	218	865
VII.—Deaths from violence .....	452	47	18	81
VIII.—Deaths from ill-defined causes .....	431	29	45	68
<b>GROUPS.</b>				
I.—1. Infectious diseases .....	805	106	136	141
2. Specific neoplastic diseases .....	1,243	115	91	185
3. Diarrheal diseases .....	854	107	141	89
4. Zoonous diseases .....	-	-	-	-
5. Septic diseases .....	116	11	11	27
II.—1. Parasitic diseases .....	1	-	1	-
III.—1. Dietetic diseases .....	37	8	2	2
IV.—1. Constitutional diseases .....	730	59	28	105
V.—1. Developmental diseases .....	1,764	121	176	261
VI.—1. Diseases of nervous system .....	1,607	125	62	256
2. Diseases of organs of special sense .....	4	-	-	-
3. Diseases of circulatory system .....	1,236	87	39	188
4. Diseases of respiratory system .....	1,124	91	55	186
5. Diseases of digestive system .....	661	55	27	106
6. Diseases of lymphatics, etc. ....	14	-	2	3
7. Diseases of urinary system .....	577	39	23	99
8. Diseases of organs of generation .....	29	2	1	5
9. Accidents and diseases of reproduction .....	51	5	8	6
10. Diseases of osseous system .....	25	5	1	2
11. Diseases of the integument .....	11	1	-	2
VII.—1. Accident, negligence or doubtful .....	390	43	17	73
2. Homicide .....	6	-	-	1
3. Suicide .....	56	4	1	7
VIII.—1. Deaths from ill-defined causes .....	431	29	45	68

## No. 30.

## Each County Arranged by Classes and Groups.

Franklin.	Hancock.	Kennebec.	Knox.	Lincoln.	Oxford.	Penobscot.	Piscataquis.	Sagadahoc.	Somerset.	Waldo.	Washington.	York.
293	564	1,056	514	340	519	1,273	261	328	558	446	675	1,211
280	565	1,018	501	326	500	1,215	244	318	548	428	658	1,168
76	157	244	119	47	115	297	55	69	126	84	175	284
-	-	5	-	2	1	7	-	3	1	-	2	3
14	46	62	31	34	36	67	15	22	41	36	38	96
50	81	145	62	55	86	189	49	46	103	41	114	185
134	254	522	262	170	247	602	118	166	256	252	305	563
6	26	40	27	18	15	53	12	12	21	15	24	37
13	19	38	13	14	19	58	17	10	10	18	17	43
14	39	62	30	9	19	80	11	12	29	19	31	67
33	71	96	71	31	65	122	22	35	59	51	76	111
23	44	78	13	3	28	89	21	17	35	10	63	95
-	-	-	-	-	-	-	-	-	-	-	-	-
6	3	10	5	4	3	6	1	5	3	4	6	11
-	-	-	-	-	-	-	-	-	-	-	-	-
-	1	5	-	2	1	7	-	3	1	-	2	3
14	46	62	31	34	36	67	15	22	41	36	38	96
50	81	145	62	55	86	189	49	46	103	41	114	185
38	66	182	78	40	59	180	42	47	66	69	90	205
1	-	-	-	1	-	1	-	-	-	1	-	-
28	59	118	73	54	53	132	27	39	69	66	72	132
24	55	106	59	23	63	149	22	31	50	53	56	101
19	39	71	24	25	32	67	8	21	33	23	46	55
-	-	-	-	1	1	1	1	-	1	1	-	3
21	35	35	22	22	33	65	10	25	24	34	34	56
1	-	-	3	-	2	2	-	1	5	2	2	3
2	-	6	1	2	3	3	3	1	5	1	2	3
-	-	1	2	2	1	1	-	1	2	1	2	4
-	-	3	-	-	-	1	-	-	1	1	1	1
6	24	33	23	12	13	47	12	10	18	9	22	28
-	1	2	-	-	-	-	-	-	-	-	-	2
-	1	5	4	6	2	6	-	2	3	6	2	7
13	19	38	13	14	19	58	17	10	10	18	17	43

**TABLE No. 30—Continued.**  
**Deaths by Classes and Groups.**

CAUSES OF DEATH.	State.	Androscoggin.	Aroostook.	Cumberland.	Franklin.	Hancock.	Kennebec.	Knox.	Lincoln.	Oxford.	Penobscot.	Piscataquis.	Sagadahoc.	Somerset.	Waldo.	Washington.	York.
<b>I.—Zymotic.</b>																	
1. Infectious diseases.																	
Totals .....	805	106	136	141	14	39	62	30	9	19	80	11	12	29	19	31	67
Smallpox .....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Chicken-pox .....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Measles .....	41	-	12	2	-	5	2	-	1	1	11	-	3	-	4	-	-
Rötheln .....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Scarlet fever .....	43	6	4	5	-	3	5	3	-	1	7	-	1	-	4	-	4
Typhus fever .....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Influenza .....	145	13	45	17	3	6	10	6	1	4	13	7	-	8	2	5	5
Whooping-cough .....	44	6	2	18	-	3	1	-	-	-	5	-	-	1	-	5	3
Mumps .....	3	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
Diphtheria .....	185	40	53	33	1	3	8	9	-	2	7	-	1	8	-	-	20
Croup .....	55	13	13	4	-	3	2	1	1	3	-	-	2	3	1	3	6
Tonsillitis, etc. ....	8	1	-	1	-	-	-	-	-	-	2	-	-	3	-	-	4
Cerebro-spinal menin-																	
gitis .....	43	3	2	8	4	5	2	2	1	1	7	-	-	-	-	4	4
Tetanus .....	4	1	-	-	-	-	1	-	-	-	1	-	-	-	-	1	-
Typhoid fever .....	216	23	5	49	5	9	30	8	6	8	20	3	4	6	6	13	1
Simple continued fever.	10	-	-	2	1	1	1	-	-	1	2	1	-	1	1	-	-
Malarial diseases .....	8	-	-	2	-	1	1	1	-	1	1	-	1	-	1	-	-
Other specific febrile																	
diseases .....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
<b>I.—2. Specific neoplas-</b>																	
<b>tic.</b>																	
Totals .....	1,243	115	91	195	33	71	96	71	31	65	122	22	35	59	51	75	111
Tuberculosis, cerebral ..	62	5	2	14	2	4	6	1	2	5	8	-	-	3	2	6	2
Tuberculosis, pulmonary	1,021	93	81	149	29	58	76	57	25	49	97	18	31	52	44	64	98
Tuberculosis, mesenteric	60	2	5	16	1	3	5	4	-	4	7	2	1	1	4	1	4
Tuberculosis, other forms	96	15	3	15	1	6	9	8	4	7	10	2	3	3	1	4	5
Syphilis .....	4	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	2
<b>I.—3. Diarrheal dis-</b>																	
<b>eases.</b>																	
Totals .....	854	107	141	89	23	44	76	13	3	28	89	21	17	35	10	63	95
Infantile diarrhea .....	669	97	100	74	18	32	60	12	2	19	67	10	14	26	7	52	79
Cholera morbus .....	38	1	2	4	1	6	3	-	-	-	4	4	1	3	1	6	2
Dysentery .....	52	5	1	6	3	2	5	-	-	4	4	5	1	1	2	4	9
Diarrhea .....	95	4	38	5	1	4	8	1	1	5	14	2	1	5	-	1	5
<b>I.—4. Zoögenous dis-</b>																	
<b>eases.</b>																	
Totals .....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hydrophobia .....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Glanders .....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Malignant pustule .....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Cow-pox and vaccination	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
<b>I.—5. Septic diseases.</b>																	
Totals .....	116	11	11	27	6	3	10	5	4	3	6	1	5	3	4	6	11
Phagadema .....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Erysipelas .....	13	-	1	3	1	-	3	2	1	-	-	-	-	-	-	2	-
Pyemia, septicemia .....	62	9	3	19	4	-	4	2	2	2	2	-	5	1	3	1	5
Puerperal fever .....	41	2	7	5	1	3	3	1	1	1	4	1	-	2	1	3	6

**TABLE No. 30—Continued.**  
**Deaths by Classes and Groups.**

CAUSES OF DEATH.	State.	Androscoggin.	Aroostook.	Cumberland.	Franklin.	Hancock.	Kennebec.	Knox.	Lincoln.	Oxford.	Penobscot.	Piscataquis.	Sagadahoc.	Somerset.	Waldo.	Washington.	York
<b>II.—Parasitic.</b>																	
Totals .....	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
Thrush .....	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
Hydatids .....	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
Intestinal parasites .....	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
Other parasitic diseases.	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
<b>III.—Dietetic.</b>																	
Totals .....	37	8	2	2	1	5	2	2	1	7	1	3	1	1	2	3	3
Starvation .....	2	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
Malnutrition of infants .....	16	2	1	1	1	3	1	1	1	4	1	1	1	1	1	1	2
Scurvy .....	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
Rickets .....	5	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
Alcoholism .....	14	6	1	1	1	2	1	1	1	2	1	1	1	1	2	1	1
<b>IV.—Constitutional.</b>																	
Totals .....	730	59	28	105	14	46	62	31	34	36	67	15	22	41	36	38	96
Rheumatism .....	57	5	1	10	1	2	5	2	2	4	5	3	4	1	3	3	9
Gout .....	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
Cancer, gastric .....	128	10	6	18	3	7	10	5	5	6	13	2	4	8	12	5	14
Cancer, mammary .....	58	6	4	3	1	3	3	2	5	6	6	1	1	6	2	3	7
Cancer, hepatic .....	61	4	15	1	3	4	1	7	5	1	1	1	6	2	2	9	9
Cancer, uterine .....	86	9	2	10	1	5	8	5	4	11	2	2	1	6	7	10	10
Cancer, other .....	198	14	6	30	6	10	15	7	10	18	5	6	10	10	10	34	34
Purpura hemorrhagic diathesis .....	4	3	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
Anemia, etc .....	46	3	1	5	1	4	6	1	5	4	2	3	1	2	3	5	5
Diabetes mellitus .....	88	8	5	13	1	12	10	5	2	2	9	3	2	4	1	4	7
Other constitutional diseases .....	3	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
<b>V.—Developmental.</b>																	
Totals .....	1,764	121	176	261	50	81	145	62	55	86	189	49	46	103	41	114	185
Still-born .....	648	46	98	96	14	27	51	12	9	26	65	24	17	44	8	42	69
Premature birth .....	158	10	4	23	3	7	16	5	9	5	23	5	4	11	6	8	19
Ill-defined diseases of infancy .....	290	26	38	36	13	10	26	8	3	12	24	4	5	9	7	24	45
Atelectasis .....	13	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
Cyanosis .....	15	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
Spina bifida .....	9	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	4
Imperforate anus .....	2	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
Other congenital defects .....	5	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
Umbilical hemorrhage .....	2	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
Old age (over 70) .....	616	35	32	102	17	36	51	32	34	41	71	13	15	39	18	37	43



**TABLE No. 30—Continued.**  
**Deaths by Classes and Groups.**

CAUSES OF DEATH.	State.	Androscoggin.	Aroostook.	Cumberland.	Franklin.	Hancock.	Kennebec.	Knox.	Lincoln.	Oxford.	Penobscot.	Piscataquis.	Sagadahoc.	Somerset.	Waldo.	Washington.	York.
VI.—Local.																	
1. Diseases of the nervous system.																	
Totals.	1,607	125	62	258	38	66	182	78	40	59	180	42	47	66	69	90	205
Inflammation of brain or membranes.	272	20	14	45	3	10	33	10	6	8	30	10	7	9	10	19	38
Apoplexy.	558	52	8	104	19	24	45	27	13	21	62	8	13	32	26	27	77
Softening of brain.	55	5	4	10	2	2	2	1	3	2	6	1	3	1	3	3	7
Hemiplegia.	25	-	-	4	2	1	1	-	1	4	3	-	2	2	-	1	4
Paralysis agitans.	3	-	-	1	-	-	1	-	1	-	-	-	-	-	-	-	-
Paralysis.	270	13	11	30	8	16	27	19	6	11	31	11	8	10	17	13	39
Hydrocephalus (not acute).	23	1	3	2	-	2	1	4	1	-	2	-	-	2	-	4	1
Insanity.	76	4	1	6	-	1	40	3	3	2	6	2	2	1	-	3	2
Brain, other diseases of.	54	7	-	12	-	2	6	-	2	1	5	1	-	1	4	1	12
Chorea.	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-
Epilepsy.	41	4	1	3	1	1	8	1	1	1	6	2	3	1	3	1	4
Convulsions.	117	12	13	21	2	4	8	6	-	2	13	3	7	5	1	7	13
Laryngismus stridulus.	3	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	2
Spinal meningitis.	24	3	4	2	-	1	1	2	-	2	2	2	-	-	-	5	-
Myelitis.	9	1	-	2	-	-	1	-	1	-	1	-	1	-	1	-	1
Paraplegia.	4	-	-	-	-	-	-	1	-	-	-	-	-	1	-	1	1
Locomotor ataxia.	17	2	1	2	-	-	2	1	-	-	5	1	-	-	2	1	-
Other diseases of spinal cord.	21	-	1	6	-	2	2	1	1	-	3	-	1	-	-	2	2
Other diseases of nervous system.	34	1	1	8	1	-	4	2	1	5	4	1	-	1	1	2	2
VI.—2. Diseases of organs of special sense.																	
Totals.	4	-	-	-	1	-	-	-	1	-	1	-	-	-	1	-	-
Diseases of the ear.	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
Epistaxis and diseases of nose.	2	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-	-
Diseases of the eye.	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
VI.—3. Circulatory system.																	
Totals.	1,236	87	39	188	28	59	118	73	54	53	132	27	39	69	66	72	132
Endocarditis.	28	4	2	3	1	-	1	5	-	-	6	-	-	1	1	2	2
Valvular disease of heart.	277	15	9	33	10	19	19	25	12	12	24	7	7	10	5	24	46
Hypertrophy of heart.	62	4	3	9	1	3	4	2	7	2	6	1	9	1	4	1	5
Pericarditis.	13	3	-	1	-	1	1	2	-	-	-	-	-	4	-	-	1
Diseases of heart unspecified.	677	46	20	116	13	29	75	31	26	31	71	14	18	50	51	33	53
Angina pectoris.	75	10	2	7	1	2	10	2	5	4	9	2	2	1	2	6	10
Syncope.	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
Aneurism.	6	1	-	1	1	-	-	-	-	-	2	-	-	-	-	1	-
Senile gangrene.	51	-	1	5	-	3	5	2	-	3	9	2	-	2	2	3	12
Embolism, thrombosis.	39	2	2	11	1	2	3	4	3	1	3	-	1	-	1	2	3
Phlebitis.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Others, circulatory system.	7	2	-	2	-	-	-	-	-	-	2	1	-	-	-	-	-

**TABLE No. 30—Continued.**  
**Deaths by Classes and Groups.**

CAUSES OF DEATH.	State.	Androscoggin.	Aroostook.	Cumberland.	Franklin.	Hancock.	Kennebec.	Knox.	Lincoln.	Oxford.	Penobscot.	Piscataquis.	Sagadahoc.	Somerset.	Waldo.	Washington.	York.
<b>VI.—4. Respiratory system.</b>																	
Totals .....	1,124	91	55	186	24	55	106	59	23	63	149	22	31	50	53	56	101
Laryngitis .....	4	1	-	-	-	-	-	-	-	1	-	-	-	-	-	1	1
Other diseases of larynx and trachea.....	2	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-
Emphysema, asthma ...	31	2	1	7	-	-	4	2	1	2	3	-	-	2	-	2	5
Bronchitis .....	210	10	11	31	4	11	27	10	4	17	24	3	9	2	10	9	22
Pneumonia .....	769	62	31	129	20	37	63	45	16	37	112	18	21	38	36	38	66
Pleurisy .....	17	4	3	2	-	1	2	1	-	1	1	1	-	-	1	-	-
Other diseases of respiratory system.....	91	11	9	17	-	6	10	1	2	5	9	-	1	2	5	6	7
<b>VI.—5. Digestive system.</b>																	
Totals .....	651	55	27	106	19	39	71	24	25	32	67	8	21	33	23	46	55
Diseases of the mouth...	11	-	-	3	-	-	2	1	2	1	-	-	-	-	-	-	-
Dyspepsia .....	23	3	3	4	1	-	-	-	1	2	1	-	2	1	-	4	1
Gastric ulcer .....	13	3	-	2	-	-	-	-	-	-	4	-	-	-	-	-	-
Hematemesis .....	5	-	-	-	1	-	1	-	-	1	1	-	-	-	-	1	-
Gastritis .....	117	5	5	15	4	12	11	5	3	7	15	-	2	4	6	9	14
Other diseases of stomach .....	7	-	2	2	-	-	-	-	-	-	1	1	1	-	-	-	-
Enteritis .....	70	4	1	12	1	3	11	3	6	4	4	2	1	5	4	5	4
Ulceration of intestines.	6	-	1	1	1	-	-	-	-	-	2	-	-	-	-	1	-
Stricture and strangulation of intestines.....	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Intussusception of intestines.....	7	2	-	1	-	1	1	-	-	-	1	-	-	-	-	-	1
Hernia .....	21	2	2	4	-	5	1	-	-	-	2	-	1	1	-	3	-
Other obstructive diseases of intestines.....	54	5	1	13	2	5	3	2	2	-	5	1	2	3	-	3	7
Fistula .....	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
Peritonitis.....	102	12	5	16	1	5	10	5	-	3	13	-	5	10	4	7	6
Appendicitis, etc.....	26	6	-	6	-	1	1	-	2	-	2	-	1	1	1	2	3
Ascites .....	9	1	-	1	-	1	1	1	1	1	1	-	1	1	-	1	-
Gallstones.....	10	2	-	4	-	-	-	-	-	-	1	1	-	-	1	-	1
Cirrhosis of liver.....	38	1	1	8	3	2	2	2	1	2	6	-	1	2	1	3	3
Hepatitis.....	45	3	1	3	1	4	8	1	4	3	4	-	1	2	1	1	3
Jaundice .....	13	1	1	2	1	-	4	-	-	1	1	-	-	-	1	-	1
Other diseases of liver.....	43	5	1	5	1	3	8	1	4	5	1	-	-	-	4	2	3
Other diseases of digestive system.....	29	-	3	4	2	1	2	2	1	1	4	-	2	2	-	2	3
<b>VI.—6. Lymphatics, etc.</b>																	
Totals .....	14	-	2	3	-	-	-	-	1	1	1	1	-	1	1	-	3
Diseases of lymphatics.	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diseases of the spleen...	2	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Bronchocele .....	3	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1
Addison's disease.....	7	-	1	1	-	-	-	-	1	1	1	1	-	-	-	-	-

**TABLE No. 30—Continued.**  
**Deaths by Classes and Groups.**

CAUSES OF DEATH.	State.	Androscoggin.	Aroostook.	Cumberland.	Franklin.	Hancock.	Kennebec.	Knox.	Lincoln.	Oxford.	Penobscot.	Piscataquis.	Sagadahoc.	Somerset.	Waldo.	Washington.	York.
<b>VI.—7. Urinary System.</b>																	
Totals .....	577	39	23	99	21	35	35	22	22	33	65	10	25	24	34	34	56
Nephritis .....	145	15	4	23	6	12	3	5	8	10	14	2	8	2	5	15	13
Bright's disease, albuminuria .....	250	13	11	51	9	14	13	10	5	16	28	3	4	10	14	14	35
Uremia .....	68	5	1	15	-	5	2	3	5	2	9	1	9	4	4	-	4
Suppression of urine .....	7	1	-	2	-	-	2	-	-	-	1	-	-	-	-	-	-
Calculus .....	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Stricture .....	2	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1
Hematuria .....	6	1	-	-	1	1	2	-	-	1	-	-	-	-	-	-	-
Diseases of bladder and prostate .....	70	3	2	5	4	2	12	3	4	3	9	3	3	4	10	1	2
Other diseases of urinary system .....	28	1	4	3	1	1	1	1	-	2	3	2	1	2	1	4	1
<b>VI.—8. Organs of generation.</b>																	
Totals .....	29	2	1	5	1	-	-	3	-	2	2	-	1	5	2	2	3
Ovarian disease .....	7	-	-	-	-	-	-	-	-	1	-	-	-	-	1	2	3
Diseases of uterus and appendages .....	14	1	1	2	1	-	-	2	-	-	2	-	1	4	-	-	-
Parametria .....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Pelvic abscess .....	8	1	-	3	-	-	-	1	-	1	-	-	-	1	1	-	-
Perineal abscess .....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diseases of male organs of generation .....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
<b>VI.—9. Accidents and diseases of reproduction.</b>																	
Totals .....	51	5	8	6	2	-	6	1	2	3	3	1	3	1	5	1	3
Abortion, miscarriage .....	4	-	-	-	-	-	-	-	-	1	1	1	-	1	-	-	-
Puerperal mania .....	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
Puerperal convulsions .....	11	-	1	2	1	-	3	-	1	1	-	-	-	1	-	1	-
Placenta previa .....	3	-	-	-	1	-	-	1	-	-	-	-	-	-	1	-	-
Puerperal hemorrhage .....	6	1	-	2	-	-	-	-	-	1	-	-	-	2	-	-	-
Phlegmasia dolens .....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other accidents of reproduction .....	26	4	7	2	-	-	3	-	-	1	2	2	1	1	-	-	3
<b>VI.—10. Osseous system.</b>																	
Totals .....	25	5	1	2	-	-	1	2	2	1	1	-	1	2	1	2	4
Diseases of the joints .....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diseases of the bones .....	21	5	1	1	-	-	1	2	2	1	1	-	1	-	1	2	3
Other diseases .....	4	-	-	1	-	-	-	-	-	-	-	-	-	2	-	-	1
<b>VI.—11. Integument .....</b>																	
Totals .....	11	1	-	2	-	-	3	-	-	-	1	-	-	1	1	1	1
Carbuncle .....	3	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	1
Phlegmon, cellulitis .....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Ulcer, bed sore .....	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
Other diseases of integument .....	7	1	-	2	-	-	-	-	-	1	-	-	-	1	1	1	-

**TABLE No. 30—Concluded.**  
**Deaths by Classes and Groups.**

CAUSES OF DEATH.	State.	Androscoggin.	Aroostook.	Cumberland.	Franklin.	Hancock.	Kennebec.	Knox.	Lincoln.	Oxford.	Penobscot.	Piscataquis.	Sagadahoc.	Somerset.	Waldo.	Washington.	York.
<b>VII.—Deaths from violence.</b>																	
1. Accident, negligence or doubtful.																	
Totals .....	390	43	17	73	6	24	33	23	12	13	47	12	10	18	9	22	28
Fracture, contusion .....	40	5	2	8	1	1	4	-	2	1	7	-	-	-	2	1	6
Falling .....	36	8	1	7	-	-	5	1	1	1	3	-	2	5	1	1	-
Gunshot wounds .....	19	1	2	1	-	-	1	3	-	2	3	2	-	1	-	3	-
Railway injuries .....	35	3	-	8	2	2	4	-	1	-	7	-	1	2	-	1	4
Cuts .....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Burns and scalds .....	31	1	1	7	-	-	2	2	3	3	3	1	1	1	-	1	5
Poison .....	15	2	-	1	-	-	3	1	-	-	1	-	-	3	-	3	1
Drowning .....	109	8	5	17	1	14	8	6	2	3	16	4	4	5	3	6	7
Suffocation .....	10	2	-	1	-	-	1	1	-	-	1	-	1	-	1	1	1
Various .....	75	12	6	18	2	4	5	4	1	3	4	5	1	1	2	4	3
Lost at sea .....	20	1	-	5	-	3	-	5	2	-	2	-	-	-	-	1	1
<b>VII.—2. Homicide.</b>																	
Totals .....	6	-	-	1	-	1	2	-	-	-	-	-	-	-	-	-	2
Murder, manslaughter ..	6	-	-	1	-	1	2	-	-	-	-	-	-	-	-	-	2
<b>VII.—3. Suicide.</b>																	
Totals .....	56	4	1	7	-	1	5	4	6	2	6	-	2	3	6	2	7
Gunshot wounds .....	13	2	-	2	-	1	2	-	1	-	-	-	1	-	1	1	2
Cut, stab .....	3	-	-	2	-	-	-	-	-	-	1	-	-	-	-	-	-
Poison .....	12	1	1	1	-	-	1	2	1	-	2	-	-	1	2	-	-
Drowning .....	6	1	-	1	-	-	-	1	1	-	-	-	-	-	1	1	-
Hanging .....	21	-	-	1	-	-	2	1	2	2	3	-	1	2	2	-	5
Otherwise .....	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
<b>VIII.—Deaths from ill-defined causes.</b>																	
Totals .....	431	29	45	68	13	19	38	13	14	19	58	17	10	10	18	17	43
Heart failure .....	56	2	9	3	-	3	1	1	4	2	11	2	1	2	5	4	6
Dropsy .....	54	1	10	2	3	3	6	1	3	2	9	4	3	1	3	-	3
Debility, exhaustion .....	74	7	-	15	4	3	4	3	1	4	10	1	-	2	2	6	12
Atrophy and inanition ..	78	6	3	30	1	3	1	1	-	2	6	4	2	1	1	4	13
Sunstroke .....	7	-	-	3	-	-	-	1	-	-	1	-	1	-	-	-	1
Mortification .....	3	-	-	-	-	1	-	-	-	-	-	1	-	-	-	1	-
Tumor .....	15	-	-	-	-	1	4	1	-	2	3	2	1	-	1	-	-
Abscess .....	10	3	1	1	1	-	1	-	-	1	1	-	-	-	-	-	-
Hemorrhage .....	9	2	-	2	-	-	2	1	-	-	-	-	-	-	2	-	-
Sudden (cause unascertained) .....	24	-	1	3	2	2	-	-	1	1	5	2	-	1	1	2	3
Not specified, or ill-defined .....	101	8	21	9	2	3	19	4	5	5	12	-	2	3	3	-	5

**TABLE**  
**Deaths in Each Town from Special**

THE STATE AND COUNTIES.	Population in 1890.	Smallpox.	Measles.	Scarlet fever.	Diphtheria and croup.	Tonsillitis.	Cerebrospinal meningitis.	Whooping cough.	Mumps.
MAINE .....	661,086	-	41	43	240	8	43	44	3
Androscoggin .....	48,968	-	-	6	53	1	3	6	-
Aroostook.....	49,589	-	12	4	66	-	2	2	-
Cumberland .....	90,949	-	2	5	37	1	8	18	-
Franklin .....	17,053	-	-	-	1	-	4	-	-
Hancock .....	37,312	-	5	3	6	-	5	3	-
Kennebec .....	57,012	-	2	5	10	-	2	1	-
Knox .....	31,473	-	-	3	10	-	2	-	-
Lincoln.....	21,996	-	1	-	-	-	1	-	-
Oxford.....	30,586	-	1	1	3	-	1	-	-
Penobscot.....	72,865	-	11	7	10	2	7	5	1
Piscataquis.....	16,134	-	-	-	-	-	-	-	-
Sagadahoc.....	19,452	-	3	1	3	-	-	-	-
Somerset .....	32,627	-	-	-	11	-	-	1	2
Waldo .....	27,769	-	4	4	1	-	-	-	-
Washington .....	44,482	-	-	-	3	-	4	5	-
York .....	62,829	-	-	4	26	4	4	3	-
ANDROSCOGGIN COUNTY ....	-	-	-	6	53	1	3	6	-
Auburn .....	11,230	-	-	-	14	-	-	-	-
Durham .....	1,111	-	-	-	-	-	-	-	-
East Livermore .....	1,506	-	-	-	-	-	-	-	-
Greene .....	885	-	-	-	-	-	-	-	-
Leeds .....	999	-	-	-	-	-	-	-	-
Lewiston .....	21,701	-	-	5	38	1	3	6	-
Lisbon .....	3,120	-	-	1	1	-	-	-	-
Livermore .....	1,151	-	-	-	-	-	-	-	-
Mechanic Falls .....	-	-	-	-	-	-	-	-	-
Minot.....	1,355	-	-	-	-	-	-	-	-
Poland.....	2,472	-	-	-	-	-	-	-	-
Turner.....	2,016	-	-	-	-	-	-	-	-
Wales.....	451	-	-	-	-	-	-	-	-
Webster .....	961	-	-	-	-	-	-	-	-

## No. 31.

## Causes, Mostly Infectious Diseases.

Typhoid fever.	Erysipelas.	Puerperal fever.	Septicemia, non-puerperal.	Influenza.	Dysentery.	Diarrhea.	Cholera morbus.	Infantile diarrhea.	Phthisis.	Tuberculosis, other forms.	Malarial disease.	Tetanus.
216	13	41	62	145	52	95	38	669	1,021	218	8	4
23	-	2	9	13	5	4	1	97	93	22	-	1
5	1	7	3	45	1	38	2	100	81	10	-	-
49	3	5	19	17	6	5	4	74	149	45	2	-
5	1	1	4	3	3	1	1	18	29	4	-	-
9	-	3	-	6	2	4	6	32	58	13	1	-
30	3	3	4	10	5	8	3	60	76	20	1	1
8	2	1	2	6	-	1	-	12	57	13	1	-
6	1	1	2	1	-	1	-	2	25	6	-	-
8	-	1	2	4	4	5	-	19	49	16	-	-
20	-	4	2	13	4	14	4	67	97	25	1	1
3	-	1	-	7	5	2	1	10	18	4	-	-
4	-	-	5	-	1	1	1	14	31	4	1	-
6	-	2	1	8	1	5	3	26	52	7	-	-
6	-	1	3	2	2	-	1	7	44	7	1	-
13	2	3	1	5	4	1	6	52	64	11	-	1
21	-	6	5	5	9	5	2	79	98	11	-	-
23	-	2	9	13	5	4	1	97	93	22	-	1
3	-	1	1	5	1	2	1	17	21	3	-	-
2	-	-	-	-	-	-	-	1	2	-	-	-
-	-	-	2	-	-	1	-	5	6	-	-	-
-	-	-	-	-	-	-	-	1	-	-	-	-
-	-	-	-	-	-	-	-	-	2	-	-	-
17	-	1	6	7	3	1	-	69	46	14	-	-
1	-	-	-	-	-	-	-	3	3	2	-	-
-	-	-	-	-	-	-	-	1	-	-	-	-
-	-	-	-	-	-	-	-	-	3	1	-	-
-	-	-	-	-	1	-	-	-	2	-	-	1
-	-	-	-	-	-	-	-	-	3	2	-	-
-	-	-	-	1	-	-	-	-	3	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	2	-	-	-

**TABLE**  
**Deaths in Each Town from Special**  
**AROOSTOOK**

COUNTY AND TOWNS.	Population in 1890.	Smallpox.	Measles.	Scarlet fever.	Diphtheria and Croup.	Tonsillitis.	Cerebro-spinal meningitis.	Whooping cough.	Mumps.
AROOSTOOK COUNTY.....		-	12	4	66	-	2	2	-
Amity .....	420	-	-	-	-	-	-	-	-
Ashland .....	568	-	-	-	-	-	-	-	-
Bancroft.....	264	-	2	-	-	-	-	-	-
Benedicta .....	317	-	-	-	-	-	-	-	-
Blaine.....	784	-	-	-	-	-	-	-	-
Bridgewater .....	946	-	-	-	-	-	-	-	-
Caribou.....	4,087	-	1	-	3	-	1	-	-
Dyer Brook .....	221	-	-	-	-	-	-	-	-
Easton .....	978	-	-	-	-	-	-	-	-
Fort Fairfield .....	3,526	-	-	-	-	-	-	-	-
Fort Kent.....	1,826	-	3	-	3	-	-	-	-
Frenchville .....	2,560	-	-	1	40	-	-	-	-
Grand Isle.....	964	-	2	-	-	-	-	-	-
Haynesville.....	280	-	-	-	-	-	-	-	-
Hersey.....	151	-	-	1	-	-	-	-	-
Hodgdon .....	1,113	-	-	-	-	-	-	-	-
Houlton.....	4,015	-	-	1	-	-	-	-	-
Island Falls .....	223	-	-	-	-	-	-	1	-
Limestone.....	933	-	-	1	-	-	-	-	-
Linneus.....	965	-	-	-	-	-	-	-	-
Littleton .....	924	-	-	-	1	-	-	-	-
Ludlow .....	375	-	-	-	-	-	-	-	-
Madawaska .....	1,451	-	3	-	5	-	-	-	-
Mapleton .....	832	-	1	-	-	-	-	-	-
Mars Hill.....	837	-	-	-	-	-	-	-	-
Masardis.....	250	-	-	-	-	-	-	-	-
Monticello .....	1,132	-	-	-	-	-	-	-	-
New Limerick .....	567	-	-	-	-	-	-	-	-

## No. 31—Continued.

## Causes, Mostly Infectious Diseases.

COUNTY.

Typhoid fever.	Erysipelas.	Puerperal fever.	Septicemia, non-puerperal.	Influenza.	Dysentery.	Diarrhea.	Cholera morbus.	Infantile diarrhea.	Phthisis.	Tuberculosis, other forms.	Malarial disease.	Tetanus.
5	1	7	8	45	1	38	2	100	81	10	-	-
-	-	-	-	-	-	-	-	2	1	-	-	-
-	-	-	-	-	-	-	-	-	3	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-
1	-	-	-	-	-	-	-	1	-	-	-	-
-	-	-	-	-	-	-	-	2	2	-	-	-
8	-	1	-	-	-	1	-	18	8	1	-	-
-	-	1	-	-	-	-	-	2	-	-	-	-
-	-	2	-	-	-	-	-	-	2	-	-	-
-	1	-	1	-	-	-	-	1	3	-	-	-
-	-	-	-	19	-	-	-	6	2	-	-	-
-	-	-	-	6	-	1	-	7	4	-	-	-
-	-	-	-	-	-	-	-	1	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	1	-	-	-	-	2	1	-	-	-
-	-	-	-	-	1	-	-	6	6	1	-	-
-	-	1	-	1	-	-	-	5	-	2	-	-
-	-	-	-	-	-	-	-	1	2	-	-	-
-	-	-	1	-	-	-	-	1	2	1	-	-
-	-	-	-	-	-	-	-	2	2	-	-	-
-	-	2	-	8	-	-	-	-	3	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	1	-	1	2	-	-	-
-	-	-	-	1	-	-	-	-	1	-	-	-
-	-	-	-	-	-	-	-	1	-	-	-	-
-	-	-	-	-	-	-	-	-	1	-	-	-



**TABLE**  
**Deaths in Each town from Special**

ABOOSTOOK

COUNTY AND TOWNS.	Population in 1880.	Smallpox.	Measles.	Scarlet fever.	Diphtheria and Group.	Tonsillitis.	Cerebro Spinal meningitis.	Whooping cough.	Mumps.
New Sweden.....	707	-	-	-	-	-	-	-	-
Oakfield.....	720	-	-	-	-	-	-	-	-
Orient.....	244	-	-	-	-	-	-	-	-
Perham.....	438	-	-	-	1	-	-	-	-
Presque Isle.....	3,046	-	-	-	-	-	1	-	-
Sherman.....	909	-	-	-	-	-	-	-	-
Smyrna.....	303	-	-	-	-	-	-	-	-
St. Agatha.....	-	-	-	-	-	-	-	-	-
Van Buren.....	1,168	-	-	-	2	-	-	-	-
Washburn.....	1,097	-	-	-	-	-	-	-	-
Weston.....	404	-	-	-	-	-	-	-	-
Woodland.....	885	-	-	-	-	-	-	-	-
<b>Plantations.</b>									
Cary.....	390	-	-	-	-	-	-	-	-
Castle Hill.....	537	-	-	-	-	-	-	-	-
Caswell.....	212	-	-	-	1	-	-	-	-
Chapman.....	231	-	-	-	-	-	-	-	-
Connor.....	526	-	-	-	-	-	-	-	-
Crystal.....	297	-	-	-	-	-	-	-	-
Cyr.....	429	-	-	-	-	-	-	-	-
Garfield.....	86	-	-	-	-	-	-	-	-
Glenwood.....	183	-	-	-	-	-	-	-	-
Hamlin.....	484	-	-	-	3	-	-	-	-
Hammond..	109	-	-	-	-	-	-	-	-
Macwahoc.....	216	-	-	-	-	-	-	-	-
Merrill.....	244	-	-	-	-	-	-	-	-
Molunkus.....	77	-	-	-	-	-	-	-	-
Moro.....	199	-	-	-	-	-	-	-	-
New Canada.....	301	-	-	-	3	-	-	-	-

**No. 31—Continued.**

**Causes, Mostly Infectious Diseases.**

## COUNTY—CONTINUED.

[illegible]

**TABLE**  
**Deaths in Each Town from Special**

**ABOOSTOOK**

COUNTY AND TOWNS.	Population in 1890.	Smallpox.	Measles.	Scarlet fever.	Diphtheria and Croup.	Tonsillitis.	Cerebro-spinal meningitis.	Whooping-cough.	Mumps.
Oxbow.....	94	-	-	-	-	-	-	-	-
Portage Lake.....	140	-	-	-	-	-	-	-	-
Reed.....	203	-	-	-	-	-	-	-	-
Sheridan.....	221	-	-	-	-	-	-	-	-
Silver Ridge.....	195	-	-	-	-	-	-	-	-
St. Francis.....	461	-	-	-	-	-	-	-	-
St. John.....	226	-	-	-	-	-	-	-	-
Stockholm.....	105	-	-	-	-	-	-	-	-
Wade.....	158	-	-	-	1	-	-	-	-
Wallagrass.....	595	-	-	-	2	-	-	1	-
Westfield.....	166	-	-	-	-	-	-	-	-
Westmanland.....	52	-	-	-	-	-	-	-	-
Winterville.....	72	-	-	-	1	-	-	-	-
Plantation E.....	-	-	-	-	-	-	-	-	-
CUMBERLAND COUNTY.....	-	-	2	5	37	1	8	18	-
Baldwin.....	932	-	-	-	-	-	-	-	-
Bridgton.....	2,605	-	-	-	-	-	-	-	-
Brunswick.....	6,012	-	-	-	1	-	-	-	-
Cape Elizabeth.....	5,459	-	-	-	-	-	1	-	-
Casco.....	844	-	-	-	-	-	1	-	-
Cumberland.....	1,487	-	-	-	-	-	-	-	-
Deering.....	5,353	-	-	-	-	-	-	2	-
Falmouth.....	1,580	-	-	-	-	-	-	-	-
Freeport.....	2,482	-	-	-	1	-	-	-	-
Gorham.....	2,888	-	-	-	1	-	-	-	-
Gray.....	1,517	-	-	-	-	-	-	-	-
Harpswell.....	1,766	-	-	-	-	-	-	-	-
Harrison.....	1,071	-	-	-	-	-	-	-	-



**TABLE**  
**Deaths in Each Town from Special**

**CUMBERLAND**

COUNTY AND TOWNS.	Population in 1890.	Smallpox.	Measles.	Scarlet fever.	Diphtheria and croup.	Tonsillitis.	Cerebro-spinal meningitis.	Whooping-cough.	Mumps.
Naples.....	846	-	-	-	-	-	-	-	-
New Gloucester.....	1,234	-	-	-	-	-	-	-	-
North Yarmouth.....	709	-	-	-	-	-	-	-	-
Otisfield.....	838	-	-	-	-	-	-	-	-
Portland.....	36,428	-	1	5	81	1	3	14	-
Pownal.....	712	-	-	-	-	-	-	-	-
Raymond.....	927	-	-	-	-	-	-	-	-
Scarboro.....	1,794	-	-	-	-	-	-	1	-
Sebago.....	681	-	-	-	-	-	-	-	-
South Portland.....	-	-	-	-	1	-	1	-	-
Standish.....	1,841	-	-	-	-	-	-	-	-
Westbrook.....	6,632	-	-	-	2	-	-	1	1
Windham.....	2,216	-	1	-	-	-	-	1	-
Yarmouth.....	2,088	-	-	-	-	-	-	-	-
FRANKLIN COUNTY.....	-	-	-	-	1	-	4	-	-
Avon.....	439	-	-	-	-	-	-	-	-
Carthage.....	390	-	-	-	-	-	-	-	-
Chesterville.....	770	-	-	-	-	-	-	-	-
Eustis.....	321	-	-	-	-	-	-	-	-
Farmington.....	3,207	-	-	-	-	-	-	-	-
Freeman.....	464	-	-	-	-	-	-	-	-
Industry.....	545	-	-	-	-	-	-	-	-
Jay.....	1,641	-	-	-	-	-	1	-	-
Kingfield.....	601	-	-	-	-	-	-	-	-
Madrid.....	441	-	-	-	-	-	-	-	-
New Sharon.....	1,064	-	-	-	-	-	-	-	-
New Vineyard.....	680	-	-	-	-	-	-	-	-
Phillips.....	1,394	-	-	-	-	-	1	-	-
Rangeley.....	616	-	-	-	-	-	-	-	-

## No. 31—Continued.

## Causes, Mostly Infectious Diseases.

## COUNTY—CONCLUDED.

Typhoid fever.	Erysipelas.	Furuncul fever.	Septicemia, non-puerperal.	Influenza.	Dysentery.	Diarrhea.	Cholera morbus.	Infantile diarrhea.	Phthisis.	Tuberculosis, other forms.	Malarial disease.	Tetanus.
-	-	-	-	-	-	-	-	-	2	-	-	-
2	-	-	-	-	-	-	-	-	2	-	-	-
-	-	-	1	-	-	-	-	1	-	1	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-
86	2	1	10	4	-	2	-	40	82	21	-	-
-	-	1	1	-	-	-	-	-	2	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	1	-	-	-	8	8	-	-	-
-	-	-	-	-	-	-	-	-	1	-	1	-
1	-	-	-	-	2	-	8	3	5	4	-	-
-	-	-	1	-	-	-	-	-	1	1	-	-
4	-	-	-	8	1	-	-	8	13	6	-	-
1	-	-	-	1	-	1	-	-	1	1	-	-
-	-	-	-	-	-	-	-	8	2	1	-	-
5	1	1	4	8	8	1	1	18	29	4	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	1	-	1	-	-
-	-	-	-	-	-	-	-	-	1	-	-	-
-	-	-	-	-	-	-	-	-	1	-	-	-
1	-	-	-	1	3	-	-	5	5	1	-	-
-	-	-	-	-	-	1	-	1	1	-	-	-
-	-	-	-	1	-	-	-	-	1	-	-	-
1	-	-	1	-	-	-	-	4	5	-	-	-
2	-	-	1	-	-	-	-	2	2	-	-	-
-	-	-	1	-	-	-	-	-	-	1	-	-
-	-	-	-	1	-	-	-	-	3	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	1	-	-	-	-	-	2	-	-	-	-

**TABLE**  
**Deaths in Each Town from Special**

FRANKLIN

COUNTY AND TOWNS.	Population in 1880.	Smallpox.	Measles.	Scarlet fever.	Diphtheria and croup.	Tonsillitis.	Cerebro-spinal meningitis.	Whooping cough.	Mumps.
Salem.....	218	-	-	-	-	-	-	-	-
Strong.....	627	-	-	-	-	-	1	-	-
Temple.....	470	-	-	-	-	-	-	-	-
Weld.....	885	-	-	-	-	-	-	-	-
Wilton.....	1,622	-	-	-	1	-	-	-	-
<b>Plantations.</b>									
Coplin.....	71	-	-	-	-	-	-	-	-
Dallas.....	184	-	-	-	-	-	-	-	-
Greenville.....	52	-	-	-	-	-	-	-	-
Lang.....	51	-	-	-	-	-	-	-	-
Perkins.....	94	-	-	-	-	-	-	-	-
Rangeley.....	58	-	-	-	-	-	1	-	-
Jerusalem.....	18	-	-	-	-	-	-	-	-
Redington.....	28	-	-	-	-	-	-	-	-
<b>HANCOCK COUNTY.....</b>	<b>-</b>	<b>-</b>	<b>5</b>	<b>3</b>	<b>6</b>	<b>-</b>	<b>5</b>	<b>3</b>	<b>-</b>
Amherst.....	375	-	-	-	-	-	-	-	-
Aurora.....	175	-	-	-	-	-	-	-	-
Bluehill.....	1,980	-	-	-	-	-	-	3	-
Brooklin.....	1,046	-	-	-	-	-	-	-	-
Brooksville.....	1,310	-	-	-	-	-	-	-	-
Bucksport.....	2,921	-	-	-	-	-	-	-	-
Castine.....	987	-	-	-	-	-	-	-	-
Cranberry Isles.....	330	-	-	-	-	-	3	-	-
Dedham.....	366	-	-	-	-	-	-	-	-
Deer Isle.....	3,422	-	3	-	1	-	-	-	-
Eastbrook.....	246	-	-	-	-	-	-	-	-
Eden.....	1,946	-	-	-	2	-	1	-	-

## No. 31—Continued.

## Causes, Mostly Infectious Diseases.

## COUNTY—CONCLUDED.

Typhoid fever.	Erysipelas.	Puerperal fever.	Septicæmia, non-puerperal.	Influenza.	Dysentery.	Diarrhea.	Cholera morbus.	Infantile diarrhea.	Phthisis.	Tuberculosis, other forms.	Malarial disease.	Tetanus.
-	-	-	-	-	-	-	-	-	-	1	-	-
-	-	-	-	-	-	-	-	2	1	-	-	-
-	-	-	-	-	-	-	-	-	1	-	-	-
-	-	-	-	-	-	-	-	-	4	-	-	-
1	1	-	1	-	-	-	1	1	8	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	1	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-
9	-	8	-	6	2	4	6	32	58	13	1	-
-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-
2	-	-	-	-	-	2	-	8	8	1	-	-
-	-	1	-	2	-	-	-	1	-	-	-	-
-	-	-	-	1	-	-	-	-	2	1	-	-
1	-	-	-	-	-	-	-	2	4	1	-	-
-	-	-	-	-	-	-	-	2	2	-	-	-
-	-	-	-	-	-	-	-	1	1	-	-	-
-	-	-	-	-	-	1	-	-	-	-	-	-
-	-	-	-	-	-	-	-	1	4	2	-	-
-	-	-	-	-	-	-	-	-	2	-	-	-
-	-	1	-	1	-	-	-	3	4	8	-	-



**TABLE**  
**Deaths in Each Town from Special**

**HANCOCK**

COUNTY AND TOWNS.	Population in 1890.	Smallpox.	Measles.	Scarlet fever.	Diphtheria and croup.	Tonsillitis.	Cerebro-spinal meningitis.	Whooping cough.	Mumps.
Ellsworth.....	4,804	-	-	-	-	-	-	-	-
Franklin.....	1,264	-	1	-	-	-	-	-	-
Gouldsboro.....	1,709	-	-	-	-	-	-	-	-
Hancock.....	1,190	-	-	-	-	-	-	-	-
Isle au Haut.....	206	-	-	-	-	-	-	-	-
Lamoine.....	726	-	-	-	-	-	1	-	-
Mariaville.....	271	-	-	-	-	-	-	-	-
Mount Desert.....	1,355	-	-	-	-	-	-	-	-
Orland.....	1,390	-	-	-	-	-	-	-	-
Otis.....	239	-	-	-	-	-	-	-	-
Penobscot.....	1,313	-	-	1	-	-	-	-	-
Sedgwick.....	1,012	-	1	-	2	-	-	-	-
Sorrento.....	-	-	-	-	-	-	-	-	-
Stonington.....	-	-	-	2	-	-	-	-	-
Sullivan.....	1,379	-	-	-	-	-	-	-	-
Surry.....	986	-	-	-	-	-	-	-	-
Swan's Island.....	632	-	-	-	-	-	-	-	-
Tremont.....	2,036	-	-	-	-	-	-	-	-
Trenton.....	528	-	-	-	-	-	-	-	-
Verona.....	323	-	-	-	-	-	-	-	-
Waltham.....	242	-	-	-	-	-	-	-	-
Winter Harbor.....	-	-	-	-	-	-	-	-	-
Long Island Pl.....	132	-	-	-	1	-	-	-	-
No. 33 Pl.....	112	-	-	-	-	-	-	-	-
No. 8 Pl.....	31	-	-	-	-	-	-	-	-

## No. 31—Continued.

## Causes, Mostly Infectious Diseases.

COUNTY—CONCLUDED.

Typhoid fever.	Erysipelas.	Puerperal fever.	Septicemia, non-puerperal.	Influenza.	Dysentery.	Diarrhea.	Cholera morbus.	Infantile diarrhea.	Phthisis.	Tuberculosis, other forms.	Malarial disease.	Tetanus.
3	-	-	-	-	-	-	3	1	7	-	-	-
-	-	-	-	-	-	-	1	2	1	1	1	-
-	-	1	-	-	-	-	-	2	-	-	-	-
1	-	-	-	-	-	-	-	1	-	-	-	-
-	-	-	-	-	-	-	-	-	2	1	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	1	1	-	-	1	-	-	-	-
-	-	-	-	-	-	-	-	-	4	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	1	-	-	1	1	6	1	-	-
-	-	-	-	-	-	-	-	1	1	-	-	-
-	-	-	-	-	-	-	-	-	1	-	-	-
2	-	-	-	-	-	-	1	3	1	2	-	-
-	-	-	-	-	1	-	-	1	4	-	-	-
-	-	-	-	-	-	1	-	1	3	-	-	-
-	-	-	-	-	-	-	-	2	-	-	-	-
-	-	-	-	-	-	-	-	1	1	-	-	-
-	-	-	-	-	-	-	-	-	2	-	-	-
-	-	-	-	-	-	-	-	-	1	-	-	-
-	-	-	-	-	-	-	-	2	1	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	1	-	-	-

**TABLE**  
**Deaths in Each Town from Special**

**KENNEBEC**

COUNTY AND TOWNS.	Population in 1880.	Smallpox.	Measles.	Scarlet fever.	Diphtheria and croup.	Tonsillitis.	Cerebro-spinal meningitis.	Whooping cough.	Mumps.
KENNEBEC COUNTY.....	-	-	2	5	10	-	2	1	-
Albion.....	1,042	-	-	-	-	-	-	-	-
Augusta.....	10,527	-	-	-	1	-	1	-	-
Belgrade.....	1,080	-	-	-	-	-	-	-	-
Benton.....	1,136	-	-	-	-	-	1	-	-
Chelsea.....	2,356	-	-	-	-	-	-	-	-
China.....	1,423	-	-	1	-	-	-	-	-
Clinton.....	1,518	-	-	-	-	-	-	-	-
Farmingdale.....	821	-	-	-	-	-	-	-	-
Fayette.....	649	-	-	-	-	-	-	-	-
Gardiner.....	5,491	-	-	-	1	-	-	-	-
Hallowell.....	3,181	-	-	-	1	-	-	-	-
Litchfield.....	1,126	-	-	-	-	-	-	-	-
Manchester.....	612	-	-	-	-	-	-	-	-
Monmouth.....	1,362	-	-	-	2	-	-	-	-
Mount Vernon.....	940	-	-	-	-	-	-	-	-
Oakland.....	2,044	-	1	-	1	-	-	-	-
Pittston.....	1,281	-	-	-	-	-	-	-	-
Randolph.....	1,281	-	-	-	-	-	-	-	-
Readfield.....	1,176	-	-	-	-	-	-	-	-
Rome.....	500	-	-	-	-	-	-	-	-
Sidney.....	1,334	-	-	-	-	-	-	-	-
Vassalboro.....	2,052	-	-	-	-	-	-	-	-
Vienna.....	495	-	-	-	-	-	-	-	-
Waterville.....	7,107	-	-	3	-	-	-	-	-
Wayne.....	775	-	-	-	-	-	-	-	-
West Gardiner.....	853	-	-	-	-	-	-	-	-
Windsor.....	853	-	-	-	-	-	-	-	-
Winslow.....	1,814	-	1	1	2	-	-	-	1
Winthrop.....	2,111	-	-	-	2	-	-	-	-
Unity Pl.....	62	-	-	-	-	-	-	-	-

## No. 31—Continued.

## Causes, Mostly Infectious Diseases.

COUNTY.

Typhoid fever.	Erysipelas.	Puerperal fever.	Septicæmia, non-puerperal.	Influenza.	Dysentery.	Diarrhea.	Cholera morbus.	Infantile diarrhea.	Phthisis.	Tuberculosis, other forms.	Malarial disease.	Tetanus.
30	3	3	4	10	5	8	3	60	76	20	1	1
-	-	-	-	-	1	1	-	1	2	-	-	-
19	1	-	3	4	1	3	1	20	19	3	-	-
1	-	-	-	-	-	-	-	-	1	-	-	-
1	-	-	-	1	-	-	-	1	3	-	-	-
1	-	-	-	1	-	-	-	1	2	-	-	-
-	-	-	-	-	-	-	1	2	1	-	-	-
-	-	-	-	-	-	1	-	-	3	-	-	-
-	-	-	-	-	-	-	-	1	-	1	-	-
1	-	-	-	-	-	-	-	1	-	-	-	-
2	1	-	1	-	-	3	-	4	5	-	-	-
1	-	-	-	-	-	-	-	1	3	1	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	1	1	-	-	-
-	-	-	-	-	-	-	-	-	4	1	-	-
-	-	1	-	3	1	-	-	1	2	-	-	-
-	1	1	-	-	-	-	-	-	2	3	1	-
1	-	-	-	-	-	-	-	-	2	-	-	-
-	-	-	-	-	-	-	-	1	1	1	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	3	-	-	-
-	-	-	-	-	1	-	-	2	1	-	-	-
-	-	-	-	-	-	-	-	-	1	-	-	-
2	-	1	-	-	-	-	1	17	14	6	-	1
-	-	-	-	-	-	-	-	-	-	-	-	-
1	-	-	-	-	-	-	-	1	-	-	-	-
-	-	-	-	-	-	-	-	-	3	1	-	-
-	-	-	-	1	1	-	-	1	1	-	-	-
-	-	-	-	-	-	-	-	4	2	3	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-

**TABLE**  
**Deaths in Each Town from Special**

KNOX

COUNTY AND TOWNS.	Population in 1890.	Smallpox.	Measles.	Scarlet fever.	Diphtheria and croup.	Tonsillitis.	Cerebro-spinal meningitis.	Whooping cough.	Mumps.
<b>KNOX COUNTY.</b> .....	-	-	-	3	10	-	2	-	-
Appleton.. .....	1,080	-	-	-	-	-	-	-	-
Camden.....	2,471	-	-	-	1	-	-	-	-
Cushing.....	688	-	-	-	1	-	-	-	-
Friendship.....	877	-	-	-	-	-	-	-	-
Hope.....	641	-	-	-	-	-	-	-	-
Hurricane Isle.....	266	-	-	-	-	-	-	-	-
North Haven.....	552	-	-	-	-	-	-	-	-
Rockland.....	8,174	-	-	2	-	-	2	-	-
Rockport.....	2,150	-	-	1	-	-	-	-	-
So. Thomaston.....	1,534	-	-	-	-	-	-	-	-
St. George .....	2,491	-	-	-	-	-	-	-	-
Thomaston. ....	3,009	-	-	-	7	-	-	-	-
Union.....	1,436	-	-	-	-	-	-	-	-
Vinalhaven.....	2,617	-	-	-	-	-	-	-	-
Warren.....	2,037	-	-	-	1	-	-	-	-
Washington.....	1,230	-	-	-	-	-	-	-	-
Matinicus Isle Pl.....	196	-	-	-	-	-	-	-	-
<b>LINCOLN COUNTY.</b> .....	-	-	1	-	-	-	1	-	-
Alna .....	512	-	-	-	-	-	-	-	-
Boothbay.....	1,718	-	-	-	-	-	-	-	-
Boothbay Harbor.....	1,699	-	1	-	-	-	1	-	-
Bremen.....	842	-	-	-	-	-	-	-	-
Bristol.....	2,821	-	-	-	-	-	-	-	-
Damariscotta.....	1,012	-	-	-	-	-	-	-	-
Dresden .....	1,043	-	-	-	-	-	-	-	-
Edgecomb .....	749	-	-	-	-	-	-	-	-

## No. 31—Continued.

## Causes, Mostly Infectious Diseases.

## COUNTY.

Typhoid fever.	Erysipelas.	Puerperal fever.	Septicæmia, non-puerperal.	Influenza.	Dysentery.	Diarrhea.	Cholera morbus.	Infantile diarrhea.	Phthisis.	Tuberculosis, other forms.	Malarial disease.	Tetanus.
8	2	1	2	6	-	1	-	12	57	13	1	-
-	-	-	-	-	-	-	-	1	-	-	-	-
-	1	-	-	-	-	-	-	3	8	-	-	-
-	-	-	-	-	-	-	-	-	3	-	-	-
-	-	-	-	-	4	-	-	1	2	-	-	-
-	-	-	-	1	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	1	-	-	-
-	-	-	-	1	-	-	-	-	-	1	-	-
5	-	-	1	-	-	-	-	5	13	6	-	-
1	-	-	-	-	-	-	-	-	3	1	-	-
-	-	-	-	2	-	-	-	-	3	1	-	-
1	-	-	-	-	-	-	-	-	3	-	1	-
-	-	1	-	-	-	-	-	1	4	1	-	-
-	-	-	1	-	-	-	-	-	2	-	-	-
-	1	-	-	-	-	-	-	-	4	1	-	-
1	-	-	-	2	-	1	-	-	5	1	-	-
-	-	-	-	-	-	-	-	1	6	1	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-
6	1	1	2	1	-	1	-	2	25	6	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	1	-	-	-	-	2	-	-	-
1	-	-	1	-	-	-	-	-	2	-	-	-
-	-	-	-	-	-	-	-	-	1	1	-	-
1	-	-	-	-	-	-	-	1	3	2	-	-
-	-	-	-	-	-	-	-	-	1	1	-	-
-	-	-	1	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	3	-	-	-

**TABLE**  
**Deaths in Each Town from Special**

LINCOLN

COUNTY AND TOWNS.	Population in 1890.	Smallpox.	Measles.	Scarlet fever.	Diphtheria and croup.	Tonsillitis.	Cerebro-spinal meningitis.	Whooping cough.	Mumps.
Jefferson .....	1,391	-	-	-	-	-	-	-	-
Newcastle .....	1,282	-	-	-	-	-	-	-	-
Nobleboro .....	947	-	-	-	-	-	-	-	-
Somerville.....	453	-	-	-	-	-	-	-	-
Southport .....	533	-	-	-	-	-	-	-	-
Waldoboro. . . . .	3,506	-	-	-	-	-	-	-	-
Westport .....	451	-	-	-	-	-	-	-	-
Whitefield.....	1,215	-	-	-	-	-	-	-	-
Wiscasset.....	1,733	-	-	-	-	-	-	-	-
OXFORD COUNTY....	-	-	1	1	3	-	1	-	-
Albany. ....	645	-	-	-	-	-	-	-	-
Andover.....	740	-	-	-	-	-	-	-	-
Bethel .....	2,209	-	-	-	-	-	-	-	-
Brownfield.....	1,134	-	-	-	-	-	-	-	-
Buckfield.....	1,200	-	-	-	-	-	-	-	-
Byron.....	180	-	-	-	-	-	-	-	-
Canton.....	1,303	-	-	-	-	-	-	-	-
Denmark.....	755	-	-	-	-	-	-	-	-
Dixfield .....	968	-	-	-	-	-	-	-	-
Fryeburg.....	1,418	-	1	-	-	-	-	-	-
Gilead.....	336	-	-	1	-	-	-	-	-
Grafton.....	98	-	-	-	-	-	-	-	-
Greenwood .....	727	-	-	-	2	-	-	-	-
Hanover.....	212	-	-	-	-	-	-	-	-
Hartford .....	689	-	-	-	-	-	-	-	-
Hebron.....	600	-	-	-	-	-	-	-	-

No. 31—Continued.

Causes, Mostly Infectious Diseases.

COUNTY—CONCLUDED.

Typhoid fever.	Erysipelas.	Puerperal fever.	Septicemia, non-puerperal.	Influenza.	Dysentery.	Diarrhea.	Cholera morbus.	Infantile diarrhea.	Phthisis.	Tuberculosis, other forms.	Malarial disease.	Tetanus.
1	-	-	-	-	-	-	-	-	2	-	-	-
1	-	-	-	-	-	1	-	-	3	-	-	-
-	-	-	-	-	-	-	-	-	1	-	-	-
-	-	-	-	-	-	-	-	-	1	-	-	-
-	-	-	-	-	-	-	-	1	-	-	-	-
1	-	-	-	-	-	-	-	-	3	1	-	-
-	-	-	-	-	-	-	-	-	-	1	-	-
1	-	1	-	-	-	-	-	-	3	-	-	-
-	1	-	-	-	-	-	-	-	-	-	-	-
8	-	1	2	4	4	5	-	19	49	16	-	-
-	-	-	-	-	-	-	-	1	1	-	-	-
-	-	-	-	-	-	-	-	1	-	-	-	-
-	-	-	-	-	-	1	-	-	2	-	-	-
1	-	-	-	-	-	-	-	-	2	2	-	-
1	-	-	-	-	1	-	-	-	4	-	-	-
-	-	-	-	-	-	-	-	1	-	-	-	-
-	-	-	-	-	1	-	-	1	2	-	-	-
-	-	-	-	-	-	-	-	-	2	-	-	-
-	-	-	-	-	-	-	-	-	1	-	-	-
-	-	-	-	-	1	-	-	1	1	-	-	-
-	-	-	-	-	-	-	-	-	1	-	-	-
-	-	-	-	-	-	1	-	1	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	1	-	-	-
-	-	-	-	-	-	-	-	-	-	1	-	-



**TABLE**  
**Deaths in Each Town from Special**  
**OXFORD**

COUNTY AND TOWNS.	Population in 1890.	Smallpox.	Measles.	Scarlet fever.	Diphtheria and croup.	Tonsillitis.	Cerebro-spinal meningitis.	Whooping cough.	Mumps.
Hiram.....	1,063	-	-	-	-	-	-	-	-
Lovell.....	853	-	-	-	-	-	-	-	-
Mason.....	80	-	-	-	-	-	-	-	-
Mexico.....	355	-	-	-	-	-	-	-	-
Newry.....	343	-	-	-	-	-	-	-	-
Norway.....	2,665	-	-	-	-	-	-	-	-
Oxford.....	1,455	-	-	-	1	-	-	-	-
Paris.....	3,156	-	-	-	-	-	1	-	-
Peru.....	692	-	-	-	-	-	-	-	-
Porter.....	1,015	-	-	-	-	-	-	-	-
Roxbury.....	222	-	-	-	-	-	-	-	-
Rumford.....	898	-	-	-	-	-	-	-	-
Stoneham.....	322	-	-	-	-	-	-	-	-
Stow.....	291	-	-	-	-	-	-	-	-
Sumner.....	901	-	-	-	-	-	-	-	-
Sweden.....	338	-	-	-	-	-	-	-	-
Upton.....	232	-	-	-	-	-	-	-	-
Waterford.....	1,001	-	-	-	-	-	-	-	-
Woodstock.....	859	-	-	-	-	-	-	-	-
Franklin Pl.....	112	-	-	-	-	-	-	-	-
Lincoln Pl.....	59	-	-	-	-	-	-	-	-
Milton Pl.....	211	-	-	-	-	-	-	-	-
Riley Pl.....	43	-	-	-	-	-	-	-	-
Batchelders Grant.....	26	-	-	-	-	-	-	-	-
PENOBSCOT COUNTY.....	-	-	11	7	10	2	7	5	1
Alton.....	348	-	-	-	-	-	-	-	-
Argyle.....	263	-	-	-	-	-	-	-	-
Bangor.....	19,103	-	3	4	7	-	1	2	-
Bradford.....	1,215	-	-	-	-	-	-	-	-

No. 31—Continued.

Causes, Mostly Infectious Diseases.

COUNTY—CONCLUDED.

Typhoid fever.	Erysipelas.	Puerperal fever.	Septicæmia, non-puerperal.	Influenza.	Dysentery.	Diarrhea.	Cholera morbus.	Infantile diarrhea.	Phthisis.	Tuberculosis, other forms.	Malarial disease.	Tetanus.
-	-	-	-	-	-	-	-	1	2	-	-	-
-	-	-	1	-	-	-	-	-	1	-	-	-
-	-	-	-	-	-	-	-	4	-	-	-	-
-	-	-	-	-	-	1	-	2	-	1	-	-
1	-	1	-	-	-	1	-	1	2	2	-	-
2	-	-	-	1	-	-	-	-	6	-	-	-
-	-	-	-	-	1	1	-	-	7	1	-	-
-	-	-	-	-	-	-	-	1	1	-	-	-
1	-	-	-	-	-	-	-	-	-	2	-	-
-	-	-	-	-	-	-	-	-	-	1	-	-
2	-	-	-	-	-	-	-	3	4	4	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	1	-	1	-	-	1	6	-	-	-
-	-	-	-	1	-	-	-	-	-	-	-	-
-	-	-	-	-	1	-	-	-	1	-	-	-
-	-	-	-	-	-	-	-	-	-	1	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	2	1	-	-
20	-	4	2	13	4	14	4	67	97	25	1	1
-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-
7	-	-	1	6	2	4	-	18	32	11	-	1
-	-	1	-	-	1	-	-	2	6	1	-	-

**TABLE**  
**Deaths in Each Town from Special**

**PENOBSCOT**

COUNTY AND TOWNS.	Population in 1890.	Smallpox.	Measles.	Scarlet fever.	Diphtheria and Croup.	Tonsillitis.	Cerebro-spinal meningitis.	Whooping cough.	Mumps.
Bradley.....	823	-	-	-	-	-	-	-	-
Brewer.....	4,193	-	-	-	-	-	1	1	-
Burlington.....	460	-	-	-	-	-	-	-	-
Carmel.....	1,066	-	-	-	-	-	-	-	-
Carroll.....	546	-	-	-	-	-	-	1	-
Charleston.....	971	-	-	-	-	-	-	-	-
Chester.....	368	-	-	-	-	-	-	-	-
Clifton.....	284	-	-	-	-	-	-	-	-
Corinna.....	1,207	-	-	-	-	-	-	-	-
Corinth.....	1,154	-	-	-	-	-	-	-	-
Dexter.....	2,732	-	-	-	-	-	1	-	1
Dixmont.....	919	-	-	-	-	-	-	-	-
Eddington.....	729	-	-	-	-	-	-	-	-
Edinburg.....	54	-	-	-	-	-	-	-	-
Enfield.....	769	-	-	-	-	-	-	-	-
Etna.....	646	-	-	-	-	-	-	-	-
Exeter.....	939	-	-	-	-	1	-	-	-
Garland.....	973	-	-	-	1	-	-	-	-
Glenburn.....	583	-	-	-	-	-	-	-	-
Greenbush.....	659	-	-	-	-	-	-	-	-
Hampden.....	2,484	-	-	-	-	-	-	-	-
Hernon.....	1,282	-	-	-	-	-	-	-	-
Holden.....	609	-	-	-	-	-	-	-	-
Howland.....	171	-	-	-	-	-	-	-	-
Hudson.....	510	-	-	-	-	-	-	-	-
Kenduskeag.....	536	-	-	-	-	-	-	-	-
Kingman.....	671	-	-	-	-	-	-	-	-
Lagrange.....	721	-	-	-	-	-	-	-	-
Lee.....	929	-	-	-	-	-	-	-	-

## No. 32—Continued.

## Diseases and Groups of Diseases.

## COUNTY—CONTINUED.

Apoplexy.	Other diseases of nervous system.	Diseases of heart.	Pneumonia.	Bronchitis.	Other diseases of respiratory system.	Diseases of digestive system.	Bright's disease and nephritis.	Other diseases of urinary system.	Diseases of organs of generation.	Fatalities of reproduction.	Accidents.	Suicide.
-	-	-	1	-	-	-	1	-	-	-	1	-
3	5	2	13	-	2	3	2	-	-	1	6	-
1	-	-	-	-	-	-	-	-	-	-	-	-
1	1	2	3	1	1	1	-	-	-	-	-	-
-	1	1	1	-	-	-	-	-	-	-	-	-
-	-	1	2	-	-	2	-	1	-	-	-	-
-	-	1	-	-	-	-	-	-	-	-	-	-
-	-	1	1	-	-	1	-	-	-	-	-	-
1	-	4	-	-	-	3	2	3	-	-	1	-
-	1	1	1	1	1	-	1	-	-	-	1	-
2	-	5	1	-	-	2	4	-	-	-	2	-
2	2	2	-	-	-	1	-	1	-	-	-	-
2	3	1	-	-	-	-	-	-	-	-	-	1
-	-	-	-	-	-	-	-	-	-	-	-	-
-	1	-	1	-	-	-	-	-	-	-	1	-
-	-	-	2	-	-	1	-	-	-	-	-	-
3	1	1	1	-	-	-	1	-	-	-	1	-
-	2	5	-	-	-	1	-	1	1	-	-	-
2	2	1	-	-	-	-	-	-	-	-	1	-
1	-	-	5	1	-	-	1	-	-	-	2	-
4	4	3	2	1	1	1	-	-	-	-	2	-
1	3	3	5	-	-	-	-	-	-	-	1	-
1	1	1	3	1	-	1	2	-	-	-	-	1
-	1	1	-	-	-	-	-	-	-	-	1	-
-	2	-	-	-	-	2	-	1	-	-	-	-
1	-	2	-	-	1	-	1	-	-	-	-	-
-	3	-	1	1	-	1	1	-	-	-	1	-
1	-	1	1	4	-	-	-	-	-	-	-	-
-	-	1	1	-	-	4	-	-	-	-	-	-

**TABLE**  
**Death in Each Town from Certain**

PENOBSCOT

COUNTY AND TOWNS.	Population in 1890.	Alcoholism.	Other dietetic diseases.	Rheumatism.	Cancer.	Other constitutional diseases.	Old age.	Other developmental diseases.	Inflammation of brain or membranes.
Levant.....	886	-	-	-	-	1	1	-	-
Lincoln .....	1,756	-	-	-	-	-	4	-	2
Lowell.....	439	-	-	-	-	-	-	-	1
Mattawamkeag.....	633	-	-	-	-	-	-	-	-
Maxfield.....	134	-	-	-	-	-	-	-	-
Medway.....	653	-	-	-	-	-	-	-	-
Milford.....	835	-	-	-	1	-	-	-	-
Mount Chase.....	284	-	-	-	-	-	-	1	-
Newburgh.....	867	-	-	-	-	-	1	-	-
Newport.....	1,188	-	-	-	-	-	3	1	-
Old Town.....	5,312	1	1	1	4	-	6	4	1
Orono.....	2,790	-	-	-	4	-	3	1	-
Orrington.....	1,406	-	-	-	4	-	2	-	2
Passadumkeag.....	343	-	-	-	1	-	-	-	-
Patten .....	936	-	-	-	-	-	-	-	-
Plymouth .....	689	-	-	-	-	-	-	-	-
Prentiss.....	401	-	-	-	-	-	-	-	1
Springfield.....	677	-	-	-	1	-	1	-	-
Stetson.....	618	-	-	-	-	-	-	-	-
Veazie .....	650	-	-	-	1	-	-	-	-
Winn.....	936	-	-	-	-	-	1	4	-
Drew Pl .....	110	-	-	-	-	-	-	-	-
Lakeville Pl.....	144	-	-	-	-	1	-	-	-
Grand Falls Pl.....	68	-	-	-	-	-	-	-	-
Seboeis Pl.....	98	-	-	-	-	-	-	1	-
Stacyville Pl.....	250	-	-	-	-	-	1	-	-
Webster Pl.....	135	-	-	-	-	-	1	-	-
Norcross .....	-	-	-	-	-	-	-	-	-



**TABLE**  
**Deaths in Each Town from Certain**  
**FRANKLIN**

COUNTY AND TOWNS.	Population in 1890.	Alcoholism.	Other dietetic diseases.	Rheumatism.	Cancer.	Other constitutional diseases.	Old age.	Other develop- mental diseases.	Inflammation of brain or mem- branes.
Salem .....	218	-	-	-	-	-	-	1	-
Strong .....	627	-	-	-	-	-	-	-	-
Temple .....	470	-	-	1	-	-	-	-	1
Weld .....	885	-	-	-	2	-	-	-	-
Wilton .....	1,622	-	-	-	-	-	1	-	-
Coplin Pl. ....	71	-	-	-	-	-	-	-	-
Dallas Pl. ....	184	-	-	-	-	-	-	1	-
Greenville Pl. ....	52	-	-	-	-	-	-	-	-
Lang Pl. ....	51	-	-	-	-	-	-	-	-
Perkins Pl. ....	94	-	-	-	-	-	-	-	-
Rangeley Pl. ....	58	-	-	-	-	-	-	-	-
Jerusalem Pl. ....	18	-	-	-	-	-	-	-	-
Redington Pl. ....	28	-	-	-	-	-	-	-	-
<b>HANCOCK COUNTY .....</b>	<b>-</b>	<b>-</b>	<b>1</b>	<b>2</b>	<b>28</b>	<b>16</b>	<b>36</b>	<b>11</b>	<b>10</b>
Amherst .....	375	-	-	-	-	-	1	-	1
Aurora .....	175	-	-	-	-	1	1	-	-
Bluehill .....	1,980	-	-	-	2	3	2	1	2
Brooklin . ....	1,046	-	-	-	2	-	2	1	1
Brooksville .....	1,310	-	-	-	1	3	1	-	-
Bucksport .....	2,921	-	-	-	4	2	4	2	-
Castine .....	987	-	-	-	1	-	-	-	-
Cranberry Isles .....	330	-	-	-	-	-	-	-	-
Dedham .....	366	-	-	-	-	-	-	-	-
Deer Isle .....	3,422	-	-	1	1	-	1	1	-
Eastbrook .....	246	-	-	-	-	-	1	-	-
Eden .....	1,946	-	-	-	4	-	2	1	-

## No. 32—Continued.

## Diseases and Groups of Diseases.

COUNTY—CONCLUDED.

Apoplexy.	Other diseases of nervous system.	Diseases of heart.	Pneumonia.	Bronchitis.	Other diseases of respiratory system.	Diseases of digestive system.	Bright's disease and nephritis.	Other diseases of urinary system.	Diseases of organs of generation.	Fatalities of reproduction.	Accidents.	Suicide.
1	-	1	-	-	-	-	-	-	-	-	-	-
-	1	3	1	-	-	2	-	-	-	-	-	-
-	-	-	1	-	-	2	1	-	-	-	-	-
-	2	-	1	1	-	-	2	-	-	-	-	-
-	1	3	2	2	-	2	2	-	-	-	-	-
-	1	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-
24	32	54	37	11	7	39	26	9	-	-	24	1
-	-	-	-	-	-	-	2	-	-	-	-	-
-	-	-	1	-	-	-	-	-	-	-	-	-
1	-	6	-	1	-	2	-	2	-	-	-	-
1	3	1	2	2	-	1	-	1	-	-	2	-
1	2	1	2	-	1	2	1	-	-	-	1	-
2	2	6	2	-	1	3	2	1	-	-	1	-
-	1	-	1	1	-	2	-	-	-	-	1	-
-	-	-	-	-	-	-	-	2	-	-	-	-
-	-	2	-	1	-	-	-	-	-	-	-	-
4	2	5	1	-	2	3	1	-	-	-	3	-
-	1	-	1	-	1	1	-	-	-	-	-	-
3	4	4	3	2	-	2	2	-	-	-	1	1



**TABLE**  
**Death in Each Town from Certain**

**HANCOCK**

COUNTY AND TOWNS.	Population in 1890.	Alcoholism.	Other dietetic diseases.	Rheumatism.	Cancer.	Other constitutional diseases.	Old age.	Other developmental diseases.	Inflammation of brain or membranes.
Ellsworth .....	4,804	-	-	-	1	-	6	-	1
Franklin .....	1,384	-	-	-	-	-	-	-	-
Gouldsboro .....	1,708	-	-	-	-	1	2	-	1
Hancock .....	1,180	-	-	-	-	2	-	-	-
Isle au Haut .....	206	-	-	-	-	-	-	-	-
Lamoine .....	726	-	-	-	-	1	-	-	-
Mariaville .....	271	-	-	-	-	-	2	-	-
Mount Desert .....	1,355	-	-	-	2	-	1	1	-
Orland .....	1,880	-	-	-	2	-	2	-	1
Otis .....	239	-	-	1	-	-	-	-	-
Penobscot .....	1,313	-	-	-	-	-	2	-	-
Sedgwick .....	1,012	-	-	-	-	1	1	-	2
Sorrento .....	-	-	-	-	-	-	1	-	-
Stonington .....	-	-	-	-	3	-	-	-	-
Sullivan .....	1,379	-	-	-	-	-	1	1	-
Surry .....	986	-	-	-	2	-	-	-	-
Swan's Island .....	632	-	-	-	1	1	-	-	-
Tremont .....	2,086	-	-	-	1	-	2	1	1
Trenton .....	528	-	1	-	-	1	-	-	-
Verona .....	323	-	-	-	1	-	-	1	-
Waltham .....	242	-	-	-	-	-	-	-	-
Winter Harbor .....	-	-	-	-	-	-	1	-	-
Long Island Pl. ....	132	-	-	-	-	-	-	1	-
No. 33 Pl .....	112	-	-	-	-	-	-	-	-
No. 8 Pl .....	31	-	-	-	-	-	-	-	-



**TABLE**  
**Deaths in Each Town from Certain**  
**KENNEBEC**

COUNTY AND TOWNS.	Population in 1890.	Alcoholism.	Other dietetic diseases.	Rheumatism.	Cancer.	Other constitutional diseases.	Old age.	Other developmental diseases.	Inflammation of brain or membranes.
<b>KENNEBEC COUNTY.....</b>	<b>-</b>	<b>2</b>	<b>3</b>	<b>5</b>	<b>40</b>	<b>17</b>	<b>51</b>	<b>27</b>	<b>33</b>
Albion.....	1,042	-	-	-	-	1	1	-	-
Augusta.....	10,527	-	3	2	5	2	5	12	7
Belgrade.....	1,090	-	-	-	-	-	2	-	-
Benton....	1,136	-	-	-	1	-	1	-	1
Chelsea.....	2,356	1	-	-	-	-	-	-	-
China.....	1,423	-	-	-	5	-	2	-	-
Clinton.....	1,518	-	-	-	1	1	1	-	-
Farmingdale.....	821	-	-	-	-	1	-	-	1
Fayette.....	649	-	-	-	1	1	2	-	-
Gardiner.....	5,491	-	-	-	1	2	2	-	3
Hallowell.....	3,181	-	-	-	1	1	3	3	2
Litchfield.....	1,126	-	-	-	4	-	3	-	-
Manchester.....	612	-	-	-	1	-	1	-	-
Monmouth.....	1,362	-	-	1	3	-	1	-	2
Mount Vernon.....	940	-	-	-	1	-	-	-	-
Oakland.....	2,044	-	-	-	2	-	3	2	-
Pittston....	1,281	1	-	-	1	-	5	-	-
Randolph.....	1,281	-	-	-	-	-	-	-	2
Readfield.....	1,176	-	-	-	-	1	3	-	-
Rome.....	500	-	-	-	-	-	-	1	2
Sidney.....	1,334	-	-	-	1	1	-	-	-
Vassalboro.....	2,052	-	-	-	1	1	7	-	1
Vienna.....	495	-	-	-	-	-	-	-	-
Waterville.....	7,107	-	-	-	-	1	3	6	10
Wayne.....	775	-	-	-	1	1	1	2	1
West Gardiner.....	853	-	-	1	-	-	1	-	-
Windsor.....	853	-	-	-	2	-	-	-	-
Winslow.....	1,814	-	-	-	3	1	-	-	1
Winthrop.....	2,111	-	-	1	5	2	4	1	-
Unity Pl.....	62	-	-	-	-	-	-	-	-

## No. 32—Continued.

## Diseases and Groups of Diseases.

COUNTY.

Apoplexy.	Other diseases of nervous system.	Diseases of heart.	Pneumonia.	Bronchitis.	Other diseases of respiratory system.	Diseases of digestive system.	Bright's disease and nephritis.	Other diseases of urinary system.	Diseases of organs of generation.	Fatalities of reproduction.	Accidents.	Suicide.
45	104	110	63	27	16	71	16	19	-	6	33	5
-	1	1	-	-	1	1	-	-	-	-	1	-
12	49	18	13	9	1	14	1	4	-	1	5	-
-	-	2	2	-	-	2	-	-	-	-	1	-
-	-	2	3	1	1	1	-	-	-	-	3	-
-	3	4	5	-	-	1	3	-	-	-	2	1
3	8	9	1	3	-	3	-	1	-	-	-	-
-	-	3	2	1	-	4	2	2	-	-	1	1
4	1	3	1	1	-	1	-	-	-	-	1	-
1	-	1	-	-	-	1	-	3	-	-	-	-
5	7	10	5	1	4	7	-	1	-	-	4	-
3	2	1	2	1	-	3	-	1	-	-	3	-
-	2	3	1	-	2	1	-	1	-	1	-	-
-	1	2	1	-	-	1	-	1	-	-	-	-
2	2	3	2	-	-	2	-	-	-	1	2	-
-	4	2	-	-	-	1	3	1	-	-	-	-
-	1	2	2	1	-	6	-	1	-	2	-	-
2	-	4	-	-	-	3	-	1	-	-	1	-
-	-	2	1	-	-	1	-	-	-	-	1	-
2	1	2	-	-	1	1	-	-	-	-	1	1
-	1	1	1	-	-	-	-	1	-	-	-	-
-	6	2	1	-	-	1	-	-	-	-	-	-
-	3	1	1	1	-	1	-	-	-	-	-	-
-	1	2	2	-	-	-	-	-	-	-	-	-
3	4	10	6	5	5	9	2	1	-	1	6	2
1	-	1	-	1	-	1	2	-	-	-	-	-
-	2	1	-	-	1	1	-	-	-	-	-	-
-	4	1	3	-	-	2	-	-	-	-	-	-
5	1	6	6	2	-	1	-	-	-	-	1	-
2	5	2	2	-	-	1	3	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-

**TABLE**  
**Deaths in Each Town from Certain**

**KNOX**

COUNTY AND TOWNS.	Population in 1890.	Alcoholism.	Other dietetic diseases.	Rheumatism.	Cancer.	Other constitutional diseases.	Old age.	Other developmental diseases.	Inflammation of brain or membranes.
<b>KNOX COUNTY.....</b>	-	-	-	2	24	5	32	13	10
Appleton.. .....	1,080	-	-	-	-	-	-	-	-
Camden.....	2,471	-	-	1	2	-	2	1	1
Cushing.....	688	-	-	-	-	-	1	-	-
Friendship.....	877	-	-	-	-	-	-	-	-
Hope.....	641	-	-	-	1	-	-	-	-
Hurricane Isle.....	266	-	-	-	-	-	-	-	-
North Haven.....	552	-	-	-	-	-	1	-	-
Rockland.. .....	8,174	-	-	-	5	3	11	5	2
Rockport .....	2,150	-	-	-	-	-	1	1	3
So. Thomaston... ..	1,534	-	-	-	1	-	2	1	-
St. George.....	2,491	-	-	1	7	-	5	3	3
Thomaston.....	3,009	-	-	-	3	-	5	-	-
Union.....	1,436	-	-	-	3	1	1	-	-
Vinalhaven.. .....	2,617	-	-	-	1	-	2	-	-
Warren.....	2,087	-	-	-	-	1	1	2	1
Washington .....	1,230	-	-	-	1	-	-	-	-
Matinicus Isle Pl.....	196	-	-	-	-	-	-	-	-
<b>LINCOLN COUNTY.....</b>	-	-	2	2	29	3	34	3	6
Alna.....	512	-	-	-	-	-	-	-	-
Boothbay.....	1,718	-	-	-	2	1	2	1	2
Boothbay Harbor .....	1,699	-	1	-	4	-	-	-	-
Bremen.....	842	-	-	-	-	-	1	-	-
Bristol.....	2,821	-	1	-	3	1	3	-	-
Damariscotta .....	1,012	-	-	-	3	-	5	-	1
Dresden .....	1,043	-	-	-	-	-	2	1	-
Edgecomb.....	749	-	-	-	-	-	-	-	1

## No. 32—Continued.

## Diseases and Groups of Diseases.

COUNTY.

Apoplexy.	Other diseases of nervous system.	Diseases of heart.	Pneumonia.	Bronchitis.	Other diseases of respiratory system.	Diseases of digestive system.	Bright's disease and nephritis.	Other diseases of urinary system.	Diseases of organs of generation.	Fatalities of reproduction.	Accidents.	Suicide.
27	41	67	45	10	4	24	15	7	3	1	23	4
2	-	2	5	1	-	-	-	-	-	-	-	-
2	5	6	6	1	-	4	-	-	-	-	1	1
2	-	1	-	-	-	1	2	-	-	-	1	-
-	-	3	-	2	-	1	2	-	-	-	-	-
2	2	1	-	-	-	-	-	-	-	-	1	-
-	1	-	1	-	-	-	-	-	-	-	-	-
-	1	-	-	-	1	-	-	-	-	-	2	-
8	15	15	11	2	-	6	4	3	-	-	9	1
1	2	5	4	-	1	2	1	-	-	-	-	-
-	3	4	4	-	-	-	-	-	-	-	2	1
3	2	3	2	2	1	2	-	1	2	-	3	-
1	2	13	3	-	-	5	1	-	-	1	1	1
1	1	4	2	-	-	1	-	-	1	-	-	-
-	2	4	1	1	-	1	3	1	-	-	1	-
1	4	4	3	-	1	1	-	1	-	-	1	-
4	1	2	3	1	-	-	2	-	-	-	1	-
-	-	-	-	-	-	-	-	1	-	-	-	-
13	21	50	16	4	3	25	13	9	-	2	12	6
-	2	1	-	-	-	2	-	-	-	-	1	-
1	2	2	-	-	-	-	1	-	-	-	-	-
1	-	3	-	-	-	1	1	1	-	-	3	2
-	1	-	-	-	-	-	-	-	-	-	-	-
1	5	5	2	-	1	3	-	-	-	2	1	-
-	2	1	1	2	-	-	-	1	-	-	-	1
2	1	2	-	-	-	1	-	-	-	-	-	1
1	1	1	2	1	-	1	-	-	-	-	-	-

**TABLE**  
**Deaths in Each Town from Special**

SAGADAHOC

COUNTY AND TOWNS.	Population in 1890.	Smallpox.	Measles.	Scarlet fever.	Diphtheria and croup.	Tonsillitis.	Cerebro-spinal meningitis.	Whooping cough.	Mumps.
<b>SAGADAHOC COUNTY .....</b>	-	-	3	1	3	-	-	-	-
Arrowsic.....	177	-	-	-	-	-	-	-	-
Bath.....	8,723	-	-	1	2	-	-	-	-
Bowdoin.....	940	-	-	-	-	-	-	-	-
Bowdoinham.....	1,508	-	-	-	-	-	-	-	-
Georgetown.....	849	-	-	-	-	-	-	-	-
Perkins.....	69	-	-	-	-	-	-	-	-
Phippsburg.....	1,396	-	3	-	-	-	-	-	-
Richmond.....	3,082	-	-	-	1	-	-	-	-
Topsham.....	1,394	-	-	-	-	-	-	-	-
West Bath.....	307	-	-	-	-	-	-	-	-
Woolwich.....	1,007	-	-	-	-	-	-	-	-
<b>SOMERSET COUNTY.....</b>	-	-	-	-	11	-	-	1	2
Anson.....	1,444	-	-	-	-	-	-	-	-
Athens.....	1,072	-	-	-	-	-	-	-	-
Bingham.....	757	-	-	-	-	-	-	-	-
Cambridge .....	425	-	-	-	-	-	-	-	-
Canaan.....	1,130	-	-	-	-	-	-	-	-
Concord .....	345	-	-	-	-	-	-	-	-
Cornville .....	785	-	-	-	1	-	-	-	-
Detroit.....	590	-	-	-	-	-	-	-	-
Embden .....	579	-	-	-	-	-	-	-	-
Fairfield.....	3,510	-	-	-	1	-	-	-	-
Harmony.....	704	-	-	-	-	-	-	-	-
Hartland.....	974	-	-	-	-	-	-	-	-
Madison.. .....	1,815	-	-	-	-	-	-	1	-

## No. 31—Continued.

## Causes, Mostly Infectious Diseases.

COUNTY.

Typhoid fever.	Erysipelas.	Puerperal fever.	Septicemia, non-puerperal.	Influenza.	Dysentery.	Diarrhea.	Cholera morbus.	Infantile diarrhea.	Phthisis.	Tuberculosis, other forms.	Malarial disease.	Tetanus.
4	-	-	5	-	1	1	1	14	31	4	1	-
-	-	-	-	-	-	-	-	-	-	-	-	-
1	-	-	2	-	1	-	1	6	18	2	-	-
-	-	-	1	-	-	1	-	-	1	1	-	-
1	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	1	-	-	-	-	-	3	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	2	4	-	1	-
1	-	-	1	-	-	-	-	8	1	1	-	-
1	-	-	-	-	-	-	-	8	4	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-
6	-	2	1	8	1	5	8	26	52	7	-	-
-	-	-	-	-	-	-	-	2	-	-	-	-
-	-	-	-	-	-	-	-	-	2	-	-	-
-	-	-	-	-	-	-	-	1	1	1	-	-
-	-	-	-	1	-	-	-	-	-	-	-	-
1	-	-	-	-	-	-	-	-	1	-	-	-
-	-	1	-	-	-	-	1	1	1	-	-	-
-	-	-	-	-	-	-	-	2	4	-	-	-
1	-	-	-	-	-	-	-	-	1	-	-	-
-	-	-	-	-	-	-	-	2	1	-	-	-
-	-	-	1	1	1	1	-	2	4	1	-	-
-	-	-	-	-	-	-	-	-	1	-	-	-
-	-	-	-	-	-	-	-	-	8	-	-	-
-	-	-	-	1	-	-	1	2	1	1	-	-



**TABLE**  
**Deaths in Each Town from Special**

SOMERSET

COUNTY AND TOWNS.	Population in 1880.	Smallpox.	Measles.	Scarlet fever.	Diphtheria and croup.	Tonsillitis.	Cerebro-spinal meningitis.	Whooping cough.	Mumps.
Mercer.....	584	-	-	-	-	-	-	-	-
Moscow.....	422	-	-	-	-	-	-	-	-
New Portland.....	1,034	-	-	-	-	-	-	-	-
Norridgewock.....	1,856	-	-	-	-	-	-	-	-
Palmyra.....	1,004	-	-	-	-	-	-	-	-
Pittsfield.....	2,503	-	-	-	-	-	-	-	-
Ripley.....	478	-	-	-	-	-	-	-	-
St. Albans.....	1,206	-	-	-	-	-	-	-	-
Skowhegan.....	5,068	-	-	-	-	-	-	-	-
Smithfield.....	479	-	-	-	-	-	-	-	-
Solon.....	977	-	-	-	-	-	-	-	-
Starks.....	766	-	-	-	1	-	-	-	-
Bigelow Pl.....	62	-	-	-	-	-	-	-	-
Brighton Pl.....	434	-	-	-	-	-	-	-	-
Caratunk Pl.....	192	-	-	-	-	-	-	-	-
Carrying Place Pl.....	31	-	-	-	-	-	-	-	-
Dead River Pl.....	104	-	-	-	-	-	-	-	-
Dennistown Pl.....	66	-	-	-	-	-	-	-	-
Flagstaff Pl.....	87	-	-	-	-	-	-	-	-
Highland Pl.....	76	-	-	-	1	-	-	-	-
Jackman Pl.....	217	-	-	-	7	-	-	-	2
Lexington Pl.....	199	-	-	-	-	-	-	-	-
Mayfield Pl.....	74	-	-	-	-	-	-	-	-
Moose River Pl.....	170	-	-	-	-	-	-	-	-
Pleasant Ridge Pl.....	-	-	-	-	-	-	-	-	-
The Forks Pl.....	195	-	-	-	-	-	-	-	-
West Forks Pl.....	146	-	-	-	-	-	-	-	-

**COUNTY—CONCLUDED.**

[illegible]

**TABLE**  
**Deaths in Each Town from Special**  
**WALDO**

COUNTY AND TOWNS.	Population in 1890.	Smallpox.	Measles.	Scarlet fever.	Diphtheria and group.	Tonsillitis.	Cerebro-spinal meningitis.	Whooping cough.	Mumps.
WALDO COUNTY.....	-	-	4	4	1	-	-	-	-
Belfast.....	5,294	-	1	3	1	-	-	-	-
Belmont .....	475	-	-	-	-	-	-	-	-
Brooks.....	730	-	-	-	-	-	-	-	-
Burnham.....	846	-	-	-	-	-	-	-	-
Frankfort.....	1,099	-	-	-	-	-	-	-	-
Freedom.....	510	-	-	-	-	-	-	-	-
Islesboro.....	1,006	-	-	-	-	-	-	-	-
Jackson.....	522	-	1	-	-	-	-	-	-
Knox.....	657	-	1	-	-	-	-	-	-
Liberty.....	835	-	-	-	-	-	-	-	-
Lincolnton.....	1,361	-	-	-	-	-	-	-	-
Monroe.....	1,079	-	-	-	-	-	-	-	-
Montville.....	1,049	-	-	-	-	-	-	-	-
Morrill.....	460	-	-	-	-	-	-	-	-
Northport.....	691	-	-	-	-	-	-	-	-
Palermo.....	887	-	-	-	-	-	-	-	-
Prospect.....	697	-	-	-	-	-	-	-	-
Searsmont.....	1,144	-	-	-	-	-	-	-	-
Searsport.....	1,693	-	-	1	-	-	-	-	-
Stockton Springs .....	1,149	-	-	-	-	-	-	-	-
Swanville.....	639	-	1	-	-	-	-	-	-
Thorndike.....	589	-	-	-	-	-	-	-	-
Troy.....	868	-	-	-	-	-	-	-	-
Unity.....	922	-	-	-	-	-	-	-	-
Waldo.....	581	-	-	-	-	-	-	-	-
Winterport.....	1,926	-	-	-	-	-	-	-	-

## No. 31—Continued.

## Causes, Mostly Infectious Diseases.

## COUNTY.

Typhoid fever.	Erysipelas.	Puerperal fever.	Septicæmia, non-puerperal.	Influenza.	Dysentery.	Diarrhea.	Cholera morbus.	Infantile diarrhea.	Phthisis.	Tuberculosis, other forms.	Malarial disease.	Tetanus.
6	-	1	8	2	2	-	1	7	44	7	1	-
1	-	-	-	2	1	-	1	1	5	-	-	-
-	-	-	1	-	-	-	-	-	1	2	-	-
-	-	1	-	-	-	-	-	2	-	1	-	-
-	-	-	-	-	-	-	-	1	1	-	-	-
2	-	-	-	-	1	-	-	1	-	-	-	-
1	-	-	-	-	-	-	-	-	1	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-
1	-	-	-	-	-	-	-	-	6	1	-	-
-	-	-	-	-	-	-	-	-	2	-	-	-
-	-	-	-	-	-	-	-	-	2	-	-	-
-	-	-	-	-	-	-	-	-	1	-	-	-
-	-	-	-	-	-	-	-	-	3	-	-	-
-	-	-	-	-	-	-	-	-	1	-	-	-
-	-	-	-	-	-	-	-	-	1	-	-	-
-	-	-	-	-	-	-	-	-	-	1	-	-
1	-	-	1	-	-	-	-	-	4	-	-	-
-	-	-	-	-	-	-	-	-	2	-	-	-
-	-	-	-	-	-	-	-	1	1	-	1	-
-	-	-	-	-	-	-	-	-	6	1	-	-
-	-	-	-	-	-	-	-	-	2	-	-	-
-	-	-	-	-	-	-	-	-	1	-	-	-
-	-	-	-	-	-	-	-	-	-	1	-	-
-	-	-	1	-	-	-	-	-	1	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	1	8	-	-	-

**TABLE**  
**Deaths in Each Town from Special**

**WASHINGTON**

COUNTY AND TOWNS.	Population in 1890.	Smallpox.	Measles.	Scarlet fever.	Diphtheria and Croup.	Tonsillitis.	Cerebro-spinal meningitis.	Whooping cough.	Mumps.
WASHINGTON COUNTY.....	-	-	-	-	3	-	4	5	-
Addison .....	1,022	-	-	-	-	-	-	-	-
Alexander.....	337	-	-	-	-	-	-	-	-
Baileyville.....	226	-	-	-	-	-	-	-	-
Baring.....	273	-	-	-	-	-	-	-	-
Beddington.....	184	-	-	-	-	-	-	-	-
Brookton.....	429	-	-	-	-	-	-	-	-
Calais.....	7,290	-	-	-	-	-	-	-	-
Centerville.....	114	-	-	-	-	-	-	-	-
Charlotte.....	381	-	-	-	-	-	-	-	-
Cherryfield.....	1,787	-	-	-	-	-	-	-	-
Columbia.....	587	-	-	-	-	-	-	-	-
Columbia Falls.....	698	-	-	-	-	-	-	-	-
Cooper.....	264	-	-	-	-	-	-	-	-
Crawford .....	140	-	-	-	-	-	-	-	-
Danforth.....	1,063	-	-	-	-	-	-	1	-
Deblois.....	76	-	-	-	-	-	-	-	-
Dennysville.....	452	-	-	-	-	-	-	-	-
East Machias.....	1,637	-	-	-	-	-	1	-	-
Eastport.....	1,908	-	-	-	3	-	2	-	-
Edmunds.....	395	-	-	-	-	-	-	1	-
Forest City.....	287	-	-	-	-	-	-	-	-
Harrington.....	1,150	-	-	-	-	-	-	-	-
Jonesboro.....	470	-	-	-	-	-	-	-	-
Jonesport.....	1,917	-	-	-	-	-	-	2	-
Lubec.....	2,069	-	-	-	-	-	-	-	-

## No. 31—Continued.

## Causes, Mostly Infectious Diseases.

## COUNTY.

Typhoid fever.	Erysipelas.	Puerperal fever.	Septicemia, non-puerperal.	Influenza.	Dysentery.	Diarrhea.	Cholera morbus.	Infantile diarrhea.	Phthisis.	Tuberculosis, other forms.	Malarial disease.	Tetanus.
13	2	3	1	5	4	1	6	52	64	11	-	1
-	-	-	-	-	-	-	-	-	2	-	-	-
1	-	-	-	-	-	-	-	1	-	-	-	-
-	-	-	-	-	1	-	-	-	-	-	-	-
1	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	1	1	-	-	-
-	-	1	-	-	-	1	2	7	9	2	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	3	1	-	-
-	-	-	-	1	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	2	1	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	1	-	1	-	-	-	-	4	1	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-
1	-	-	-	-	-	-	-	-	1	-	-	-
-	-	-	-	-	-	-	-	3	2	-	-	-
3	2	1	-	-	-	-	1	13	7	1	-	-
1	-	-	-	-	-	-	-	-	-	1	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	1	-	-	2	1	-	-	-
-	-	-	-	-	-	-	-	-	1	-	-	-
-	-	-	-	-	-	-	-	2	2	1	-	-
-	-	-	-	-	-	-	1	5	6	-	-	-

**TABLE**  
**Deaths in Each Town from Certain**  
**WASHINGTON**

COUNTY AND TOWNS.	Population in 1890.	Alcoholism.	Other dietetic diseases.	Rheumatism.	Cancer.	Other constitutional diseases.	Old age.	Other developmental diseases.	Inflammation of brain or membranes.
Machias .....	2,035	-	-	-	1	-	1	2	-
Machiasport .....	1,437	-	-	-	-	-	2	1	-
Marion.....	90	-	-	-	-	-	-	-	-
Marshfield.....	299	-	-	-	-	-	-	-	-
Meddybemps.....	156	-	-	-	-	-	1	-	-
Milbridge.....	1,963	-	-	-	2	-	-	1	-
Northfield .....	143	-	-	-	-	-	-	-	-
Pembroke .....	1,514	-	-	-	4	-	-	-	1
Perry.....	945	-	-	-	-	-	1	1	1
Princeton.....	1,027	-	-	-	3	-	-	-	-
Robbinston.....	787	-	-	-	-	-	-	-	-
Roque Bluffs. . . . .	154	-	-	-	-	-	-	-	-
Steuben.....	982	-	-	-	-	-	1	1	-
Talmage .....	112	-	-	-	-	1	-	-	-
Topsfield.....	375	-	-	-	-	-	-	1	-
Trescott .....	435	-	-	-	1	-	-	-	-
Vanceboro. ....	870	-	-	-	2	1	1	1	-
Waite.....	159	-	-	-	-	-	-	-	-
Wesley.....	227	-	-	-	-	-	1	-	-
Whiting.....	393	-	-	-	-	-	-	-	-
Whitneyville.....	413	-	-	-	-	-	-	-	-
Codyville Pl.....	72	-	-	-	-	-	-	-	-
Grand Lake Stream Pl.....	404	-	-	-	-	-	-	1	-
Lambert Lake Pl.....	152	-	-	-	-	-	-	2	-
No. 14 Pl .....	112	-	-	-	-	-	-	-	-
No. 21 Pl.....	81	-	-	-	-	-	-	-	-

## No. 31—Continued.

## Causes, Mostly Infectious Diseases.

COUNTY—CONCLUDED.

Typhoid fever.	Erysipelas.	Puerperal fever.	Septicæmia, non-puerperal.	Influenza.	Dysentery.	Diarrhea.	Cholera morbus.	Infantile diarrhea.	Phthisis.	Tuberculosis, other forms.	Malarial disease.	Tetanus.
-	-	-	1	1	-	-	-	6	4	-	-	1
-	-	-	-	-	-	-	-	-	1	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	1	-	-	-
-	-	-	-	-	1	-	-	3	4	-	-	-
1	-	-	-	-	-	-	-	-	-	-	-	-
1	-	-	-	-	-	-	-	2	4	2	-	-
1	-	-	-	-	1	-	-	1	-	-	-	-
1	-	-	-	-	-	-	-	2	-	1	-	-
1	-	-	-	1	-	-	-	-	1	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	1	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	6	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	1	-	-
-	-	-	-	-	-	-	-	1	-	1	-	-
-	-	-	-	-	-	-	1	1	-	-	-	-
-	-	-	-	-	-	-	-	-	-	2	-	-
-	-	-	-	-	-	-	-	-	2	-	-	-
1	-	-	-	-	-	-	-	-	-	-	-	-



**TABLE**  
**Deaths in Each Town from Certain**  
**YORK**

COUNTY AND TOWNS.	Population in 1890.	Alcoholism.	Other dietetic diseases.	Rheumatism.	Cancer.	Other constitutional diseases.	Old age.	Other developmental diseases.	Inflammation of brain or membranes.
<b>YORK COUNTY.....</b>	<b>-</b>	<b>-</b>	<b>3</b>	<b>9</b>	<b>74</b>	<b>13</b>	<b>43</b>	<b>54</b>	<b>38</b>
Acton.....	878	-	-	-	-	-	-	-	-
Alfred.....	1,030	-	-	-	1	1	-	-	1
Berwick.....	2,294	-	-	-	4	2	2	-	-
Biddeford.....	14,443	-	1	3	15	4	-	28	21
Buxton.....	2,036	-	1	-	4	-	2	-	-
Cornish.....	1,118	-	-	-	1	-	3	-	-
Dayton.....	500	-	-	-	2	-	-	-	-
Eliot.....	1,463	-	-	-	1	-	1	-	1
Hollis.....	1,278	-	-	-	1	-	1	-	-
Kennebunk.....	3,172	-	-	-	5	1	5	4	1
Kennebunkport.....	2,196	-	-	-	1	1	2	1	2
Kittery.....	2,864	-	-	-	-	1	3	-	1
Lebanon.....	1,263	-	1	-	2	-	4	3	-
Limerick.....	966	-	-	1	-	-	1	-	1
Linington.....	1,092	-	-	-	2	-	2	-	-
Lyman.....	854	-	-	-	1	-	1	-	-
Newfield.....	796	-	-	1	-	-	2	-	-
North Berwick.....	1,803	-	-	-	1	-	-	2	-
Old Orchard.....	877	-	-	-	-	-	-	1	-
Parsonsfield.....	1,398	-	-	-	4	-	2	-	1
Saco.....	6,075	-	-	1	12	1	2	5	3
Sanford.....	4,201	-	-	-	5	-	-	6	2
Shapleigh.....	968	-	-	-	1	-	-	1	-
South Berwick.....	3,434	-	-	-	3	-	2	2	2
Waterboro.....	1,357	-	-	-	1	-	2	-	-
Wells.....	2,029	-	-	2	2	1	3	-	1
York.....	2,444	-	-	1	5	1	3	1	1

## No. 32—Concluded.

## Diseases and Groups of Diseases.

## COUNTY.

Apoplexy.	Other diseases of nervous system.	Diseases of heart.	Pneumonia.	Bronchitis.	Other diseases of respiratory system.	Diseases of digestive system.	Bright's disease and nephritis.	Other diseases of urinary system.	Diseases of organs of generation.	Fatalities of reproduction.	Accidents.	Suicide.
77	90	117	66	22	13	55	48	6	3	3	28	7
1	1	3	-	-	-	-	-	1	-	-	2	-
4	-	2	-	-	-	1	3	1	-	-	-	1
5	1	1	4	-	1	-	1	-	-	-	2	2
10	22	22	15	11	4	8	4	1	1	-	7	-
4	2	10	-	-	1	1	1	2	-	-	2	-
-	1	4	1	-	-	-	1	-	-	-	-	-
1	-	-	-	-	-	-	-	-	-	-	-	-
5	-	4	2	3	-	3	-	-	-	-	-	-
2	5	4	1	1	-	2	-	-	-	-	-	-
3	7	11	4	1	-	8	2	-	-	-	3	-
4	3	4	1	-	2	1	2	1	-	-	-	1
3	6	7	4	1	-	3	3	-	-	-	2	-
1	2	3	-	-	-	-	-	-	-	-	-	-
1	1	-	2	-	-	1	3	-	-	-	-	1
-	2	-	-	-	-	1	-	-	-	-	-	-
1	1	-	-	-	-	-	1	-	-	1	-	-
2	2	1	-	-	-	-	-	1	-	-	-	-
1	1	2	2	-	1	-	7	-	-	-	3	-
1	3	6	1	-	-	4	1	-	-	-	1	-
2	2	-	-	1	1	1	3	-	-	-	-	-
9	10	10	10	2	-	6	10	-	1	-	1	-
6	5	7	9	2	-	4	2	-	-	-	2	1
1	1	2	-	-	-	1	1	-	-	1	-	-
5	1	6	2	-	2	4	1	1	-	-	-	-
2	2	4	2	-	-	3	-	-	-	1	1	1
1	6	2	3	-	1	2	-	-	-	-	-	-
2	3	2	3	-	-	1	2	-	1	-	2	-

**TABLE**  
**Deaths by Ages, Sex**

COUNTIES.	Under 1.	1 to 5.	5 to 10.	10 to 20.	20 to 30.	30 to 40.	40 to 50.	50 to 60.	60 to 70.	70 to 80.	80 to 90.	90 to 100.	100 and over.	Unknown.
Androscoggin, males ....	116	57	19	18	34	29	38	37	50	70	30	2	1	6
females . . . . .	80	41	16	29	38	31	34	44	45	48	33	4	1	5
not stated . . . . .	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Aroostook, males . . . . .	112	63	26	12	13	16	20	18	27	33	13	1	1	5
females . . . . .	113	70	23	35	35	23	17	18	25	23	19	4	-	-
not stated . . . . .	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Cumberland, males . . . . .	131	48	26	31	85	59	64	79	123	131	71	11	-	3
females . . . . .	119	47	13	48	68	63	66	77	107	125	92	17	-	1
not stated . . . . .	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Franklin, males . . . . .	22	4	4	5	5	8	7	13	20	18	24	1	-	-
females . . . . .	18	-	6	7	17	12	9	7	21	20	17	8	-	3
not stated . . . . .	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hancock, males . . . . .	44	15	3	18	18	17	20	27	35	57	21	5	-	1
females . . . . .	27	16	11	21	26	17	13	26	36	41	26	8	-	1
not stated . . . . .	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Kennebec, males . . . . .	83	30	12	23	37	29	32	45	60	82	53	13	1	5
females . . . . .	64	22	9	23	40	39	26	45	65	69	63	13	-	4
not stated . . . . .	-	-	-	-	-	1	-	-	-	-	-	-	-	1
Knox, males . . . . .	28	12	7	11	15	25	18	25	30	50	23	5	-	-
females . . . . .	22	9	6	12	21	12	26	22	46	39	24	8	-	1
not stated . . . . .	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Lincoln, males . . . . .	6	2	3	9	9	6	9	10	27	37	39	3	-	-
females . . . . .	10	5	2	1	15	11	13	14	26	26	30	8	1	-
not stated . . . . .	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Oxford, males . . . . .	29	12	2	11	13	11	21	15	41	41	34	4	-	-
females . . . . .	21	11	4	10	26	18	16	36	24	44	38	5	-	1
not stated . . . . .	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Penobscot, males . . . . .	104	42	10	28	43	25	33	44	73	100	74	10	-	4
females . . . . .	66	51	16	20	48	34	40	64	73	106	62	11	-	4
not stated . . . . .	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Piscataquis, males . . . . .	20	9	2	4	6	11	8	8	11	24	14	1	-	-
females . . . . .	9	10	3	3	9	12	11	8	14	15	16	3	-	1
not stated . . . . .	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Sagadahoc, males . . . . .	35	9	2	10	12	5	7	9	20	29	12	1	-	1
females . . . . .	15	7	4	6	8	10	9	18	24	29	17	8	-	-
not stated . . . . .	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Somerset, males . . . . .	26	16	6	15	12	10	12	23	38	56	37	9	-	2
females . . . . .	20	20	3	7	29	19	20	20	35	36	22	9	-	1
not stated . . . . .	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Waldo, males . . . . .	17	9	2	10	9	9	13	15	35	51	45	5	-	1
females . . . . .	14	6	5	14	12	15	12	21	34	47	24	7	-	-
not stated . . . . .	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Washington, males . . . . .	65	20	5	19	20	21	23	26	41	49	32	9	-	3
females . . . . .	55	25	4	16	15	19	14	35	32	38	29	8	1	1
not stated . . . . .	-	-	-	-	-	-	-	-	-	-	-	-	-	-
York, males . . . . .	110	42	7	20	28	16	27	44	85	97	53	7	-	5
females . . . . .	85	37	18	27	37	42	35	38	85	104	55	17	1	1
not stated . . . . .	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Totals, males . . . . .	948	390	136	244	359	297	352	438	716	925	575	87	3	36
females . . . . .	738	377	143	279	444	377	361	493	692	810	567	138	4	24
not stated . . . . .	1	-	-	-	-	1	-	-	-	-	-	-	-	1
Grand total . . . . .	1687	767	279	523	803	675	713	931	1408	1735	1142	225	7	61

## No. 33.

## and Months by Counties.

January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.	Unknown.	Total.	Grand total.
40 37	38 26	44 44	43 39	39 38	27 41	53 48	61 35	39 37	47 35	35 36	41 33	-	507 449	-
23 19	24 30	19 27	32 23	22 39	30 31	18 28	60 54	56 63	35 35	19 27	22 29	-	360 406	967
74 80	79 77	71 54	67 64	74 71	48 61	61 52	86 68	80 75	69 85	74 63	79 98	-	862 843	765
14 6	8 7	7 9	14 18	12 16	10 11	8 12	10 12	20 14	18 19	7 10	8 11	-	131 145	1,705
30 19	22 20	16 30	30 21	21 22	18 26	16 16	14 15	29 35	32 32	32 21	21 21	-	281 269	276
38 40	31 27	43 48	32 46	38 42	38 26	35 34	51 38	62 49	53 46	44 46	40 40	-	505 482	550
24 20	19 26	23 31	24 20	23 26	22 20	18 18	20 17	31 21	18 20	20 12	17 17	-	249 248	989
12 13	15 21	15 9	10 14	14 15	11 18	16 11	9 16	13 17	18 10	12 8	15 10	-	160 162	497
14 25	22 17	22 14	20 30	13 17	22 23	22 16	19 14	21 23	19 39	15 20	25 16	-	234 204	322
54 51	32 41	43 58	56 57	47 44	45 36	45 44	54 43	66 67	50 57	45 40	52 56	1	590 595	488
13 14	12 14	10 6	8 13	7 14	8 8	12 6	6 6	11 6	6 11	14 9	11 7	-	118 114	1,185
14 15	14 14	18 13	13 13	16 12	11 14	16 16	20 18	8 11	10 15	12 4	6 10	-	152 155	232
22 14	24 27	29 21	19 23	25 26	18 24	22 16	19 14	22 23	20 19	17 13	25 21	-	262 241	307
13 9	14 9	19 21	13 18	19 24	15 17	17 24	23 22	21 13	13 25	25 14	29 15	-	221 211	503
21 26	19 19	10 16	25 27	34 19	24 21	21 19	50 24	38 44	36 39	27 19	27 19	1	333 292	432
42 51	33 36	40 37	32 50	52 53	35 32	32 59	57 48	69 63	54 52	48 48	47 53	-	541 582	625
-	-	-	-	-	-	-	-	-	-	-	-	-	-	1,123
448 439	406 411	429 434	438 476	456 478	382 409	396 418	559 444	586 561	498 536	446 390	480 451	2	5,506 5,447	-
-	-	-	1	1	-	-	-	-	-	1	-	-	3	-
887	817	863	915	935	791	814	1,003	1,147	1,034	837	911	2	10,956	10,956

TABLE No. 34.

**Number of Deaths from Several Specified Causes, of Each Sex,  
in Each Month, which were Registered During Seven Years,  
(1892-98.)**

	Measles.	Scarlet fever.	Whooping cough.	Diphtheria and croup.	Cerebro-spinal meningitis.	Typhoid fever.	Consumption.	Infantile diarrhea.	Pneumonia.	Bronchitis.	Apoplexy.
Totals .....	208	284	408	1,390	243	1,587	8,429	3,761	6,895	1,585	3,411
Males .....	100	129	183	679	127	882	3,593	-	3,381	740	1,654
Females .....	108	155	225	711	116	705	4,835	-	3,514	845	1,757
Not stated .....	-	-	-	-	-	-	1	-	-	-	-
January .....	22	24	43	150	19	105	738	28	1,179	207	333
February .....	16	22	32	126	26	89	681	31	949	176	295
March .....	27	29	28	89	24	121	802	43	1,002	206	292
April .....	23	27	28	92	32	75	794	47	840	182	290
May .....	33	24	30	97	13	96	798	48	645	164	292
June .....	16	26	37	76	17	87	727	103	327	99	261
July .....	22	14	33	89	18	73	697	674	145	82	235
August .....	10	12	44	72	19	124	651	1,312	140	78	285
September .....	7	22	47	100	22	230	613	1,064	215	75	290
October .....	12	27	29	161	26	262	669	387	340	118	268
November .....	11	30	29	160	15	180	585	80	453	96	261
December .....	9	27	28	176	12	142	671	42	657	122	309
Not stated .....	-	-	-	2	-	3	3	2	3	-	-

TABLE No. 35.

Mortality by Months Reduced to a Standard Mean of 100, Seven Years, 1892-93.

	Measles.	Scarlet fever.	Whooping cough.	Diphtheria and croup.	Cerebro-spinal meningitis.	Typhoid fever.	Consumption.	Infantile diarrhea.	Pneumonia.	Bronchitis.	Apoplexy.
January .....	124.58	99.50	124.10	127.06	92.10	77.89	103.09	8.76	201.33	153.79	114.99
February .....	100.31	101.01	102.26	118.17	186.41	73.11	105.42	10.74	179.43	169.55	112.77
March .....	152.89	120.23	80.81	75.39	116.34	39.77	71.61	13.48	171.11	153.05	100.28
April .....	134.58	119.97	83.51	80.53	160.24	57.52	114.62	13.31	148.23	139.78	103.46
May .....	186.86	99.50	86.58	86.40	69.02	71.22	111.47	15.05	110.14	121.84	100.28
June .....	93.62	111.40	110.35	66.52	85.13	66.72	104.95	29.18	57.70	76.04	93.11
July .....	124.58	58.04	95.24	75.39	82.40	54.19	97.37	179.94	24.76	60.92	81.15
August .....	56.63	49.75	126.98	60.99	92.10	92.06	90.95	411.28	23.91	43.09	98.41
September .....	40.96	94.26	140.17	87.53	110.17	176.38	88.49	301.41	37.94	57.60	103.46
October .....	67.95	111.94	83.69	136.31	125.55	194.51	93.46	121.32	58.06	87.67	92.54
November .....	117.03	124.25	86.50	140.04	75.11	138.04	84.45	22.66	79.93	73.73	93.11
December .....	50.97	116.09	80.81	149.09	58.17	105.42	93.74	13.17	112.16	90.64	106.70
Mean .....	100.00	100.00	100.00	100.00	100.00	100.00	100.00	100.00	100.00	100.00	100.00

## NOTES ON DEATHS AND THE CAUSES OF DEATHS.

*Death-Rates.*—The number of deaths registered in the year 1898 was 10,956 (12,147 in 1892, 11,134 in 1893, 11,012 in 1894, 10,464 in 1895, 10,626 in 1896, and 11,236 in 1897). The number of deaths for this registration year was, therefore, 280 less than that for the year 1897, 330 more than for 1896, 492 more than for 1895, 56 less than for 1894, 178 less than for 1893, and 1,191 less than for 1892. The death-rate for the State for the year 1898 was 16.57 for every 1,000 of population as returned by the census of 1890 (18.37 in 1892, 16.84 in 1893, 16.66 in 1894, 15.83 in 1895, 16.07 in 1896, and 16.99 in 1897). Based on the estimated population of 1898, the death-rate would be slightly lower, 16.33.

By referring to Table No. 4, it will be seen that the death-rate of Washington county was lower than that of any other county, being only 14.05. The counties Aroostook, Franklin, Hancock, Knox, Lincoln, Oxford, Penobscot, Piscataquis, Sagadahoc, Somerset, Waldo, and Washington had lower death-rates than that of the whole State; while the counties Androscoggin, Cumberland, Kennebec, and York, containing large manufacturing centres, have death-rates larger than that of the State. The highest county death-rate was that of Androscoggin, 19.54.

The death-rate in the cities was 19.74 (20.46 in 1892, 19.89 in 1893, 19.65 in 1894, 18.36 in 1895, 18.78 in 1896, and 20.11 in 1897) as compared with that of the rest of the State with the cities omitted, which death-rate was 15.24 (17.46 in 1892, 15.54 in 1893, 15.39 in 1894, 14.77 in 1895, 14.93 in 1896, and 15.68 in 1897).

*Seasons and Mortality.*—The largest number of deaths occurred in September, 1,147. In 1897, the largest number of deaths was in March, 1,259. The smallest number of deaths in any one month was 791 in June. In the preceding year the smallest number was 769 in June. During the spring months 2,713 deaths occurred; during the summer, 2,608; during the autumn, 3,018; in the winter, 2,615.

The following is a tabular statement of the number of deaths in each quarter of the seven years, 1892-98:

	1st Quarter.	2nd Quarter.	3rd Quarter.	4th Quarter.
1892 .....	3,964	2,926	2,780	2,427
1893 .....	2,653	2,825	2,878	2,750
1894 .....	3,166	2,860	2,774	2,402
1895 .....	2,780	2,412	2,764	2,503
1896 .....	2,728	2,717	2,836	2,339
1897 .....	3,026	2,681	2,856	2,671
1898 .....	2,567	2,641	2,964	2,782

Table No. 29 exhibits the total number of deaths which occurred in each month of the seven years for which a report has now been made. In 1892, the highest mortality occurred in January; in 1893, in August; in 1894, in January; in 1895, in March; in 1896, in August; in 1897, in March; in 1898, in September. The smallest number of deaths in all the seven registration years has been in November, with the exception of 1897, when it was in June; and 1898, when it was in September. The number of deaths for 1898 in each month by counties is shown in Table No. 33.

*Sex and Mortality.*—Of the 10,956 decedents, 5,506 were males, and 5,447 were females. The sex of 3 was unstated.

Among children dying before they were 5 years old, 1,338 were males, and 1,115 were females; there were 223 more deaths among boys under 5 years of age than among girls within the same age-period. On the contrary, at the age-periods from 10 to 50 years there was a preponderance of deaths among females, while there were more deaths among males at the ages from 50 to 80. At the age of 100 years and over, seven persons died, three men and four women. See Table No. 33.



*Age and Mortality.*—The following shows the number of deaths which occurred within each age-period, and the relation which the percentage in each period bears to the whole number of deaths:

Under 1	year of age	1,687	15.40 per cent.
From 1-5	years of age	767	7.00 per cent.
From 5-10	years of age	279	2.55 per cent.
From 10-20	years of age	523	4.77 per cent.
From 20-30	years of age	803	7.33 per cent.
From 30-40	years of age	675	6.16 per cent.
From 40-50	years of age	713	6.51 per cent.
From 50-60	years of age	931	8.50 per cent.
From 60-70	years of age	1,408	12.85 per cent.
From 70-80	years of age	1,735	15.84 per cent.
From 80-90	years of age,	1,142	10.42 per cent.
From 90-100	years of age	225	2.05 per cent.
Over 100	years of age	7	0.06 per cent.
Ages not stated		61	0.56 per cent.

*The Causes of Death.*—Of the 11,762 deaths, including 648 still-births and 158 premature births, the cause of 11,331 was certified, leaving 431 of which the cause of death was unspecified or so ill-defined as to preclude satisfactory classification.

The following table shows the mortality from ten prominent causes in the seven years 1892-98. With the exception of the year 1892, the various diseases of the brain have occupied the first place among the causes of death, and consumption has been the next most prominent cause of death until this year when it is reduced to the third place in the list, and diseases of the heart have the second place. In 1892, on account of the existing epidemic of influenza, pneumonia was raised to the first place in the list of the causes of death.

**MORTALITY FROM TEN PROMINENT CAUSES—1892-98.**

CAUSES OF DEATH.	1898.	1898.	1897.	1896.	1895.	1894.	1893.	1892.
Brain disease*.....	1,336	1	1	1	1	1	1	3
Heart diseases.....	1,062	2	3	3	3	4	4	4
Consumption.....	1,021	3	2	2	2	2	2	2
Pneumonia.....	769	4	4	4	4	3	3	1
Infantile diarrhea.....	669	5	6	6	6	7	6	6
Old age.....	616	6	5	5	5	5	5	5
Cancer.....	531	7	7	7	7	6	7	7
Kidney disease †.....	463	8	8	8	8	8	8	8
Diphtheria and croup.....	240	9	9	10	10	10	10	10
Bronchitis.....	210	10	10	9	9	9	9	9

\* Including deaths certified as from apoplexy, paralysis, insanity, inflammatory diseases of brain and its membranes, and other brain diseases.

† Including deaths certified as from nephritis, Bright's disease, albuminuria, and uremia.

By referring to Table No. 30, it will be noticed that the causes of death are arranged under eight "Classes," and that the causes of death in some of the classes are distributed into several "Groups." The following notes on some of the classes and groups of diseases and individual causes of death will be arranged in accordance with the classification shown in this Table No. 30.

*Zymotic Diseases.*—The lists of the zymotic diseases usually include smallpox, measles, scarlet fever, typhoid fever, whooping-cough, diphtheria and croup, and the diarrheal diseases. The following table shows the number of deaths which resulted from these zymotic diseases in the several counties of the State.

## SEVEN ZYMOTIC DISEASES BY COUNTIES—1898.

COUNTIES.	Population in 1890.	Aggregate deaths from zymotic diseases—1898.	Zymotic death-rate per 10,000—1898.	Mean zymotic death-rate—1892-98.
Androscoggin .....	48,968	195	39.82	28.91
Aroostook .....	49,589	230	46.38	32.90
Cumberland .....	90,949	200	21.99	19.34
Franklin .....	17,053	29	17.01	15.25
Hancock .....	37,312	70	18.76	13.06
Kennebec .....	57,012	124	21.75	22.80
Knox .....	31,473	34	10.80	14.48
Lincoln .....	21,996	10	4.54	6.49
Oxford .....	30,586	41	13.40	11.62
Penobscot .....	72,865	142	19.49	15.90
Piscataquis .....	16,134	24	14.88	10.27
Sagadahoc .....	19,452	28	14.39	11.82
Somerset .....	32,627	53	16.24	12.91
Waldo .....	27,759	25	9.06	8.19
Washington .....	44,482	84	18.88	16.67
York .....	62,829	149	23.72	24.26
State .....	661,066	1,438	21.75	18.54

In the foregoing table the third column shows, for each county, the whole number of deaths in 1898 from the zymotic diseases, the fourth column shows the zymotic death-rate for the same year, and the last column gives the mean or average zymotic death-rate in each county for the seven years 1892-98. The following table makes a similar comparative exhibit for the cities:

## ZYMOTIC DISEASES BY CITIES—1893.

CITIES.	Population in 1890.	Aggregate deaths from seven zymotic diseases—1893.	Zymotic death-rate per 10,000—1893.	Mean zymotic death-rate—1892-93.
Auburn .....	11,250	38	33.78	22.48
Augusta .....	10,527	45	42.74	38.95
Bangor .....	19,103	47	24.60	20.04
Bath .....	8,723	12	13.76	15.23
Belfast .....	5,294	9	17.00	10.52
Biddeford .....	14,443	76	52.62	56.08
Brewer .....	4,193	7	16.69	21.12
Calais .....	7,290	10	13.72	31.16
Deering .....	5,353	8	14.94	11.82
Eastport .....	4,908	20	40.75	24.45
Ellsworth .....	4,804	7	14.57	9.22
Gardiner .....	5,491	10	18.39	15.90
Hallowell .....	3,181	3	9.43	13.47
Lewiston .....	21,701	134	61.75	43.18
Old Town .....	5,312	28	52.72	32.00
Portland .....	36,425	129	35.42	22.90
Rockland .....	8,174	12	14.68	21.67
Saco .....	6,075	13	21.40	21.16
Waterville .....	7,107	23	32.36	42.01
Westbrook .....	6,632	16	24.13	32.30
Collectively .....	195,986	637	32.50	27.89

*Infectious Diseases.*—Disregarding influenza, the number of deaths caused by this group of diseases was 684 in 1892, 678 in 1893, 536 in 1894, 575 in 1895, 617 in 1896, 605 in 1897, and 660 in 1898. In 1898 there were, therefore, 55 more deaths from these causes than in the preceding year. By consulting the table which follows, it will be seen that the number of deaths from typhoid fever, measles, and scarlet fever was larger than

in 1897; that from whooping-cough the mortality was less than in any of the three preceding years; and that the combined mortality from diphtheria and croup was less than for the last registration year.

### INFECTIOUS DISEASES—1892-98.

DISEASES.	1892.	1893.	1894.	1895.	1896.	1897.	1898.	Totals.
Smallpox .....	-	-	-	-	-	-	-	-
Chicken-pox .....	-	1	-	1	-	-	-	2
Measles .....	29	55	21	8	32	22	41	208
Rötheln .....	-	-	-	1	2	-	-	3
Scarlet fever .....	36	80	29	25	33	38	43	284
Typhus fever .....	-	-	1	1	1	-	-	3
Influenza .....	755	153	295	152	117	294	145	1,911
Whooping cough .....	54	51	20	82	111	46	44	408
Mumps .....	-	-	-	1	-	-	3	4
Diphtheria .....	106	69	77	135	109	200	185	881
Croup .....	106	83	62	62	65	76	55	509
Tonsillitis, etc. ....	9	7	1	4	7	11	8	47
Cerebro-spinal meningitis .....	38	30	34	29	33	36	43	243
Tetanus .....	7	10	6	10	8	2	4	47
Typhoid fever .....	255	257	258	185	186	151	216	1,508
Simple continued fever .....	31	29	19	21	18	16	10	144
Malarial diseases .....	13	5	8	10	12	7	8	63
Other specific febrile diseases....	-	1	-	-	-	-	-	1

*Smallpox.*—No death has resulted from this cause in any of the seven years covered by the vital statistics reports, 1892-98.

*Measles.*—This disease caused the death of 41 persons, of whom 20 were males and 21 were females. The deaths from measles were 29 in 1892; 55 in 1893; 21 in 1894; 8 in 1895; 32 in 1896; and 22 in 1897.

**MEASLES BY COUNTIES, MONTHS, AND AGE-PERIODS—1896-98.**

BY COUNTIES.	By months.	By age-periods.
Androscoggin ..... 12	January ..... 8	Under 1..... 32
Aroostook ..... 13	February ..... 10	1-5..... 41
Cumberland ..... 12	March ..... 7	5-10..... 7
Franklin ..... -	April ..... 7	10-20..... 3
Hancock ..... 6	May ..... 17	20-30..... 4
Kennebec ..... 9	June ..... 6	30-40..... 3
Knox..... -	July..... 11	40-50..... 1
Lincoln ..... 2	August ..... 5	50-60..... 2
Oxford ..... 7	September ..... 5	Over 60..... 2
Penobscot ..... 15	October..... 8	Total..... 95
Piscataquis ..... -	November..... 7	
Sagadahoc ..... 4	December ..... 4	
Somerset..... 1	Total ..... 95	
Waldo..... 4		
Washington ..... 1		
York..... 9		
State..... 95		

*Scarlet Fever.*—The total mortality from this disease was 43 (36 in 1892, 80 in 1893, 29 in 1894, 25 in 1895, 33 in 1896, and 38 in 1897), 19 males and 24 females. The largest number of deaths occurred at the age-period 1-5. The largest monthly number of deaths from this cause was 9 in October. There were 8 deaths in the first quarter, 7 in the second, 6 in the third, and 22 in the last three months of the year. Penobscot county had 7 deaths from scarlet fever; Androscoggin had 6; Cumberland and Kennebec had 5 each; Aroostook, Waldo, and York had 4 each; Hancock and Knox had 3 each; and Oxford and Sagadahoc had 1 each. In 5 counties no deaths occurred from this disease. Of the 43 deaths from this cause, 30 were in the cities. The following is an exhibit of the scarlet fever deaths arranged by counties, months, and age-periods for the six years 1893-98:

**SCARLET FEVER BY COUNTIES, MONTHS, AND AGE-PERIODS  
1893-98.**

BY COUNTIES.		By months.		By age-periods.	
Androscoggin .....	19	January .....	16	Under 1.....	22
Aroostook .....	33	February.....	19	1-5.....	116
Cumberland .....	27	March .....	24	5-10.....	73
Franklin .....	5	April.....	22	10-20 .....	28
Hancock .....	11	May.....	20	20-30.....	7
Kennebec .....	22	June .....	23	30-40.....	-
Knox .....	20	July.....	14	40-50.....	1
Lincoln.....	1	August .....	12	Not stated.....	1
Oxford .....	2	September.....	21	Total. ....	248
Penobscot.....	26	October.....	25		
Piscataquis.....	-	November .....	27		
Sagadahoc .....	8	December .....	25		
Somerset.....	6	Total.....	248		
Waldo.....	7				
Washington.....	13				
York.....	48				
State .....	248				

The scarlatinal death-rate per 10,000 for the State was 0.65; for the cities, 1.54.

*Influenza.*—During the year for which this report is made, 145 deaths were attributed to influenza. By months the percentage distribution of deaths from this cause was as follows: January, 11.0; February, 9.7; March, 9.7; April, 10.3; May, 9.0; June, 6.2; July, 2.1; August, 6.2; September, 5.5; October, 4.8; November, 1.4; December, 23.4; not stated, 0.7. The following shows the age incidence of deaths reported as having occurred from influenza:

Under 1 year,	28	50-60 years,	6
1-5 years,	28	60-70 years,	13
5-10 years,	7	70-80 years,	23
10-20 years,	5	Over 80 years,	24
20-30 years,	4		
30-40 years,	1	Total,	145
40-50 years,	6		

The influenza death-rate for the whole State was 2.19 for each 10,000 of living population (11.43 in 1892, 2.31 in 1893, 4.46 in 1894, 2.30 in 1895, 1.77 in 1896, and 4.45 in 1897).

### DEATHS FROM INFLUENZA BY COUNTIES AND MONTHS—1893.

COUNTIES.	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.	Not stated.	Total.
Androscoggin .....	-	-	1	3	1	-	-	-	-	-	1	7	-	13
Aroostook .....	2	4	4	3	6	5	2	7	5	5	1	1	-	45
Cumberland .....	6	-	-	3	-	1	-	-	-	1	-	6	-	17
Franklin .....	-	-	-	-	1	-	1	-	-	-	-	1	-	3
Hancock .....	1	1	1	1	-	-	-	-	-	-	-	2	-	6
Kennebec .....	1	2	2	2	1	-	-	-	-	-	-	2	-	10
Knox .....	1	2	1	-	-	1	-	1	-	-	-	-	-	6
Lincoln .....	-	-	-	-	-	1	-	-	-	-	-	-	-	1
Oxford .....	-	1	-	1	1	1	-	-	-	-	-	-	-	4
Penobscot .....	-	1	1	1	-	-	-	-	-	1	-	9	-	13
Piscataquis .....	1	2	2	-	-	-	-	-	-	-	-	2	-	7
Sagadahoc .....	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Somerset .....	3	-	1	1	1	-	-	-	-	-	-	2	-	8
Waldo .....	-	-	-	-	-	-	-	-	1	-	-	1	-	2
Washington .....	1	1	-	-	1	-	-	1	-	-	-	-	1	5
York .....	-	-	1	-	1	-	-	-	2	-	-	1	-	5
State .....	16	14	14	15	13	9	3	9	8	7	2	34	1	145

*Whooping-Cough.*—The number of deaths from whooping-cough was 44 (54 in 1892, 51 in 1893, 20 in 1894, 82 in 1895, 111 in 1896, and 46 in 1897), of which 15 were males and 29 were females. The number of deaths in the cities was 28. Twenty-nine of the 44 deaths from this cause were among infants under 1 year of age.

The death-rate in the State from whooping-cough was 0.66 per 10,000; that of the cities, 1.42.

The following shows the deaths from whooping-cough arranged by counties, months, and age-periods:



**WHOOPIING-COUGH BY COUNTIES, MONTHS, AND AGE-PERIODS  
—1898.**

BY COUNTIES.	By months.	By age-periods.
Androscoggin..... 6	January ..... 1	Under 1 ..... 29
Aroostook ..... 2	February ..... 1	1-5 ..... 15
Cumberland ..... 18	March ..... 5	Total ..... 44
Franklin ..... -	April ..... 3	
Hancock ..... 3	May ..... 1	
Kennebec ..... 1	June ..... 1	
Knox ..... -	July ..... 4	
Lincoln ..... -	August ..... 3	
Oxford ..... -	September ..... 7	
Penobscot ..... 5	October ..... 9	
Piscataquis ..... -	November ..... 3	
Sagadahoc ..... -	December ..... 6	
Somerset ..... 1	Total ..... 44	
Waldo ..... -		
Washington ..... 5		
York ..... 3		
State ..... 44		

*Diphtheria.*—There were, for the year 1898, 185 deaths from diphtheria (106 in 1892, 69 in 1893, 77 in 1894, 135 in 1895, 109 in 1896, and 185 in 1897). Of the decedents, 86 were males and 99 were females.

Ages: Under 1, 24; 1-5, 77; 5-10, 54; 10-20, 19; 20-30, 4; 30-40, 3; 40-50, 2; 50-60, 1; over 70, 1.

Of the 185 deaths, 87 were in the cities, and 98 in other places. The diphtheria death-rate for the State was 2.80, and for the cities, 4.44.

The following exhibits the deaths from diphtheria arranged by counties and months, and gives the death-rate in each county:

## DIPHTHERIA BY COUNTIES AND MONTHS—1893.

COUNTIES.	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.	Total.	Death-rate per 10,000.
Androscoggin .....	4	1	3	1	5	4	9	1	2	4	6	-	40	8.13
Aroostook .....	3	9	1	8	2	4	5	6	9	1	2	3	53	10.69
Cumberland .....	5	6	2	-	4	1	-	2	2	-	6	5	33	3.63
Franklin .....	-	-	-	-	-	-	-	-	-	-	-	1	1	0.59
Hancock .....	1	1	-	-	-	-	-	1	-	-	-	-	3	0.80
Kennebec .....	-	-	1	-	1	2	1	-	-	2	1	-	8	1.40
Knox .....	-	-	-	-	2	-	-	-	-	2	3	2	9	2.86
Lincoln .....	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Oxford .....	-	-	-	1	-	-	1	-	-	-	-	-	2	0.65
Penobscot .....	2	-	-	-	2	-	-	-	-	1	-	2	7	0.96
Piscataquis .....	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Sagadahoc .....	-	-	-	1	-	-	-	-	-	-	-	-	1	0.51
Somerset .....	1	-	-	-	-	-	3	1	3	-	-	-	8	2.45
Waldo .....	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Washington .....	-	-	-	-	-	-	-	-	-	-	-	-	-	-
York .....	1	2	1	1	-	-	-	-	5	2	4	4	20	3.18
State .....	17	19	8	12	16	11	19	11	21	12	22	17	185	2.80

*Croup.*—The number of deaths referable to this cause was 55 (106 in 1892, 83 in 1893, 62 in 1894, 62 in 1895, 65 in 1896, and 76 in 1897). Of the 55 decedents, 29 were males and 26 females. All but 2 were less than 10 years of age.

Ages: Under 1, 18; 1-5, 26; 5-10, 9; over 10, 2.

The death-rate for croup was, for the State, 0.83; for the cities, 1.33.

The distribution of croup by counties and months is shown in the following table:

**CROUP BY COUNTIES, AND MONTHS—1893.**

COUNTIES.	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.	Total.	Death-rate per 10,000.
Androscoggin .....	-	4	1	1	1	-	2	1	1	2	-	-	13	2.65
Aroostook .....	1	1	-	1	2	-	-	2	-	2	1	3	13	2.62
Cumberland .....	1	-	-	-	2	-	-	1	-	-	-	-	4	0.43
Franklin .....	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hancock .....	1	-	-	-	-	-	-	-	-	-	-	2	3	0.81
Kennebec .....	-	-	1	-	-	-	-	-	-	-	1	-	2	0.35
Knox .....	-	-	1	-	-	-	-	-	-	-	-	-	1	0.32
Lincoln .....	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Oxford .....	-	1	-	-	-	-	-	-	-	-	-	-	1	0.33
Penobscot .....	-	1	-	-	-	1	-	-	-	1	-	-	3	0.41
Piscataquis .....	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Sagadahoc .....	1	1	-	-	-	-	-	-	-	-	-	-	2	1.03
Somerset .....	-	-	1	1	-	-	1	-	-	-	-	-	3	0.93
Waldo .....	-	-	-	-	-	-	-	-	-	-	-	1	1	0.36
Washington .....	-	-	-	1	-	-	-	1	1	-	-	-	3	0.66
York .....	-	1	-	-	-	-	-	-	1	1	1	2	6	0.95
State .....	4	9	4	4	5	1	3	5	3	6	3	8	55	8.32

It is now conceded that the two diseases, croup and diphtheria, are etiologically one and the same. The combined death-rate for the two diseases is 3.63 per 10,000 of living population; of our cities, 5.77.

The following tabulation shows the number of deaths from diphtheria and croup for the seven years 1892-98, arranged by counties, months, and age-periods:

**DIPHTHERIA AND CROUP BY COUNTIES, MONTHS, AND AGE-PERIODS—1892-93.**

BY COUNTIES.	By months.	By age-periods.
Androscoggin ..... 157	January ..... 150	Under 1 ..... 218
Aroostook ..... 263	February ..... 125	1-5. .... 622
Cumberland ..... 268	March ..... 89	5-10 ..... 326
Franklin ..... 22	April ..... 92	10-20 ..... 153
Hancock ..... 35	May ..... 97	20-30 ..... 30
Kennebec ..... 137	June ..... 76	30-40 ..... 20
Knox ..... 89	July ..... 89	40-50 ..... 8
Lincoln ..... 14	August ..... 73	50-60 ..... 4
Oxford ..... 20	September ..... 100	60-70 ..... 4
Penobscot ..... 84	October ..... 161	Over 70 ..... 2
Piscataquis ..... 14	November ..... 160	Not stated ..... 3
Sagadahoc ..... 27	December ..... 176	Total ..... 1,390
Somerset ..... 35	Not stated ..... 2	
Waldo ..... 24	Total ..... 1,390	
Washington ..... 67		
York ..... 134		
State.. ..... 1,390		

*Cerebro-Spinal Meningitis.*—The number of decedents was 43 (38 in 1892, 30 in 1893, 34 in 1894, 29 in 1895, 33 in 1896, and 36 in 1897)—22 males and 21 females. Eighteen of these deaths were in the cities. Deaths from this cause occurred in every month. Distributed by quarters, they were 10, 6, 14, 13. The death-rate from this disease was 0.65.

The distribution of deaths from cerebro-spinal meningitis by counties, months, and age-periods is shown in the following:

**CEREBRO-SPINAL MENINGITIS BY COUNTIES, MONTHS, AND AGE-PERIODS—1898.**

By COUNTIES.	By months.	By age-periods.
Androscoggin ..... 3	January ..... 4	Under 1 ..... 8
Aroostook ..... 2	February ..... 5	1-5..... 18
Cumberland ..... 8	March ..... 1	5-10..... 13
Franklin ..... 4	April ..... 4	10-20..... 6
Hancock ..... 5	May ..... 1	20-30..... 3
Kennebec ..... 2	June ..... 1	30-40..... 2
Knox ..... 2	July ..... 5	50-60..... 2
Lincoln ..... 1	August ..... 4	Over 60 ..... 1
Oxford ..... 1	September ..... 5	Total ..... 43
Penobscot ..... 7	October..... 7	
Piscataquis ..... -	November..... 5	
Sagadahoc ..... -	December .... 1	
Somerset ..... -	Total..... 43	
Waldo ..... -		
Washington ..... 4		
York..... 4		
State ..... 43		

*Tetanus.*—This disease was the cause of 4 deaths (7 in 1892, 10 in 1893, 6 in 1894, 10 in 1895, 8 in 1896, and 2 in 1897). The decedents were 1 male and 3 females. These deaths occurred in February, June, and July. Ages, 4 months, 35, 57, and 72 years.

*Typhoid Fever.*—Including 6 deaths from “gastric fever,” 2 “slow fever,” and 2 “bilious fever,” there were 226 deaths from typhoid fever. Of these, 144 were of males and 82 of females. As indicative of the loss which the State incurs from typhoid fever, it is well to bear in mind that the age distribution of the decedents shows that the deaths from this disease are principally among those active and productive age-periods when human life is of the most value,—81 per cent. died between 10 and 50 years of age.

Ages: 1-5, 9; 5-10, 8; 10-20, 43; 20-30, 90; 30-40, 28; 40-50, 14; 50-60, 22; 60-70, 7; 70-80, 5.

The largest number of deaths, 49, occurred in October, and the smallest number, 7, in July. By quarters, 32 were in the first quarter, 43 in the second, 55 in the third, and 96 in the last quarter of the year.

The typhoid death-rate of 5.77 in the cities is considerably greater than that in the villages and rural towns, which is 2.42. The rate for the State is 3.42.

In 26 cases, the records state that the deaths were of Spanish war soldiers. The following exhibits the number of deaths from typhoid fever in each county by months, with death-rate in each county.

**TYPHOID FEVER—1893.**

COUNTIES.	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.	Total.	Death-rate per 10,000.
Androscoggin .....	-	2	2	1	1	5	1	-	1	4	2	4	23	4.69
Aroostook .....	-	-	-	-	2	-	-	1	1	1	-	-	5	1.01
Cumberland .....	1	2	2	3	3	2	-	7	11	7	7	6	51	5.61
Franklin .....	-	-	-	-	2	1	-	-	-	2	1	-	6	3.52
Hancock .....	1	1	1	-	-	1	1	-	-	1	-	4	10	2.68
Kennebec .....	2	2	4	2	1	-	-	1	8	5	2	3	30	5.26
Knox .....	-	-	-	-	-	1	-	1	3	3	-	-	8	2.56
Lincoln .....	1	1	1	-	1	-	-	-	1	1	-	-	6	2.72
Oxford .....	-	-	-	1	-	-	1	1	1	2	2	1	9	2.94
Penobscot .....	2	-	1	1	1	1	3	-	1	7	2	3	22	3.02
Piscataquis .....	-	-	-	2	-	1	-	-	-	1	-	-	4	2.48
Sagadahoc .....	-	-	1	-	-	-	-	-	1	1	-	1	4	2.06
Somerset .....	-	2	-	-	-	1	-	1	1	-	-	2	7	2.15
Waldo .....	-	-	-	-	2	1	-	1	-	2	-	1	7	2.52
Washington .....	-	-	-	-	-	-	1	1	2	6	2	1	13	2.92
York .....	1	2	-	2	3	1	-	-	3	6	1	2	21	3.34
State .....	8	12	12	12	16	15	7	14	34	49	19	28	226	3.42

The following exhibits for the seven years 1892-98, the distribution of deaths from typhoid fever by counties, months, and age-periods:

**TYPHOID FEVER BY COUNTIES, MONTHS, AND AGE-PERIODS—  
1892-98.**

By COUNTIES.	By months.	By age-periods.
Androscoggin ..... 191	January ..... 111	Under 1 ..... 21
Aroostook ..... 137	February ..... 97	1-5.. ..... 72
Cumberland ..... 248	March ..... 123	5-10..... 30
Franklin ..... 54	April ..... 81	10-20..... 379
Hancock ..... 77	May. .... 100	20-30..... 516
Kennebec ..... 153	June ..... 94	30-40..... 222
Knox ..... 39	July..... 81	40-50. .... 129
Lincoln ..... 32	August ..... 128	50-60..... 92
Oxford ..... 72	September ..... 236	60-70..... 63
Penobscot ..... 216	October ..... 268	70-80. .... 50
Piscataquis ..... 29	November..... 153	Over 80 ..... 13
Sagadahoc .. ..... 28	December . .... 147	Not stated..... 15
Somerset..... 60	Not stated..... 3	
Waldo. .... 39		Total..... 1,652
Washington ..... 85	Total..... 1,652	
York ..... 192		
State ..... 1,652		

*Malarial Diseases.*—Eight deaths were registered as from malarial diseases. In five cases the disease was contracted outside of this State, one of the persons having been a soldier in the war of the rebellion, and one in the Cuban war. In three cases no information is at hand as to the place of infection. All but 1 of the decedents were males; their respective ages were 21, 27, 30, 41, 60, 62, 69, and 77.

*Tuberculosis.*—In 1898, tuberculosis in its various forms was the cause of 1,239 deaths (1,513 in 1892, 1,446 in 1893, 1,449 in 1894, 1,397 in 1895, 1,359 in 1896, and 1,338 in 1897). The death-rate per 10,000 from this cause was 18.74.

*Cerebral Tuberculosis.* (Tubercular Meningitis).—The number of deaths was 62; 27 were of males and 35 of females. The number in the cities was 23. The death-rate for the State was 0.94; for the cities, 1.17.

Ages: Under 1, 18; 1-5, 17; 5-10, 10; 10-20, 10; 20-30, 3; 30-40, 1; 40-50, 1; over 70, 1.

*Pulmonary Tuberculosis.* (Consumption).—From this cause 1,021 deaths were registered in 1898, which is equivalent to a death-rate of 15.44 per 10,000 of population. The death-rate for the cities was 17.71. The following tabular arrangement of the number of deaths in the State from pulmonary tuberculosis in each of the seven registration years, together with the death-rate from consumption for each year, is a very encouraging exhibit. It indicates a progressive and rather rapid diminution in the mortality from pulmonary tuberculosis.

	Number of deaths.	Death-rate per 10,000.
1892.....	1,352.....	20.45
1893.....	1,299.....	19.64
1894.....	1,262.....	19.09
1895.....	1,195.....	18.08
1896.....	1,172.....	17.73
1897.....	1,128.....	17.06
1898.....	1,021.....	15.44

There were, in 1898, 331 fewer deaths than in 1892, 278 fewer than in 1893, 241 fewer than in 1894, 174 fewer than in 1895, 151 fewer than in 1896, and 107 fewer than in 1897.

Ages: Under 1, 18; 1-5, 12; 5-10, 11; 10-20, 136; 20-30, 290; 30-40, 195; 40-50, 112; 50-60, 92; 60-70, 85; 70-80, 52; 80-90, 13; over 90, 2; not stated, 3.

It is thus shown in this report, as it was in the six preceding reports, that the smallest number of deaths occurred at the age-period 5 to 10 years, and that, of the decedents whose ages were given, 80 per cent. died at those ages when their deaths entailed the greatest loss to the State.

As to the sex, 447 of the decedents, or 43.8 per cent., were males; and 573, or 56.2 per cent., were females, and the sex of 1 was not stated.

The following table shows the number of deaths in each county by months, with the death-rate from consumption in each county:



## CONSUMPTION BY COUNTIES AND MONTHS—1898.

COUNTIES.	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.	Total.	Death-rate per 10,000.
Androscoggin.....	10	6	8	9	12	9	10	6	4	7	5	7	93	18.99
Aroostook.....	7	4	9	6	6	9	9	8	5	8	4	6	81	16.33
Cumberland.....	14	9	7	9	14	12	7	12	19	13	11	22	149	16.38
Franklin.....	4	4	1	5	3	2	1	2	1	3	1	2	29	17.01
Hancock.....	7	6	7	5	4	3	4	3	5	3	8	3	58	15.54
Kennebec.....	1	3	14	4	7	6	10	5	5	8	7	6	76	13.33
Knox.....	1	4	9	5	7	7	1	3	9	5	3	3	57	18.11
Lincoln.....	4	1	3	1	1	4	3	-	3	2	1	2	25	11.37
Oxford.....	3	8	5	8	5	4	3	5	2	-	2	4	49	16.02
Penobscot.....	11	5	7	8	10	6	6	3	7	12	8	14	97	13.31
Piscataquis.....	2	2	1	1	3	2	1	-	-	1	2	3	18	11.16
Sagadahoc.....	1	2	6	4	-	3	5	3	1	1	4	1	31	15.94
Somerset.....	2	8	4	6	2	5	5	3	5	5	4	3	52	15.94
Waldo.....	4	-	5	4	1	2	5	8	3	2	3	7	44	15.85
Washington.....	4	1	5	10	2	7	3	8	5	8	6	5	64	14.39
York.....	9	9	6	9	8	4	10	9	11	8	7	8	98	15.60
State.....	84	72	97	94	85	85	83	78	85	86	76	96	1,021	15.44

For the seven years 1892-98, the distribution of deaths from pulmonary consumption is shown by counties, months, and age-periods in the following table:

**CONSUMPTION BY COUNTIES, MONTHS, AND AGE-PERIODS  
—1892-93.**

By COUNTIES.	By months.	By age-periods.
Androscoggin ..... 649	January ..... 737	Under 1 ..... 137
Aroostook ..... 481	February ..... 681	1-5 ..... 126
Cumberland ..... 1,155	March ..... 802	5-10 ..... 75
Franklin ..... 230	April ..... 795	10-20 ..... 1,032
Hancock ..... 451	May ..... 801	20-30 ..... 2,463
Kennebec ..... 771	June ..... 727	30-40 ..... 1,549
Knox ..... 471	July ..... 697	40-50 ..... 960
Lincoln ..... 251	August ..... 651	50-60 ..... 736
Oxford ..... 316	September ..... 613	60-70 ..... 668
Penobscot ..... 983	October ..... 665	70-80 ..... 492
Piscataquis ..... 196	November ..... 587	Over 80 ..... 144
Sagadahoc ..... 235	December ..... 670	Not stated ..... 47
Somerset ..... 425	Not stated ..... 3	Total ..... 8,429
Waldo ..... 372	Total ..... 8,429	
Washington ..... 612		
York ..... 811		
State ..... 8,429		

*Tuberculosis Mesenteric.*—There were 60 deaths from this cause, 25 males and 35 females.

*Ages:* Under 1, 6; 1-5, 4; 5-10, 4; 10-20, 9; 20-40, 18; 40-60, 15; over 60, 3; not stated, 1.

*Tuberculosis, Other Forms.*—Of these deaths, 96 in all, the cause assigned was: tuberculosis or general tuberculosis, 47; scrofula, 15; tuberculosis of larynx, 10; tuberculosis of kidney, 4; tuberculosis of glands, 4; miliary tuberculosis, 3; tuberculosis of throat, 3; spinal tuberculosis, 3; tuberculosis of liver, 2; lupus, 2; psoas abscess, 1; tuberculosis of hip joint, 1; tuberculous ulceration of face, 1.

*Diarrheal Diseases.*—The total number of deaths caused by the diseases under this group was 854 (662 in 1892, 642 in 1893, 602 in 1894, 635 in 1895, 639 in 1896, and 666 in 1897). The death-rate for this group of diseases was 12.92 per 10,000.

*Infantile Diarrhea.*—This, as synonymous with cholera infantum or including it, was the cause of 669 deaths (546 in 1892, 507 in 1893, 468 in 1894, 523 in 1895, 520 in 1896, and 528 in 1897). A reference to the following table will show the number of deaths which occurred in each month, as well as the number in each county, and the county death-rates, for this cause. There were in the first quarter of the year but 19 deaths from this cause; in the second quarter, 28; in the third quarter, 505; and in the fourth quarter, 117. The largest number of deaths occurred in September, 235.

Of the children dying from this cause, 50 per cent. were less than 6 months old, and another 35 per cent. were less than 1 year of age, making 85 per cent. of deaths within the first year of age.

**Ages:** Under 6 months, 338; 6-12 months, 234; 1-2 years, 97.

In the classification of deaths from diarrheal diseases, only the deaths among children 2 years old, or younger, are included under "infantile diarrhea." The deaths from diarrheal diseases, other than those under this cause, were: cholera morbus, 38; dysentery, 52; and diarrhea, 95.

Of the 669 deaths from infantile diarrhea, 297 were returned from the cities. This represents an urban death-rate from this cause of 15.15 (15.20 in 1892, 14.33 in 1893, 13.27 in 1894, 13.78 in 1895, 11.43 in 1896, and 14.95 in 1897), which is in contrast with 8.00, the rate for the villages and rural districts (5.33 in 1892, 4.95 in 1893, 4.47 in 1894, 5.44 in 1895, 6.36 in 1896, and 5.05 in 1897).

## INFANTILE DIARRHEA BY COUNTIES AND MONTHS—1898.

COUNTIES.	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.	Total.	Death-rate per 10,000.
Androscoggin .....	2	2	2	-	1	1	22	37	19	6	3	2	97	19.81
Aroostook .....	1	-	2	2	3	1	9	29	42	10	-	1	100	20.17
Cumberland .....	1	1	2	-	1	1	8	30	17	12	1	-	74	8.14
Franklin .....	-	-	-	-	-	1	-	3	10	4	-	-	18	10.56
Hancock .....	-	-	-	-	-	1	1	-	14	15	1	-	32	8.58
Kennebec .....	-	-	-	1	1	2	5	23	19	8	1	-	60	10.52
Knox .....	-	-	1	-	-	-	1	-	8	1	1	-	12	38.12
Lincoln .....	-	-	-	-	-	1	-	-	1	-	-	-	2	9.09
Oxford .....	1	-	-	-	-	-	-	4	8	5	1	-	19	6.21
Penobscot .....	-	-	-	1	1	-	-	23	29	11	1	1	67	9.20
Piscataquis .....	-	-	1	-	-	1	-	3	3	1	1	-	10	6.20
Sagadahoc .....	-	1	-	-	-	1	1	9	1	1	-	-	14	7.20
Somerset .....	1	-	-	-	2	1	3	6	9	4	-	-	26	7.97
Waldo .....	-	-	-	-	1	-	-	-	5	1	-	-	7	2.52
Washington .....	-	-	1	-	-	-	2	10	26	11	1	1	52	11.69
York .....	-	-	-	1	-	2	14	27	24	11	-	-	79	12.57
State .....	6	4	9	5	10	13	66	204	235	101	11	5	689	10.12

The preceding table exhibits the number of deaths from infantile diarrhea in 1898, by counties and months, with the death-rate for each county. The following is a tabulation of the deaths from infantile diarrhea for the seven years 1892-98, by counties, months, and age-groups:

**INFANTILE DIARRHEA BY COUNTIES, MONTHS AND AGE-PERIODS—  
1892-98.**

By COUNTIES.		By months.		By age-periods.	
Androscoggin .....	501	January .....	28	Under 6 months ...	1,974
Aroostook .....	531	February .....	31	6-12 months .....	1,262
Cumberland .....	478	March .....	43	1-2 years.....	485
Franklin .....	64	April .....	47	Over 2 years .....	30
Hancock .....	95	May.....	48	Unknown .....	10
Kennebec .....	462	June .....	103	Total .....	3,761
Knox .....	124	July .....	574		
Lincoln .....	25	August .....	1,311		
Oxford .....	94	September .....	1,065		
Penobscot.....	330	October.....	387		
Piscataquis .....	44	November.....	80		
Sagadahoc .....	67	December .....	42		
Somerset .....	112	Not stated.....	2		
Waldo .....	50	Total .....	3,761		
Washington .....	234				
York.....	550				
State .....	3,761				

The following is a tabular exhibit of the number of deaths from infantile diarrhea in the cities for each of the seven years 1892-98:

## INFANTILE DIARRHEA IN THE CITIES—1892-93.

CITIES.	1892.	1893.	1894.	1895.	1896.	1897.	1898.	Totals.
Auburn .....	10	18	10	9	3	15	17	82
Augusta .....	26	15	18	26	34	31	20	170
Bangor .....	14	13	20	10	15	11	18	101
Bath .....	5	4	9	3	8	6	6	41
Belfast .....	3	1	-	-	3	-	1	8
Bildeford .....	53	45	52	60	44	61	50	365
Brewer .....	2	2	8	3	4	6	3	28
Calais .....	15	13	1	12	5	19	7	72
Deering .....	5	6	2	1	5	1	2	22
Eastport .....	10	9	9	8	-	3	13	52
Ellsworth .....	1	1	-	4	-	2	1	9
Gardiner ..	8	2	4	12	2	5	4	37
Hallowell .....	7	-	2	4	1	3	1	18
Lewiston ..	47	75	45	53	24	52	69	365
Old Town .....	9	8	9	11	5	7	11	60
Portland .....	29	18	19	34	25	31	40	196
Rockland .....	14	11	6	8	11	6	5	61
Saco .....	3	5	5	3	2	5	4	27
Waterville .....	21	18	21	13	21	19	17	130
Westbrook ..	16	13	14	11	12	10	8	84
Totals .....	298	277	254	285	224	293	297	1,928

*Septic Diseases.*—Of deaths from the diseases in this group there were 13 from erysipelas; 62 from pyemia and septicemia; and 41 from puerperal fever,—giving a special death-rate of 1.75. The following shows the distribution of puerperal fever by months and counties:

January .....	3	Androscoggin .....	2
February .....	2	Aroostook .....	7
March .....	5	Cumberland .....	5
April .....	9	Franklin .....	1
May .....	5	Hancock .....	3
June .....	3	Kennebec .....	3
July .....	5	Knox .....	1
August .....	1	Lincoln .....	1
September .....	3	Oxford .....	1
October .....	1	Penobscot .....	4
November .....	3	Piscataquis .....	1
December .....	1	Sagadahoc .....	
	—	Somerset .....	2
Total .....	41	Waldo .....	1
		Washington .....	3
		York .....	6
		Total .....	41

*Dietetic Diseases.*—Thirty-seven deaths were returned under this class of causes; 16 of malnutrition of infants; 5 of rickets; 14 of alcoholism; and 2 of starvation. The special death-rate from alcoholism was 0.21.

*Constitutional Diseases.*—With tuberculosis transferred to the class of zymotic diseases, there were 730 deaths from constitutional diseases, or a death-rate of 11.04 per 10,000 for the State.

*Rheumatism.*—The returns give 57 deaths from this cause (68 in 1892, 46 in 1893, 66 in 1894, 56 in 1895, 44 in 1896, and 42 in 1897),—33 males and 24 females. Twenty-four of these deaths were in the cities. The special death-rate for this disease was, therefore, 0.86, while that in the cities was higher, 1.22. The following shows the deaths from this cause arranged by counties, months, and age-groups:

**RHEUMATISM BY COUNTIES, MONTHS, AND AGE-PERIODS, 1898.**

By COUNTIES.	By months.	By age-periods.
Androscoggin ..... 5	January .. ..... 3	Under 1 ..... -
Aroostook ..... 1	February. .... 6	1-5..... -
Cumberland ..... 10	March ..... 8	5-10.....
Franklin ..... 1	April ..... 3	10-20..... 3
Hancock ..... 2	May..... 3	20-30..... 5
Kennebec ..... 5	June ..... 3	30-40. .... 6
Knox ..... 2	July..... 7	40-50. .... 4
Lincoln ..... 2	August . .... 4	50-60. .... 5
Oxford ..... 4	September ..... 1	60-70..... 13
Penobscot ..... 5	October..... 8	70-80..... 14
Piscataquis ..... -	November..... 9	Over 80..... 5
Sagadahoc ..... 3	December..... 2	Not stated..... 1
Somerset.. ..... 4	Not stated..... -	
Waldo... ..... 1		Total.....
Washington .. ..... 3	Total..... 57	
York. .... 9		
State ..... 57		

The following shows the distribution of deaths from rheumatism by counties, months, and age-groups for the six years 1893-98:



**RHEUMATISM BY COUNTIES, MONTHS, AND AGE-PERIODS  
—1893-98.**

BY COUNTIES.		By months.	By age-periods.
Androscoggin .....	19	January .....	Under 1 .....
Aroostook .....	23	February .....	1-5 .....
Cumberland .....	45	March .....	5-10 .....
Franklin .....	2	April .....	10-20 .....
Hancock .....	15	May .....	20-30 .....
Kennebec .....	28	June .....	30-40 .....
Knox .....	13	July .....	40-50 .....
Lincoln .....	10	August .....	50-60 .....
Oxford .....	20	September .....	60-70 .....
Penobscot .....	36	October .....	70-80 .....
Piscataquis .....	6	November .....	Over 80 .....
Sagadahoc .....	13	December .....	Not stated .....
Somerset .....	16	Not stated .....	Total .....
Waldo .....	13	Total .....	
Washington .....	15		
York .....	37		
State .....	311		

*Cancer.*—From cancer in its various forms and locations, there were 531 deaths (404 in 1892, 433 in 1893, 474 in 1894, 480 in 1895, 518 in 1896, and 463 in 1897). Of the decedents, 197 were males and 334 females. The cancer death-rate for the State was, therefore, 8.03.

Distributed as to its more frequent locations, there died of cancer of the stomach, 128; of the breast, 58; liver, 61; uterus, 86; abdominal and intestinal, 42; throat, 7; rectum, 26; face, 31; lip, 10; neck, 6; mouth, 3; hand, 2; thigh, 2; eye, 2; lungs, 2; jaw, 6; tongue, 4; arm, 4; nose, 2; spleen, 2; various, 20; parts unspecified, 27.

The distribution of cancer by counties and age-groups, and the special death-rate for each county are shown in the following, for 1898, and for the seven years 1892-98:

## CANCER—1893 AND 1892-93.

COUNTIES.	1898.		1892-93.		AGE-GROUPS.	NUMBER OF DEATHS.	
	Number of deaths.	Death-rate per 10,000.	Number of deaths.	Death-rate per 10,000.		1898.	1892-93.
Androscoggin .....	43	8.78	249	7.26	Under 1 year.....	-	3
Aroostook .....	18	3.63	98	2.82	From 1 to 5 years ...	-	5
Cumberland.....	76	8.36	587	8.09	" 5 to 10 " ...	-	3
Franklin.....	11	6.45	111	9.22	" 10 to 20 " ...	5	18
Hancock .....	28	7.50	164	6.27	" 20 to 30 " ...	6	45
Kennebec .....	40	7.02	302	7.57	" 30 to 40 " ...	34	182
Knox .....	24	7.63	169	7.67	" 40 to 50 " ...	64	412
Lincoln .....	29	13.18	138	8.96	" 50 to 60 " ...	95	702
Oxford.....	25	8.19	132	6.16	" 60 to 70 " ...	156	864
Penobscot .....	49	6.72	316	6.19	" 70 to 80 " ...	110	760
Piscataquis.....	10	6.20	62	5.49	Over 80 years.....	57	286
Sagadahoc .....	14	7.20	107	7.88	Not stated .....	4	23
Somerset .....	31	9.50	177	7.75	Total .....	531	3,303
Waldo .....	32	11.53	142	7.31			
Washington .....	27	6.07	184	5.91			
York .....	74	11.78	365	8.30			
State .....	531	8.03	3,303	7.14			

*Diabetes.*—The deaths from this cause numbered 88 (55 in 1892, 65 in 1893, 71 in 1894, 77 in 1895, 67 in 1896, and 95 in 1897). The special death-rate from diabetes was, therefore, 1.34 in 1898. Forty-six of the decedents were males and 42 were females.

Ages: 1-5, 3; 5-10, 2; 10-20, 12; 20-30, 4; 30-40, 10; 40-50, 8; 50-60, 20; 60-70, 12; 70-80, 14; over 80, 3.

*Old Age.*—There were registered 616 deaths as due to old age, 289 men and 327 women. Of these decedents, 138 were between 70 and 80 years of age; 346 were from 80 to 90; 126 were from 90 to 100; while 5 were over 100 years old; and the age of 1 was unknown.

From Table No. 33, however, it will be seen that the whole number of persons who died at the ages between 70 and 100 years or more was 3,109 (3,801 in 1892, 3,147 in 1893, 3,242 in 1894, 2,897 in 1895, 3,045 in 1896, and 3,232 in 1897), or one death in every three and one-half was of a person who was between 70 and 100 years of age or older. Assuming that all these 3,109 died of old age, the death-rate from old age would be 47.03 among every 10,000 living at all ages.

The following shows the number of deaths in each county, of persons 70 years of age and over, and the number of their deaths in each 10,000 of the population at all ages:

#### OLD AGE—1898.

COUNTIES.	Deaths.	Rate per 10,000.	COUNTIES.	Deaths.	Rate per 10,000.
Androscoggin.....	189	38.60	Oxford.....	166	54.27
Aroostook.....	94	18.95	Penobscot.....	363	49.82
Cumberland.....	447	49.15	Piscataquis.....	73	45.25
Franklin.....	88	51.60	Sagadahoc.....	96	49.35
Hancock.....	158	42.35	Somerset.....	169	51.80
Kennebec.....	294	51.57	Waldo.....	179	64.48
Knox.....	150	47.06	Washington.....	166	37.32
Lincoln.....	144	65.47	York.....	334	53.16

*Centenarians.*—Among the persons whose decease occurred in 1898, seven had reached or exceeded the age of 100 years. Four of these persons were women. Their names, together with a few facts relating to the life history of each, are as follows:

September 3, John McDougal died at Mars Hill at the age of 110 years. He was born in New Brunswick. His parents were born in Scotland. His occupation was that of a farmer.

June 28, Amy Pinkham died at Boothbay at the age of 103 years, 9 months, and 22 days. She was born in Southport. Her father's name was Henry Abbott. The maiden name of her mother was Keziah White.

September 21, Tirzah Emery died at Eliot at the age of 103 years, 6 months, and 9 days. She was born in Eliot, as was also her father, Israel Emery.

November 26, Thomas Decker Pinkham died at Pittston at the age of 103 years, and 11 days. He was born in Boothbay, as was also his mother. His father was born in Rhode Island. His occupation was that of a farmer.

April 20, David R. Loring died at Auburn at the age of 100 years, 4 months, and 28 days. He was born in Auburn. No occupation given.

September 10, Ann O'Neil died at Machias at the age of 100 years, 3 months, and 27 days. She was born in Ireland, which was also the birthplace of her parents.

March 18, Margaret A. McCarthy died at Lewiston at the age of 100 years, 1 month, and 1 day. She was born in Dublin. Her parents, George Watson and Fanny O'Rourke were both born in Ireland.

*Diseases of the Nervous System.*—The number of deaths registered under the causes included in this group was 1,607 (1,459 in 1892, 1,451 in 1893, 1,543 in 1894, 1,585 in 1895, 1,520 in 1896, and 1,661 in 1897), or 24.31 to every 10,000 of population.

*Inflammation of the Brain or Membranes.*—The number of deaths was 272 (236 in 1892, 263 in 1893, 286 in 1894, 261 in 1895, 242 in 1896, and 327 in 1897),—148 males and 124 females. Of these, 121 were in the cities. The death-rate from the several diseases grouped under this head was 4.11.

Ages: Under 1, 90; 1-5, 73; 5-10, 12; 10-20, 19; 20-40, 21; 40-60, 32; over 60, 25.

*Apoplexy.*—From this cause 558 deaths occurred (488 in 1892, 422 in 1893, 408 in 1894, 488 in 1895, 492 in 1896, and 555 in 1897),—249 males and 309 females. Of these, 189 were in the cities. The State's death-rate from apoplexy was, therefore, 8.44; that of the cities, 9.64.

The largest number, 58, occurred in June; the same number of deaths from apoplexy, 151, occurred in the winter and spring.

In 1894 and 1896, the greatest mortality from this cause occurred in the spring; in 1892, 1893, 1895, and 1897, in the winter.

Conversely, the smallest number of deaths, 31, was in July; the smallest number in any one season was 120 in the autumn months. Over 76 per cent. of the deaths were of persons 60 years of age and upward.

## APOPLEXY BY COUNTIES AND MONTHS—1893.

COUNTIES.	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.	Total.	Death rate per 10,000.
Androscoggin .....	1	3	3	7	4	13	4	5	-	2	5	5	52	10.62
Aroostook .....	1	1	1	1	1	-	-	1	1	-	-	1	8	16.13
Cumberland .....	12	10	2	13	14	5	4	5	8	8	10	13	104	11.43
Franklin .....	1	-	2	2	4	3	1	1	-	1	-	4	19	11.14
Hancock .....	4	2	1	4	2	1	1	1	3	2	1	2	24	6.43
Kennebec .....	4	4	5	3	6	5	2	2	5	2	2	5	45	7.89
Knox .....	4	-	1	4	2	3	3	6	-	1	1	-	27	8.58
Lincoln. ....	-	-	-	-	1	4	-	3	-	1	3	1	13	5.91
Oxford .....	2	-	-	2	-	5	1	3	1	2	2	3	21	6.87
Penobscot .....	6	2	9	5	6	7	4	1	5	5	4	8	62	8.51
Piscataquis.....	1	2	-	1	2	-	1	-	1	-	-	-	8	4.96
Sagadahoc .....	5	2	1	2	-	-	1	-	1	1	-	-	13	6.68
Somerset. ....	3	7	5	2	2	3	1	4	1	1	-	3	32	9.81
Waldo.....	-	-	2	1	2	2	3	6	5	-	4	1	26	9.37
Washington.....	1	5	-	2	4	3	1	1	4	4	1	1	27	6.07
York.....	9	3	8	5	7	4	4	6	10	7	5	9	77	12.26
State .....	54	41	40	54	57	58	31	47	45	37	38	56	558	8.45

**APOPLEXY, 1898, AND 1893-98.**

COUNTIES.	1898.		1893-98.	
	Number of deaths.	Death-rate per 10,000.	Number of deaths.	Death-rate per 10,000.
Androscoggin .....	52	10.62	241	8.20
Aroostook .....	8	16.13	58	2.69
Cumberland .....	104	11.44	536	9.82
Franklin .....	19	11.14	85	8.31
Hancock .....	24	6.43	139	6.21
Kennebec .....	45	7.89	288	8.40
Knox .....	27	8.58	114	6.04
Lincoln .....	13	5.91	106	8.03
Oxford .....	21	6.86	151	6.87
Penobscot .....	62	8.51	265	6.06
Piscataquis .....	8	4.96	42	4.34
Sagadahoc .....	13	6.68	113	9.68
Somerset .....	32	9.81	148	7.56
Waldo .....	26	9.37	120	7.20
Washington .....	27	6.07	157	5.88
York .....	77	12.26	360	9.55
State .....	558	8.44	2,923	7.37

*Softening of the Brain.*—From cerebral softening there were 55 deaths,—those of 38 males and 17 females.

Ages: 50-60, 9; 60-70, 11; 70-80, 26; over 80, 8; not stated, 1.

*Paralysis.*—Of the 270 deaths from “Paralysis,” 126 persons were males and 144 were females.

Ages: Under 1, 3; 10-20, 4; 20-30, 4; 30-40, 8; 40-50, 14; 50-60, 32; 60-70, 42; 70-80, 88; over 80, 74; not stated, 1.

*Hemiplegia.*—From this form of paralysis there were 25 deaths reported, 13 men and 12 women.

Ages: 40-50, 2; 50-60, 1; 60-70, 5; 70-80, 10; over 80, 7.

*Epilepsy.*—Eighteen males and 23 females died of epilepsy, 41 in all.

*Ages:* Under 1, 3; 1-5, 2; 5-10, 2; 10-20, 10; 20-40, 8; 40-60, 10; over 60, 6.

*Diseases of the Heart.*—From diseases of the heart, including those from endocarditis, valvular disease of the heart, hypertrophy and dilatation, pericarditis, angina pectoris, and unspecified, there were 1,132 deaths (816 in 1892, 875 in 1893, 940 in 1894, 948 in 1895, 1,036 in 1896, and 1,062 in 1897). The following exhibits the age and sex distribution of each form of disease for the year 1898:

DISEASES.	Under 1.	1-10.	10-20.	20-40.	40-60.	Over 60.	Unknown.	Male.	Female.	Total.
Endocarditis .....	1	2	3	6	4	12	-	14	14	28
Valvular disease of heart.....	1	3	3	13	50	206	1	140	137	277
Hypertrophy of heart .....	-	-	1	5	11	45	-	30	32	62
Pericarditis .....	-	1	1	1	4	5	1	7	6	13
Unspecified diseases of heart .....	9	6	7	53	139	461	2	385	292	677
Angina pectoris. ....	-	-	-	1	17	57	-	44	31	75
Total .....	11	12	15	79	225	788	4	620	512	1,132

For the year 1898, the number of deaths in each county from diseases of the heart is shown in the following, as well as the special death-rates for State and counties:

COUNTIES.	Number of deaths.	Rate.	COUNTIES.	Number of deaths.	Rate.
Androscoggin .....	82	16.75	Oxford .....	49	16.02
Aroostook .....	36	7.26	Penobscot.....	116	15.92
Cumberland .....	169	18.58	Piscataquis .....	24	14.86
Franklin .....	26	15.25	Sagadahoc.....	36	18.51
Hancock .....	54	14.47	Somerset .....	67	20.54
Kennebec .....	110	19.29	Waldo .....	68	22.70
Knox.....	67	21.29	Washington .....	66	14.84
Lincoln. ....	50	22.73	York .....	117	18.62
			State.....	1,132	17.12

As may be noted, Lincoln county had the highest death-rate from diseases of the heart, and Aroostook the lowest. The rate for the State was 17.12.

*Diseases of the Respiratory System.*—Without the inclusion of tuberculosis, 1,124 persons died from the various respiratory diseases, as tabulated on page 99, (1,796 in 1892, 1,407 in 1893, 1,312 in 1894, 1,165 in 1895, 1,141 in 1896, and 1,347 in 1897). From these diseases there were, therefore, 672 fewer deaths than in 1892, 283 fewer than in 1893, 188 fewer than in 1894, 41 fewer than in 1895, 17 less than in 1896, and 223 less than in 1897. Including the deaths from pulmonary tuberculosis, as well as from pneumonia, bronchitis and the other respiratory diseases, in 1898 the number of deaths was 1,003 smaller than in 1892, 561 smaller than in 1893, 429 smaller than in 1894, 215 smaller than in 1895, 168 smaller than in 1896, and 330 smaller than in 1897.

The death-rate from the respiratory diseases (excluding pulmonary tuberculosis) in 1898 was 17.00 in each 10,000 of population, as compared with 20.38 in 1897, 17.26 in 1896, 17.62 in 1895, 19.85 in 1894, 21.28 in 1893, and 27.16 in 1892.

*Pneumonia.*—The number of deaths registered under this cause was 769 (1,431 in 1892, 1,143 in 1893, 1,023 in 1894, 812 in 1895, 781 in 1896, and 936 in 1897), of which 352 were males and 417 were females. The death-rate from this disease was, therefore, 11.62 per 10,000 (21.56 in 1892, 17.27 in 1893, 15.47 in 1894, 12.28 in 1895, 11.81 in 1896, and 14.16 in 1897. As 280 of the deaths occurred in the cities, the urban death-rate was 14.29.

The age distribution for pneumonia is shown in the following :

Under 1 year,	113	40-50 years,	63
1-5 years,	74	50-60 years,	57
5-10 years,	17	60-70 years,	109
10-20 years,	37	70-80 years,	124
20-30 years,	45	Over 80 years,	86
30-40 years,	38	Not stated,	6



**PNEUMONIA BY COUNTIES AND MONTHS WITH DEATH-RATES  
PER 10,000—1893.**

COUNTIES.	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.	Total.	Death-rate per 10,000.
Androscoggin .....	9	9	13	13	3	1	1	1	2	3	4	3	62	12.66
Aroostook .....	2	1	1	3	4	4	1	1	6	2	1	5	31	6.45
Cumberland .....	15	17	19	14	10	5	2	-	3	10	10	24	129	14.18
Franklin .....	7	2	-	3	3	-	-	1	1	2	1	-	20	11.73
Hancock .....	4	3	7	3	3	2	-	1	3	3	4	4	37	9.92
Kennebec .....	11	3	8	6	6	2	1	4	2	5	6	9	63	11.05
Knox .....	4	5	9	4	7	4	1	-	-	2	2	7	45	14.30
Lincoln .....	3	3	2	-	2	-	-	-	-	1	-	5	16	7.27
Oxford .....	7	3	4	2	3	1	1	-	2	3	6	5	37	12.10
Penobscot .....	17	11	11	18	17	6	3	2	4	2	10	11	112	15.37
Piscataquis .....	4	2	5	1	2	1	-	-	-	1	-	2	18	11.16
Sagadahoc .....	2	5	-	4	5	2	-	-	-	1	1	1	21	10.79
Somerset .....	5	4	4	5	2	3	-	1	2	2	4	6	38	11.65
Waldo .....	1	3	2	5	5	4	2	1	2	2	2	7	36	12.97
Washington .....	5	5	2	7	6	-	1	1	2	2	3	4	38	8.54
York .....	11	5	9	5	4	5	1	1	6	3	7	9	66	10.50
State .....	107	81	96	93	82	40	14	14	35	44	61	102	769	11.62

The following is a tabular statement of the deaths from pneumonia by counties, months, and age-groups for the seven years 1892-98:

**PNEUMONIA—1892-93.**

By COUNTIES.	By months.	By age-periods.
Androscoggin ..... 456	January ..... 1,179	Under 1. .... 922
Aroostook ..... 304	February..... 949	1-5 ..... 603
Cumberland ..... 1,172	March ..... 1,002	5-10 ..... 126
Franklin..... 179	April..... 840	10-20 ..... 249
Hancock ..... 357	May..... 645	20-30..... 356
Kennebec..... 640	June..... 327	30-40 ..... 402
Knox..... 328	July. .... 145	40-50..... 479
Lincoln..... 231	August. .... 140	50-60..... 612
Oxford..... 344	September. .... 215	60-70. .... 1,026
Penobscot ..... 797	October..... 340	70-80. .... 1,222
Piscataquis..... 137	November..... 453	Over 80 ..... 866
Sagadahoc ..... 192	December ..... 657	Not stated ..... 32
Somerset..... 330	Not stated ..... 3	Total ..... 6,895
Waldo..... 250	Total..... 6,895	
Washington..... 404		
York..... 744		
State ..... 6,895		

*Bronchitis.*—From this cause, including both acute and chronic bronchitis, 210 deaths were registered (287 in 1892, 197 in 1893, 209 in 1894, 225 in 1895, 220 in 1896, and 237 in 1897). Among these decedents, 109 were males and 101 females. Of these 210 deaths, 84 were in the cities. The largest number of deaths in any one month was 28 in December. In August occurred the smallest number of deaths, 5. The largest number of deaths in three consecutive months was 71 in October, November, and December; the smallest number in any three consecutive months was 20 in July, August, and September. The number of deaths by quarters was 59, 60, 20, and 71.

The bronchitis death-rate of the State was 3.18; of the cities, 4.28.

The following shows the age distribution of the decedents from this disease; it will be noticed that there was a great fatality at either extreme of life:

Under 1 year,	68	40-50 years,	6
1-5 years,	28	50-60 years,	7
5-10 years,	4	60-70 years,	22
10-20 years,	3	70-80 years,	30
20-30 years,	1	Over 80 years,	36
30-40 years,	5		

The following shows the distribution of bronchitis by counties and months, together with the bronchitis death-rates of counties and State:

### BRONCHITIS—1898.

COUNTIES.	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.	Total.	Death-rate per 10,000.
Androscoggin .....	2	2	-	1	1	-	1	-	-	1	-	2	10	2.04
Aroostook .....	1	-	-	-	1	2	1	1	-	2	2	1	11	2.22
Cumberland .....	3	3	3	1	2	1	1	2	1	2	5	7	31	3.41
Franklin .....	-	-	-	1	1	-	-	-	-	1	-	1	4	2.35
Hancock .....	2	1	1	5	1	-	-	-	-	1	-	-	11	2.95
Kennebec .....	3	3	2	3	2	4	1	-	2	1	2	4	27	4.74
Knox .....	1	-	1	2	3	1	-	-	-	1	-	1	10	3.18
Lincoln .....	1	1	1	1	-	-	-	-	-	-	-	-	4	1.28
Oxford .....	3	1	3	3	-	2	1	-	1	2	-	1	17	5.56
Penobscot .....	3	1	3	1	3	3	-	2	-	3	2	3	24	3.30
Piscataquis .....	-	1	-	-	-	-	-	-	-	1	-	1	3	1.86
Sagadahoc .....	-	-	1	-	1	3	1	-	1	2	-	-	9	4.63
Somerset .....	1	3	-	-	1	1	1	-	-	1	-	-	8	2.45
Waldo .....	-	-	-	2	4	1	1	-	-	-	-	2	10	3.60
Washington .....	-	3	2	-	-	-	-	-	-	2	1	1	9	2.02
York .....	2	-	1	1	1	-	1	-	1	3	8	4	22	3.50
State .....	22	19	18	21	21	18	9	5	6	23	20	28	210	3.18

*Pleurisy.*—Seventeen deaths were charged to this disease (18 in 1892, 19 in 1893, 15 in 1894, 19 in 1895, 19 in 1896, and 26 in 1897),—11 males and 6 females.

Ages: 20-30, 1; 30-40, 2; 40-50, 5; 50-60, 5; 60-70, 1; 70-80, 2; not stated, 1.

*Diseases of the Digestive System.*—The combined mortality from this group of diseases was 651 (659 in 1892, 653 in 1893, 685 in 1894, 693 in 1895, 679 in 1896, and 673 in 1897), or a death-rate of 9.85. The distribution of these under their several causes will be found on page 99.

*Peritonitis.*—There were 102 deaths from this cause (129 in 1892, 151 in 1893, 137 in 1894, 125 in 1895, 116 in 1896, and 117 in 1897),—46 males and 56 females. Fifty-two of them were in the cities. The following shows the county, month, and age distribution of the deaths from this cause:

#### PERITONITIS—1893.

BY COUNTIES.	By months.	By age-periods.
Androscoggin ..... 12	January ..... 7	Under 1..... 7
Aroostook ..... 5	February ..... 6	1-5..... 9
Cumberland ..... 16	March ..... 10	5-10..... 2
Franklin ..... 1	April ..... 8	10-20..... 21
Hancock ..... 5	May..... 7	20-30..... 11
Kennebec ..... 10	June ..... 10	30-40..... 14
Knox ..... 5	July. .... 6	40-50..... 11
Lincoln ..... -	August ..... 10	50-60..... 12
Oxford ..... 3	September ..... 4	60-70..... 9
Penobscot..... 13	October ..... 23	70-80..... 5
Piscataquis ..... -	November.. ..... 7	Over 80 ..... 1
Sagadahoc ..... 5	December ..... 4	Total..... 102
Somerset..... 10	Total . .... 102	
Waldo ..... 4		
Washington..... 7		
York ..... 6		
State..... 102		

*Appendicitis*.—Of the deaths classified under this cause, 26 in number, 16 were males and 10 were females. The number of deaths in each month was, January, 5; February, 2; March, 2; April, 1; May, 1; June, 2; July, 2; August, 1; September, 2; October, 1; November, 5; December, 2.

Ages: 1-5, 1; 5-10, 3; 10-20, 6; 20-30, 5; 30-40, 4; 40-50, 2; 50-60, 1; 60-70, 2; over 70, 2.

*Cirrhosis of the Liver*.—Thirty-eight deaths were ascribed to cirrhosis of the liver—those of 22 men and 16 women. Of these 38 deaths, 13 were in the cities, and 25 in the rural parts of the State. The death-rate of the State from this one cause was 0.58 per 10,000 (0.19 in 1892, 0.18 in 1893, 0.29 in 1894, 0.50 in 1895, 0.33 in 1896, and 0.45 in 1897).

*Diseases of the Urinary System*.—There were 577 deaths referred to the diseases under this group, equivalent to a death-rate of 8.73.

*Nephritis*.—Acute and chronic, caused the death of 145 persons, 75 males and 70 females. The death-rate from nephritis was, therefore, 2.19.

Ages: Under 1, 4; 1-5, 4; 5-10, 2; 10-20, 6; 20-30, 8; 30-40, 8; 40-50, 20; 50-60, 11; 60-70, 41; 70-80, 31; 80-90, 9; not stated, 1.

*Bright's Disease*.—This was the cause of 250 deaths (204 in 1892, 217 in 1893, 219 in 1894, 234 in 1895, 282 in 1896, and 231 in 1897),—147 males and 103 females. Of these deaths, 83 were in the cities.

Ages: Under 1, 1; 1-5, 2; 5-10, 6; 10-20, 6; 20-30, 10; 30-40, 19; 40-50, 32; 50-60, 44; 60-70, 57; 70-80, 53; over 80, 18; not stated, 2.

The following tabulation shows the number of deaths from Bright's disease in each county, and the death-rate of each from this cause:

COUNTIES.	Number of deaths.	Rate.	COUNTIES.	Number of deaths.	Rate.
Androscoggin .....	13	2.65	Oxford .....	16	5.23
Aroostook .....	11	2.22	Penobscot.....	28	3.84
Cumberland .....	51	5.61	Piscataquis .....	3	1.86
Franklin .....	9	5.28	Sagadahoc.....	4	2.06
Hancock .....	14	3.75	Somerset .....	10	3.06
Kennebec .....	13	2.28	Waldo .....	14	5.04
Knox .....	10	3.15	Washington.....	14	3.15
Lincoln .....	5	2.27	York.....	35	5.57
			State .....	250	3.78

*Childbirth.*—Under the group of accidents and diseases of reproduction, 51 deaths were registered, not including puerperal fever, (69 in 1892, 59 in 1893, 41 in 1894, 36 in 1895, 56 in 1896, and 62 in 1897). This is equivalent to a special death-rate of 0.77.

*Accidents.*—From accidents of various kinds, 390 persons met their death (376 in 1892, 330 in 1893, 286 in 1894, 341 in 1895, 348 in 1896, and 366 in 1897). Of deaths from falls, there were 36; 5 were from falling down stairs; 3, from a carriage; and 1 each from an ice run, a wharf, house, and a truck cart; while 24 were unspecified.

Fractures caused 40 deaths—fracture of thigh, 14; of skull, 13; of spine, 3; of hip, 6; of cervical vertebræ, 2; of trachea, 1; and abdominal contusion, 1.

Nineteen deaths were from gun or pistol shot.

From railway injuries there were 35 deaths.

From burns and scalds, 31 deaths occurred. Four deaths from clothing taking fire; 3, scalded with hot water; 1, explosion of lamp; 1, by using gasoline on stove while there was still fire in it; the rest, unspecified.

From poisoning, 15 deaths occurred, of which opium was the cause of 2; strychnine, 2; aconite, 1; paris green, 1; lead poisoning (an infant of 8 days), 1; the rest, unspecified.

By drowning, 109 lives were lost. There were 20 lives lost at sea; 13 of these were lost from the steamer Portland, November 27.

The death-rate from accidents in this State was 5.90.

*Homicide.*—Under this group 6 deaths were registered. This is equivalent to a death-rate of 0.09.

*Suicide.*—Within the year, 56 persons took their own lives (59 in 1892, the same number in 1893, 39 in 1894, 66 in 1895, 81 in 1896, and 71 in 1897),—45 males and 11 females. Of the males, the occupation of 13 was farmer; of 6, laborer; 3, shoemaker; 2, merchant; 2, student; 2, teamster; 1, wheelwright; 1, mechanic; 1, machinist; 1, cooper; 1, salesman; 1, editor and printer; 1, hotel keeper; 1, tailor; 1, baker; 1, blacksmith; 7, no occupation given.

Of the females, the occupation of 1 was returned as housewife; 2, as housekeeper; 1, housework; 1, domestic; 1, schoolteacher; 1, typewriter; and not stated, 4.

As to the means employed, 21 committed suicide by hanging; 13, by shooting; 6, by drowning; 3, by cuts; 11, with poison; and in 2, the method was not stated.

## SUICIDES BY AGES, MONTHS, AND COUNTIES—1898.

AGE-PERIODS.		Months.		Counties.		Rate per 10,000 of population.
10-20.....	3	January .....	2	Androscoggin .....	4	0.82
20-30.....	7	February .....	3	Aroostook .....	1	0.20
30-40.....	8	March .....	4	Cumberland .....	7	0.77
40-50.....	13	April.....	4	Franklin .....	-	-
50-60.....	8	May.....	10	Hancock.....	1	0.26
60-70.....	9	June .....	7	Kennebec .....	5	0.88
70-80.....	5	July .....	2	Knox .....	4	1.27
Over 80 .....	3	August .....	6	Lincoln.....	6	2.27
Not stated.....	-	September.....	5	Oxford.....	2	0.65
		October.....	3	Penobscot.....	6	0.83
Total .....	56	November.....	7	Piscataquis .....	-	-
		December.....	3	Sagadahoc .....	2	1.02
				Somerset .....	3	0.92
		Total .....	56	Waldo .....	6	2.16
				Washington.....	2	0.45
				York .....	7	1.11
				State .....	56	0.85

The youngest suicide was a boy of 15 years, and 5 months; the oldest, a man of 89 years. The largest number of suicides in any month was 10 in May. By quarters, the suicides were 9, 21, 13, and 13. The largest number in any county was 7, each, in Cumberland and York; the highest death-rate from suicide was in Lincoln county. The rate for the State per 10,000 of population was 0.85.





## LIST OF TABLES.

	PAGE
Table No. 1.—Deaths from some of the Leading Causes.....	6
Table No. 2.—Population of the State by Counties, 1880 and 1890.	7
Table No. 3.—Births, Marriages, and Deaths, 1892-98.....	7
Table No. 4.—Population of 1890; Births, Marriages, and Deaths, with the rate of each to 1,000 of population for the year ending December 31, 1898.....	8
Table.—Summary of Births, Marriages, and Deaths.....	9
Table No. 5.—Births and Deaths in each County.....	10
Table No. 6.—Births and Deaths in the Cities.....	11
Table No. 7.—Births, Marriages, and Deaths by Counties and Towns .....	12-63
Table No. 8.—Births, Marriages, and Deaths by Counties.....	64-65
Table No. 9.—Births and Birth-Rates by Counties, for the years 1892-98 .....	66
Table No. 10.—Births, by Counties, showing the proportion of males to females, 1898.....	67
Table No. 11.—Number of Births in each Month of 1892, 1893, 1894, 1895, 1896, 1897, and 1898 with Monthly Ratio compared with a Standard of 100.....	68
Table No. 12.—Births by Sex and Months by Counties, 1898.....	69
Table No. 13.—Births in Cities, for 1898, with rate per 1,000 of population .....	70
Table No. 14.—Percentage of American and Foreign Births by Counties, 1898 .....	71
Table No. 15.—Percentage of American and Foreign Births by Cities, 1898.....	72
Table No. 16.—Twin Births by Months and Counties, 1898.....	73
Table No. 17.—Twin Births by Sex and Parentage, by Counties, 1898 .....	74
Table No. 18.—Still-Births by Sex and Parentage, by Counties, 1898 .....	75
Table No. 19.—Still-Births by Seasons, 1898.....	76
Table No. 20.—Marriages and Marriage-Rates by Counties for the years 1892-98.....	80
Table No. 21.—Marriages by Counties and Nativity, 1898.....	81
Table No. 22.—Marriages by Months and Counties, 1898.....	81
Table No. 23.—Number of Marriages in each month of 1892, 1893, 1894, 1895, 1896, 1897, and 1898, with Monthly Ratio compared with a Standard of 100.....	82

	PAGE.
Table No. 24.—Marriages by Ages and Counties, 1898.....	83
Table No. 25.—Interesting Facts in Relation to Marriage.....	84-85
Table No. 26.—Divorces decreed by the Supreme Court of Maine in the year 1898.....	88-89
Table No. 27.—Divorces by Causes, Sex of Libellants and the number of years married, 1898 .....	90
Table No. 28.—Deaths and Death-Rates by Counties, for the years 1892-8 .....	92
Table No. 29.—Number of Deaths in each Month of 1892, 1893, 1894, 1895, 1896, 1897, and 1898, with Monthly Ratio compared with a Standard of 100.....	93
Table No. 30.—The number of Deaths in the State, and in each County, arranged by Classes and Groups.....	94-101
Table No. 31.—Deaths in each Town from Special Causes, Mostly Infectious Diseases .....	102-141
Table No. 32.—Deaths in each Town from Certain Diseases and Groups of Diseases .....	142-181
Table No. 33.—Deaths by Ages, Sex, and Months, by Counties...182-183	
Table No. 34.—Number of Deaths from Several Specified Causes, of each Sex, in each Month, which were regis- tered during seven years 1892-98.....	184
Table No. 35.—Mortality by Months, reduced to a Standard Mean of 100: Seven years 1892-98.....	185
Table.—Mortality from Ten Prominent Causes, 1892-98.....	189
Table.—Seven Zymotic Diseases by Counties, 1898.....	190
Table.—Zymotic Diseases by Cities, 1898.....	191
Table.—Infectious Diseases, 1892-98.....	192
Table.—Measles by Counties, Months, and Age-Periods, 1898....	193
Table.—Scarlet Fever by Counties, Months, and Age-Periods, 1893-98 .....	194
Table.—Influenza by Counties and Months, 1898.....	195
Table.—Whooping-Cough by Counties, Months, and Age-Periods, 1898 .....	196
Table.—Diphtheria by Counties and Months, 1898.....	197
Table.—Croup by Counties and Months, 1898.....	198
Table.—Diphtheria and Croup by Counties, Months, and Age- Periods, 1892-98 .....	199
Table.—Cerebro-Spinal Meningitis by Counties, Months, and Age- Periods, 1898 .....	200
Table.—Typhoid Fever, by Counties and Months, 1898.....	201
Table.—Typhoid Fever by Counties, Months, and Age-Periods, 1892-98 .....	202
Table.—Consumption by Counties and Months, 1898.....	204
Table.—Consumption by Counties, Months, and Age-Periods, 1892-98 .....	205
Table.—Infantile Diarrhea by Counties and Months, 1898.....	207
Table.—Infantile Diarrhea by Counties, Months, and Age-Periods, 1892-98 .....	208

## LIST OF TABLES.

231

	PAGE
Table.—Infantile Diarrhea in the Cities, 1892-98.....	209
Table.—Rheumatism by Counties, Months, and Age-Groups, 1898.	211
Table.—Rheumatism by Counties, Months, and Age-Periods, 1893-98 .....	212
Table.—Cancer by Counties and Age-Groups, 1892-98.....	213
Table.—Old Age by Counties, 1898.....	214
Table.—Apoplexy by Counties, Months, and Age-Periods, 1898....	216
Table.—Apoplexy, 1898 and 1893-98.....	217
Table.—Diseases of the Heart by Ages and by Sex.....	218
Table.—Diseases of the Heart, by Counties.....	218
Table.—Pneumonia by Counties and Months with Death-Rates per 10,000, 1898 .....	220
Table.—Pneumonia by Counties and Months, 1898.....	221
Table.—Bronchitis by Counties and Months, 1898.....	222
Table.—Peritonitis by Counties and Months, 1898.....	223
Table.—Bright's Disease by Counties, 1898.....	225
Table.—Suicides by Ages, Months, and Counties, 1898.....	227



## INDEX.

---

	PAGE
Accidents .....	225
Age and mortality.....	188
Appendicitis .....	224
Apoplexy .....	215
by counties, months, and age-periods.....	216, 217
Birth-rate .....	77
Birth-rates .....	8, 9
Births and birth-rates, by counties and years.....	66
by counties, showing proportion of males to females.....	67
by seasons .....	78
by sex and months, by counties.....	69
in cities, for 1898, with rate.....	70
in each month, by years.....	68
notes on .....	77
parentage .....	77
percentage of American and foreign, by cities.....	72
by counties .....	71
relation to deaths.....	10
twin .....	79
by months and counties.....	73
by sex and parentage .....	74
marriages and deaths, in each town.....	12-65
Brain or membranes, inflammation of.....	215
softening of the.....	217
Bright's disease .....	224
Bronchitis .....	221, 222
Cancer .....	212
1898 and 1892-98.....	213
Centenarians .....	214
Cerebro-spinal meningitis .....	199
by counties, months, and age-periods.....	200
Childbirth .....	225
Cirrhosis of the liver.....	224
Constitutional diseases .....	210
Consumption, by counties and months.....	204
by counties, months, and age-periods, 1892-98.....	205

	PAGE
Croup .....	197
by counties and months.....	198
Deaths, age and mortality.....	188
causes of .....	188
by ages, sex and months, by counties.....	182
months, reduced to a standard mean for seven years.....	185
in each town, from special causes.....	102-141
from certain diseases and groups of diseases, 142-181	
in the State and counties, by classes and groups.....	94-101
from several specific causes in seven years.....	184
notes on, and the causes of death.....	186
number in each month, by years.....	93
seasons and mortality.....	187
sex and mortality.....	187
and death-rates, by counties and years.....	92
Death-rates .....	8, 9, 186
compared .....	186
Diabetes .....	213
Diarrheal diseases .....	205
Dietetic diseases .....	210
Digestive system, diseases of the.....	223
Diphtheria .....	196
by counties and months.....	197
and croup, by counties, months, and age-periods, 1892-98,	199
Divorces by causes, sex of libellants, etc.....	90
decreed in 1898.....	88
notes on .....	91
Epilepsy .....	218
Heart, diseases of the.....	218
Hemiplegia .....	217
Homicide .....	226
Infantile diarrhea .....	206
by counties and months.....	207
by counties, months, and age-periods, 1892-98..	208
in cities, 1892-98.....	209
Infectious diseases .....	191
1892-98 .....	192
Influenza .....	194
deaths from, by counties and months.....	195
Liver, cirrhosis of.....	224
Marriage, interesting facts relating to.....	84
rates .....	8, 9, 86

	PAGE
Marriages, ages .....	86
and rates, by counties.....	80
by ages and counties.....	83
by counties and nativity.....	81
by months and counties.....	81
nativity .....	86
notes on .....	86
number of, in each month, by years.....	82
seasons .....	86
Malarial diseases .....	202
Measles .....	192
Mortality from ten prominent causes, 1892-98.....	189
Nephritis .....	224
Nervous system, diseases of.....	215
Old age .....	213, 214
Paralysis .....	217
Peritonitis .....	223
Pleurisy .....	223
Pneumonia .....	219
1892-98 .....	221
by counties and months, with death-rates.....	220
Population .....	7
Respiratory system, diseases of the.....	219
Rheumatism .....	210
by counties, months, and age-periods.....	211, 212
Scarlet fever .....	193
by counties, months, and age-periods.....	194
Septic diseases .....	210
Smallpox .....	192
Still-births .....	79
by seasons .....	76
by sex and parentage.....	75
Suicide .....	226
Tetanus .....	200
Tuberculosis .....	202
mesenteric .....	205
other forms .....	205
Typhoid fever .....	200, 201
by counties, months, and age-periods, 1892-98.....	202
Urinary system, diseases of the.....	224
Whooping-cough .....	195
by counties, months, and age-periods.....	196



	PAGE
Zymotic diseases .....	189
by cities .....	191
seven, by counties .....	196









